



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40313002-006
 Harvest/Lot ID: 2942 5180 5699 7085
 Batch#: 2942 5180 5699 7085
 Cultivation Facility: Tampa Cultivation
 Processing Facility : Tampa Processing
 Source Facility : Tampa Cultivation
 Seed to Sale# 9686 0109 2553 5915
 Batch Date: 02/19/24
 Sample Size Received: 15.5 gram
 Total Amount: 1075 units
 Retail Product Size: 0.55 gram
 Ordered: 03/12/24
 Sampled: 03/13/24
 Completed: 03/18/24
 Sampling Method: SOP.T.20.010

Mar 18, 2024 | FLUENT
 5540 W. Executive Drive
 Tampa, FL, 33609, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	87.974	0.114	0.250	ND	0.357	2.172	ND	0.663	0.418	ND	1.011
mg/unit	483.86	0.63	1.38	ND	1.96	11.95	ND	3.65	2.30	ND	5.56
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440 Weight: 0.1079g Extraction date: 03/13/24 12:47:37 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 03/14/24 16:23:22
 Analytical Batch : DA070407POT Batch Date : 03/13/24 09:39:36
 Instrument Used : DA-LC-007
 Analyzed Date : 03/13/24 12:59:15

Dilution : 400
 Reagent : 022824.R30; 060723.24; 021424.R04
 Consumables : 947.109; 34623011; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-006
Harvest/Lot ID: 2942 5180 5699 7085

Batch# : 2942 5180 5699 7085
Sample Size Received : 15.5 gram
Total Amount : 1075 units
Completed : 03/18/24 Expires: 03/18/25
Ordered : 03/13/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	23.29 4.234		ISOBORNEOL	0.007	ND ND	
ALPHA-TERPINOLENE	0.007	9.23 1.678		ISOPULEGOL	0.007	ND ND	
BETA-MYRCENE	0.007	4.60 0.837		NEROL	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	1.66 0.302		PULEGONE	0.007	ND ND	
LIMONENE	0.007	1.49 0.270		VALENCENE	0.007	ND ND	
BETA-PINENE	0.007	1.07 0.195		ALPHA-CEDRENE	0.007	ND ND	
ALPHA-PINENE	0.007	0.75 0.136		CIS-NEROLIDOL	0.007	ND ND	
LINALOOL	0.007	0.72 0.131		TRANS-NEROLIDOL	0.007	ND ND	
FARNESENE	0.001	0.53 0.096					
ALPHA-PHELLANDRENE	0.007	0.47 0.085		Analyzed by:	Weight:	Extraction date:	Extracted by:
3-CARENE	0.007	0.46 0.084		3605, 1665, 585, 1440	0.2925g	03/13/24 11:37:26	3605
ALPHA-HUMULENE	0.007	0.45 0.082		Analysis Method :			
ALPHA-TERPINENE	0.007	0.34 0.061		SOP.T.30.061A.FL, SOP.T.40.061A.FL			
FENCHYL ALCOHOL	0.007	0.30 0.055		Analytical Batch :		Revised On :	
GAMMA-TERPINENE	0.007	0.25 0.046		DA070427TER		03/14/24 16:23:24	
OCIMENE	0.007	0.23 0.042		Instrument Used :		Batch Date :	
BORNEOL	0.013	0.23 0.041		DA-GCMS-004			
TOTAL TERPINEOL	0.007	0.20 0.036		Analyzed Date :			
ALPHA-BISABOLOL	0.007	0.14 0.025		03/13/24 11:38:03			
SABINENE	0.007	0.13 0.024		Dilution :			
GUAIOL	0.007	0.13 0.023		10			
SABINENE HYDRATE	0.007	0.12 0.021		Reagent :			
CAMPHENE	0.007	ND ND		N/A			
CAMPHOR	0.007	ND ND		Consumables :			
CARYOPHYLLENE OXIDE	0.007	ND ND		N/A			
CEDROL	0.007	ND ND		Pipette :			
EUCALYPTOL	0.007	ND ND		N/A			
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
Total (%)		4.234					

Analyzed by: 3605, 1665, 585, 1440
Weight: 0.2925g
Extraction date: 03/13/24 11:37:26
Extracted by: 3605
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA070427TER
Instrument Used : DA-GCMS-004
Revised On : 03/14/24 16:23:24
Batch Date : 03/13/24 10:03:47
Dilution : 10
Reagent : N/A
Consumables : N/A
Pipette : N/A
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40313002-006
 Harvest/Lot ID: 2942 5180 5699 7085

 Batch# : 2942 5180 5699 7085
 Sample Size Received : 15.5 gram
 Total Amount : 1075 units
 Completed : 03/18/24 Expires: 03/18/25
 Ordered : 03/13/24
 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2628g	Extraction date: 03/13/24 15:26:23	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070414PES			Reviewed On : 03/14/24 15:42:44		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/13/24 09:56:26		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : N/A					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2628g	Extraction date: 03/13/24 15:26:23	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070417VOL			Reviewed On : 03/14/24 15:41:05		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 03/13/24 09:57:42		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/13/24 15:36:00					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031324.R20; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 3262501W					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 03/18/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40313002-006

Harvest/Lot ID: 2942 5180 5699 7085

 Batch# : 2942 5180 5699
 7085

 Sampled : 03/13/24
 Ordered : 03/13/24

Sample Size Received : 15.5 gram

Total Amount : 1075 units

Completed : 03/18/24 Expires: 03/18/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0206g	Extraction date: 03/15/24 16:08:42	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07048450L Instrument Used : DA-GCMS-003 Analyzed Date : 03/15/24 16:42:12	Reviewed On : 03/15/24 19:12:05 Batch Date : 03/14/24 13:52:32
---	---

 Dilution : 1
 Reagent : 030420.09
 Consumables : G201.062; G201.062
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-006

Harvest/Lot ID: 2942 5180 5699 7085

Batch# : 2942 5180 5699 7085

Sampled : 03/13/24

Ordered : 03/13/24

Sample Size Received : 15.5 gram

Total Amount : 1075 units

Completed : 03/18/24 Expires: 03/18/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 1665, 585, 1440
Weight: 0.8186g
Extraction date: 03/13/24 11:57:33
Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070406MIC
Reviewed On : 03/14/24 18:44:19
Batch Date : 03/13/24 09:03:56

Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254
Analyzed Date : 03/13/24 17:20:20

Dilution : N/A
Reagent : 012424.35; 012424.37; 022224.R10; 091523.43
Consumables : 7569002019
Pipette : N/A

Analyzed by: 3621, 3390, 585, 1440
Weight: 0.8186g
Extraction date: 03/13/24 11:57:33
Extracted by: 3621

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070435TYM
Instrument Used : Incubator (25-27°C) DA-096
Analyzed Date : 03/13/24 13:14:15
Reviewed On : 03/15/24 19:09:41
Batch Date : 03/13/24 11:57:46

Dilution : N/A
Reagent : 012424.35; 012424.37; 012524.R09
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
Weight: 0.2628g
Extraction date: 03/13/24 15:26:23
Extracted by: 450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA070416MYC
Instrument Used : N/A
Analyzed Date : N/A
Reviewed On : 03/14/24 15:43:48
Batch Date : 03/13/24 09:57:40

Dilution : 250
Reagent : N/A
Consumables : N/A
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 585, 1440
Weight: 0.2751g
Extraction date: 03/13/24 12:58:38
Extracted by: 4306,1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070415HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : N/A
Reviewed On : 03/18/24 12:36:40
Batch Date : 03/13/24 09:56:55

Dilution : 50
Reagent : 030524.R01; 030424.R01; 031124.R04; 031124.R05; 030424.01; 021324.R02
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-006
Harvest/Lot ID: 2942 5180 5699 7085
Batch# : 2942 5180 5699 7085
Sample Size Received : 15.5 gram
Total Amount : 1075 units
Sampled : 03/13/24
Completed : 03/18/24 Expires: 03/18/25
Ordered : 03/13/24
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA070436FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 03/13/24 13:28:40
Reviewed On : 03/13/24 13:35:14
Batch Date : 03/13/24 13:20:47

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.475	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.875g	Extraction date: 03/14/24 13:51:59	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA070432WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 03/14/24 10:16:06
Reviewed On : 03/14/24 15:38:50
Batch Date : 03/13/24 11:04:10

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

