

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Electric Kool Aid Cured SGR 1 g Electric Kool Aid

Matrix: Derivative Type: Sugar Wax

Sample:DA40314003-002 Harvest/Lot ID: 0217 9238 3014 0779

Batch#: 0217 9238 3014 0779

Cultivation Facility: Tampa Cultivation Source Facility: Tampa Cultivation

Seed to Sale# 5726 1969 4420 5063

Batch Date: 01/30/24 Sample Size Received: 16 gram

> Total Amount: 722 units Retail Product Size: 1 gram

> > Ordered: 03/13/24 Sampled: 03/14/24 Completed: 03/18/24

Sampling Method: SOP.T.20.010

PASSED

Mar 18, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6





Pesticides

SAFETY RESULTS





Heavy Metals



Microbials



Mycotoxins



PASSED

Reviewed On: 03/15/24 07:10:05 Batch Date: 03/14/24 09:48:49



Filth



Water Activity





Moisture

NOT TESTED



MISC.

PRODUCT IMAGE

Cannabinoid

PASSED



Total THC 80.015% Total THC/Container: 800.15 mg



Total CBD Total CBD/Container: 1.09 mg



Total Cannabinoids

Total Cannabinoids/Container: 927.88

	alyzed by: 35, 1665, 585	, 1440			Weight: 0.1056g		Extraction date: 03/14/24 12:43:0	01			Extracted by: 3335	
0.900 90.212 ND 0.125 ND 0.116 1.428 ND ND ND 0.007 g/unit 9.00 902.12 ND 1.25 ND 1.16 14.28 ND ND ND 0.07		%	%	%	%	%	%	%	%	%	%	%
0.900 90.212 ND 0.125 ND 0.116 1.428 ND ND ND 0.007	DD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	g/unit	9.00	902.12	ND	1.25	ND	1.16	14.28	ND	ND	ND	0.07
D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	ó	0.900	90.212	ND	0.125	ND	0.116	1.428	ND	ND	ND	0.007
		D9-THC	тнса	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС
										mg		

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA070450POT Instrument Used : DA-LC-007 Analyzed Date: 03/14/24 12:50:03

Reagent: 030624.R33; 060723.24; 021424.R04 Consumables: 947.109; 34623011; CE0123; R1KB14270

Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/18/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Kaycha Labs

Electric Kool Aid Cured SGR 1 g

Electric Kool Aid Matrix: Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40314003-002 Harvest/Lot ID: 0217 9238 3014 0779

Batch#: 0217 9238 3014

Sampled: 03/14/24 Ordered: 03/14/24

Sample Size Received: 16 gram Total Amount: 722 units

Completed: 03/18/24 Expires: 03/18/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t %	Result (%)	Ter	penes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	19.43	1.943		SAB	INENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	3.50	0.350		SAB	INENE HYDRATE		0.007	ND	ND		
FARNESENE	0.001	2.83	0.283		VAL	ENCENE		0.007	ND	ND		
LIMONENE	0.007	2.71	0.271		ALP	HA-CEDRENE		0.007	ND	ND		
LINALOOL	0.007	1.51	0.151		ALP	HA-PHELLANDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	1.50	0.150		CIS-	NEROLIDOL		0.007	ND	ND		
ALPHA-HUMULENE	0.007	1.20	0.120		GAN	MMA-TERPINENE		0.007	ND	ND		
BORNEOL	0.013	1.00	0.100		TRA	NS-NEROLIDOL		0.007	ND	ND		
FENCHYL ALCOHOL	0.007	0.93	0.093		Analy	zed by:	Weight:		xtraction da	to.		Extracted by:
FENCHONE	0.007	0.82	0.082			585, 1440	0.2047g		3/14/24 15:2			3605,795
ALPHA-BISABOLOL	0.007	0.65	0.065			sis Method : SOP.T.30.061A.FL, S	SOP.T.40.061A.FL					
BETA-PINENE	0.007	0.62	0.062			rtical Batch : DA070454TER					03/15/24 07:55:02	
TOTAL TERPINEOL	0.007	0.57	0.057			ment Used : DA-GCMS-009 zed Date : N/A			Batci	Date: U:	3/14/24 10:14:37	
ALPHA-PINENE	0.007	0.47	0.047			on : 10						
GUAIOL	0.007	0.43	0.043			ent: N/A						
CARYOPHYLLENE OXIDE	0.007	0.37	0.037			umables : N/A						
ALPHA-TERPINOLENE	0.007	0.36	0.036			te: N/A						
ALPHA-TERPINENE	0.007	0.30	0.030		Terper	noid testing is performed utilizing Gas	s Chromatography M	ass Spectr	ometry. For all	Flower san	nples, the Total Terpenes % i	s dry-weight corrected.
EUCALYPTOL	0.007	0.23	0.023									
3-CARENE	0.007	ND	ND									
CAMPHENE	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
CEDROL	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
ISOPULEGOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
OCIMENE	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
Total (%)			1.943									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Electric Kool Aid Cured SGR 1 g

Electric Kool Aid Matrix: Derivative Type: Sugar Wax



Certificate of Analysis

LOD Units

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40314003-002 Harvest/Lot ID: 0217 9238 3014 0779

Batch#: 0217 9238 3014

Sampled: 03/14/24 Ordered: 03/14/24

Pass/Fail Result

Sample Size Received: 16 gram Total Amount : 722 units

Completed: 03/18/24 Expires: 03/18/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	mag	5	PASS	ND	OXAMYL		0.010	nnm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010		0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND					0.1		
TOTAL PYRETHRINS	0.010	mag	0.5	PASS	ND	PHOSMET		0.010			PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINOSAD	0.010	mag	0.1	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	mag	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	mag	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010		0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND					0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010				
BOSCALID	0.010		0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
CARBOFURAN	0.010	11.11	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZE	NE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND			0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight:	Extracti	on date: 16:19:00		Extracted 450.585	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.1	0.212g			CODT 40 101		,
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	.UI.FL (Gairlesville),	3UF.1.3U.1U	Z.FL (Davie), 30F.1.40.101	rL (Gairlesville	1,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070456F	PES		Reviewed	On:03/18/24	13:07:13	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-0	003 (PES)		Batch Dat	e:03/14/24 10	:23:35	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					=	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 031124.R01; 03132 Consumables: 326250IW	24.R19; 031324.R20	J; 031324.R5	2; 021324.1	R05; 031324.R1	17; 040423.08	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA	-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents i		Liquid Chron	natography ¹	Friple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER						,
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio	n date:		Extracted I	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.212g	03/14/24			450,585	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.1						
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA070458\ Instrument Used : DA-GCMS-I				:03/15/24 11:3 03/14/24 10:27		
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/14/24 16:		Ва	itch Date :	03/14/24 10:27	:14	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250	J1.JJ					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 031324.R20; 04042	23.08: 021424.R18·	021424.R19				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA	-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents i		Gas Chroma	tography Tri	ple-Quadrupole	Mass Spectrome	etry in
						accordance with F.S. Rule 64ER	.20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Electric Kool Aid Cured SGR 1 g

Electric Kool Aid Matrix : Derivative Type: Sugar Wax



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA40314003-002 Harvest/Lot ID: 0217 9238 3014 0779

Batch#: 0217 9238 3014

Sampled: 03/14/24 Ordered: 03/14/24 Sample Size Received: 16 gram
Total Amount: 722 units
Completed: 03/18/24 Expires: 03/18/25
Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Е	xtracted by:	

Reviewed On: 03/15/24 19:44:51

Batch Date: 03/14/24 14:07:32

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by

 850, 585, 1440
 0.0285g
 03/15/24 17:36:36
 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA070485SOL Instrument Used: DA-GCMS-002 Analyzed Date: 03/15/24 17:21:00

Dilution: 1 Reagent: 030923.29

Consumables: G201.062; G201.062 Pipette: DA-309 25 uL Syringe 35028

2eu Date : 03/13/24 17.21.00

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Electric Kool Aid Cured SGR 1 g

Electric Kool Aid Matrix: Derivative Type: Sugar Wax



PASSED

Certificate of Analysis

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40314003-002 Harvest/Lot ID: 0217 9238 3014 0779

Batch#: 0217 9238 3014

Sampled: 03/14/24 Ordered: 03/14/24 Sample Size Received: 16 gram Total Amount: 722 units Completed: 03/18/24 Expires: 03/18/25

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mvcotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Resul
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction dat	e:	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 1440	0.212g	03/14/24 16:1		

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3621, 585, 1440 03/14/24 11:58:53 1.0909g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA070449MIC

Reviewed On: 03/16/24 14:53:46 Batch Date: 03/14/24 Instrument Used: PathogenDx Scanner DA-111.Applied

Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:23:15 DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021 Analyzed Date : $03/14/24 \ 19:14:47$

Reagent: 012424.12; 012424.21; 022224.R10; 091523.43

Consumables: 7569003015

Pipette: N/A

200	,					
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B	2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B	1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN	A	0.002	ppm	ND	PASS	0.02

					Fail	Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction dat	Extracted by:			
3379, 585, 1440	0.212a	03/14/24 16:1	9:00	4	150.585	

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA070457MYC Reviewed On: 03/18/24 13:09:31 Instrument Used : N/A Batch Date: 03/14/24 10:27:11

Analyzed Date : N/A

Dilution: 250 Reagent: 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17;

040423.08 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3621, 585, 1440 Weight: Extraction date Extracted by: 1.0909g 03/14/24 11:58:53

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch: DA070467TYM Instrument Used: Incubator (25-27*C) DA-097 Reviewed On: 03/16/24 14:54:23 **Batch Date :** 03/14/24 10:37:51 **Analyzed Date :** 03/14/24 12:55:39

Dilution: N/A

Reagent: 012424.12; 012424.21; 012524.R09

Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level	
TOTAL CONTAMINANT	S 0.080	ppm	ND	PASS	1.1		
ARSENIC		0.020	ppm	ND	PASS	0.2	
CADMIUM		0.020	ppm	ND	PASS	0.2	
MERCURY		0.020	ppm	ND	PASS	0.2	
LEAD		0.020	ppm	ND	PASS	0.5	
Analyzed by: 3629, 585, 1440	Weight: 0.256g	Extraction dat 03/14/24 12:3			tracted b 306,1022	y:	

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA070473HEA Instrument Used : DA-ICPMS-004 Analyzed Date: 03/16/24 15:20:53 Reviewed On: 03/18/24 09:05:16 Batch Date: 03/14/24 11:45:38

Dilution: 50

3629, 585, 1440

Reagent: 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01

Consumables: 179436: 34623011: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Electric Kool Aid Cured SGR 1 g

Electric Kool Aid Matrix: Derivative Type: Sugar Wax

Page 6 of 6



PASSED

Certificate of Analysis

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40314003-002 Harvest/Lot ID: 0217 9238 3014 0779

Batch#: 0217 9238 3014

Sampled: 03/14/24 Ordered: 03/14/24 Sample Size Received: 16 gram Total Amount: 722 units Completed: 03/18/24 Expires: 03/18/25

Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA070486FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 03/14/24 19:27:03 Batch Date: 03/14/24 19:05:04 Analyzed Date: 03/14/24 19:17:00

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 03/15/24 19:51:19

Batch Date: 03/14/24 13:01:46

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.521	PASS	0.85
Analyzed by:	Weight	Extraction	date:	Evtr	acted hv

4444, 4056, 585, 1440

Analysis Method: SOP.T.40.019 Analytical Batch: DA070483WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date: 03/14/24 13:57:11

Dilution: N/A Reagent: 022024.28 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164