



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA40314003-003**  
**Harvest/Lot ID: 9899 1398 6607 4142**  
**Batch#: 9899 1398 6607 4142**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Cultivation**  
**Seed to Sale# 4841 2884 3332 6265**  
**Batch Date: 02/19/24**  
**Sample Size Received: 67.5 gram**  
**Total Amount: 1219 units**  
**Retail Product Size: 11.25 gram**  
**Ordered: 03/13/24**  
**Sampled: 03/14/24**  
**Completed: 03/18/24**  
**Sampling Method: SOP.T.20.010**











Mar 18, 2024 | FLUENT


5540 W. Executive Drive  
Tampa, FL, 33609, US






**PASSED**

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtth <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>NOT TESTED</b>	 Terpenes <b>TESTED</b>

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------

	<b>Total THC</b> <b>4.136%</b> Total THC/Container : 465.30 mg		<b>Total CBD</b> <b>0.013%</b> Total CBD/Container : 1.46 mg		<b>Total Cannabinoids</b> <b>4.363%</b> Total Cannabinoids/Container : 490.84 mg
--	--	---	--	---	--

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.131	0.006	0.013	ND	0.011	0.081	0.004	0.047	0.027	ND	0.043
mg/unit	464.74	0.68	1.46	ND	1.24	9.11	0.45	5.29	3.04	ND	4.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by: 3335, 1665, 585, 1440	Weight: 3.0406g	Extraction date: 03/14/24 12:43:02	Extracted by: 3335
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031	Reviewed On : 03/15/24 07:22:15
Analytical Batch : DA070450POT	Batch Date : 03/14/24 09:48:49
Instrument Used : DA-LC-007	
Analyzed Date : 03/14/24 12:50:03	

Dilution : 400
Reagent : 030624.R33; 060723.24; 021424.R04
Consumables : 947.109; 34623011; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/18/24



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-003  
Harvest/Lot ID: 9899 1398 6607 4142  
Batch# : 9899 1398 6607 4142  
Sample Size Received : 67.5 gram  
Total Amount : 1219 units  
Sampled : 03/14/24  
Completed : 03/18/24 Expires: 03/18/25  
Ordered : 03/14/24  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	28.13	0.250	ALPHA-CEDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	6.86	0.061	ALPHA-HUMULENE	0.007	ND	ND
LIMONENE	0.007	5.63	0.050	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	4.28	0.038	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-PINENE	0.007	3.94	0.035	ALPHA-TERPINOLENE	0.007	ND	ND
LINALOOL	0.007	3.71	0.033	CIS-NEROLIDOL	0.007	ND	ND
BETA-PINENE	0.007	3.71	0.033	GAMMA-TERPINENE	0.007	ND	ND
3-CARENE	0.007	ND	ND	TRANS-NEROLIDOL	0.007	ND	ND
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.1941g	Extraction date: 03/14/24 15:22:42	Extracted by: 3605.795
CAMPHOR	0.007	ND	ND	Analytical Batch : DA070454TER			Reviewed On : 03/15/24 07:55:03
CARYOPHYLLENE OXIDE	0.007	ND	ND	Instrument Used : DA-GCMS-009			Batch Date : 03/14/24 10:14:37
CEDROL	0.007	ND	ND	Analysis Date : N/A			
EUCALYPTOL	0.007	ND	ND	Dilution : 10			
FARNESENE	0.001	ND	ND	Reagent : N/A			
FENCHONE	0.007	ND	ND	Consumables : N/A			
FENCHYL ALCOHOL	0.007	ND	ND	Pipette : N/A			
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
TOTAL TERPINEOL	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
ALPHA-BISABOLOL	0.007	ND	ND				
<b>Total (%)</b>			<b>0.250</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/18/24



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-003

Harvest/Lot ID: 9899 1398 6607 4142

Batch#: 9899 1398 6607 4142

Sampled : 03/14/24

Ordered : 03/14/24


Sample Size Received : 67.5 gram

Total Amount : 1219 units

Completed : 03/18/24 Expires: 03/18/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2966g	<b>Extraction date:</b> 03/14/24 16:19:00	<b>Extracted by:</b> 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA070456PES				<b>Reviewed On :</b> 03/18/24 13:07:14	
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)				<b>Batch Date :</b> 03/14/24 10:23:35	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> N/A					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	3	PASS	ND	<b>Reagent :</b> 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	2	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.2966g	<b>Extraction date:</b> 03/14/24 16:19:00	<b>Extracted by:</b> 450,585		
FLUDIOXONIL	0.010	ppm	3	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	<b>Analytical Batch :</b> DA070458VOL				<b>Reviewed On :</b> 03/15/24 11:34:31	
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-010				<b>Batch Date :</b> 03/14/24 10:27:14	
IMIDACLOPRID	0.010	ppm	1	PASS	ND	<b>Analyzed Date :</b> 03/14/24 16:31:53					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	2	PASS	ND	<b>Reagent :</b> 031324.R20; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	3	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/18/24



Type: Products for oral administration (pills, capsules, tinctures, and similar


# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA40314003-003  
 Harvest/Lot ID: 9899 1398 6607 4142  
 Batch# : 9899 1398 6607 4142  
 Sample Size Received : 67.5 gram  
 Total Amount : 1219 units  
 Completed : 03/18/24 Expires: 03/18/25  
 Sample Method : SOP.T.20.010  
 Sampled : 03/14/24  
 Ordered : 03/14/24

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0206g	Extraction date: 03/15/24 17:36:36	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07048550L Instrument Used : DA-GCMS-002 Analyzed Date : 03/15/24 17:21:00	Reviewed On : 03/15/24 19:44:52 Batch Date : 03/14/24 14:07:32
---	---

Dilution : 1  
 Reagent : 030923.29  
 Consumables : G201.062; G201.062  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-003  
Harvest/Lot ID: 9899 1398 6607 4142  
Batch#: 9899 1398 6607 4142  
Sample Size Received : 67.5 gram  
Total Amount : 1219 units  
Completed : 03/18/24 Expires: 03/18/25  
Sampled : 03/14/24  
Ordered : 03/14/24  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
<b>Analyzed by:</b> 3390, 3621, 585, 1440 <b>Weight:</b> 0.8486g <b>Extraction date:</b> 03/14/24 11:58:54 <b>Extracted by:</b> 3621						<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2966g <b>Extraction date:</b> 03/14/24 16:19:00 <b>Extracted by:</b> 450,585					
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA070449MIC <b>Reviewed On :</b> 03/16/24 14:53:48 <b>Batch Date :</b> 03/14/24 09:23:15 <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 03/14/24 19:14:47						<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070457MYC <b>Instrument Used :</b> N/A <b>Analyzed Date :</b> N/A <b>Reviewed On :</b> 03/18/24 13:09:33 <b>Batch Date :</b> 03/14/24 10:27:11 <b>Dilution :</b> 250 <b>Reagent :</b> 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Dilution :</b> N/A <b>Reagent :</b> 012424.12; 012424.21; 022224.R10; 091523.43 <b>Consumables :</b> 7569003015 <b>Pipette :</b> N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3629, 585, 1440 <b>Weight:</b> 0.283g <b>Extraction date:</b> 03/14/24 12:23:34 <b>Extracted by:</b> 4306,1022					
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA070473HEA <b>Instrument Used :</b> DA-ICPMS-004 <b>Analyzed Date :</b> 03/16/24 15:20:53 <b>Reviewed On :</b> 03/18/24 09:05:08 <b>Batch Date :</b> 03/14/24 11:45:38					
<b>Dilution :</b> 50 <b>Reagent :</b> 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/18/24



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-003  
Harvest/Lot ID: 9899 1398 6607 4142  
Batch# : 9899 1398 6607    Sample Size Received : 67.5 gram  
4142    Total Amount : 1219 units  
Sampled : 03/14/24    Completed : 03/18/24 Expires: 03/18/25  
Ordered : 03/14/24    Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA070486FIL    Reviewed On : 03/14/24 19:27:01  
Instrument Used : Filth/Foreign Material Microscope    Batch Date : 03/14/24 19:05:04  
Analyzed Date : 03/14/24 19:17:00

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.471	TESTED	

Analyzed by: 4444, 4056, 585, 1440	Weight: 0.715g	Extraction date: 03/15/24 18:35:58	Extracted by: 4444,4056
---------------------------------------	-------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA070483WAT    Reviewed On : 03/15/24 19:51:19  
Instrument Used : DA256 Rotronic HygroPalm    Batch Date : 03/14/24 13:01:46  
Analyzed Date : 03/14/24 13:57:11

Dilution : N/A  
Reagent : 022024.28  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/18/24