



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40313002-001
Harvest/Lot ID: 5175 1201 3726 4958
Batch#: 5175 1201 3726 4958
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 0486 8184 6485 5816
Batch Date: 11/30/23
Sample Size Received: 720 gram
Total Amount: 2084 units
Retail Product Size: 63.9129 gram
Ordered: 03/12/24
Sampled: 03/13/24
Completed: 03/18/24
Revision Date: 03/20/24
Sampling Method: SOP.T.20.010

Mar 20, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtth
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.160%

Total THC/Container : 102.26 mg



Total CBD
ND

Total CBD/Container : 0.00 mg



Total Cannabinoids
0.169%

Total Cannabinoids/Container : 108.01 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.160	ND	ND	ND	ND	0.006	ND	0.003	ND	ND	ND
mg/unit	102.26	ND	ND	ND	ND	3.83	ND	1.92	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
2.9861g

Extraction date:
03/13/24 12:43:28

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA070409POT
Instrument Used : DA-LC-007
Analyzed Date : 03/13/24 12:58:37

Reviewed On : 03/14/24 16:25:16
Batch Date : 03/13/24 09:44:50

Dilution : 40
Reagent : 030424.01; 022824.R30; 060723.50; 060723.24; 021424.R04
Consumables : 947.109; 34623011; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-001

Harvest/Lot ID: 5175 1201 3726 4958

Batch# : 5175 1201 3726 4958

Sampled : 03/13/24
Ordered : 03/13/24

Sample Size Received : 720 gram

Total Amount : 2084 units

Completed : 03/18/24 Expires: 03/20/25

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result						
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND						
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND						
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND						
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND						
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND						
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND						
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND						
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND						
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND						
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND						
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND						
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND						
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND						
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND						
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND						
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND						
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND						
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND						
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND						
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND						
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND						
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND						
DAMINOZIDE	0.010	ppm	0.1	PASS	ND												
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	0.907g	Extraction date:	03/13/24 15:07:48	Extracted by:	450				
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Analytical Batch :	DA070423PES	Reviewed On :	03/15/24 11:28:49	Batch Date :	03/13/24 10:01:55				
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)	Analyzed Date :	N/A	Dilution :	250	Reagent :	N/A				
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Consumables :	N/A	Pipette :	N/A	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
ETOFENPROX	0.010	ppm	0.1	PASS	ND					Analyzed by:	450, 585, 1440	Weight:	0.907g	Extraction date:	03/13/24 15:07:48	Extracted by:	450
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)	Analytical Batch :	DA070426VOL	Reviewed On :	03/14/24 15:37:41	Batch Date :	03/13/24 10:03:24				
FENHEXAMID	0.010	ppm	3	PASS	ND	Instrument Used :	DA-GCMS-001	Analyzed Date :	03/13/24 15:30:45	Dilution :	250	Reagent :	031324.R20; 040423.08; 021424.R18; 021424.R19				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	14725401; 3262501W	Pipette :	DA-080; DA-146; DA-218	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FENPYROXIMATE	0.010	ppm	2	PASS	ND												
FIPRONIL	0.010	ppm	0.1	PASS	ND												
FLONICAMID	0.010	ppm	2	PASS	ND												
FLUDIOXONIL	0.010	ppm	3	PASS	ND												
HEXYTHIAZOX	0.010	ppm	2	PASS	ND												
IMAZALIL	0.010	ppm	0.1	PASS	ND												
IMIDACLOPRID	0.010	ppm	1	PASS	ND												
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND												
MALATHION	0.010	ppm	2	PASS	ND												
METALAXYL	0.010	ppm	3	PASS	ND												
METHIACARB	0.010	ppm	0.1	PASS	ND												
METHOMYL	0.010	ppm	0.1	PASS	ND												
MEVINPHOS	0.010	ppm	0.1	PASS	ND												
MYCLOBUTANIL	0.010	ppm	3	PASS	ND												
NALED	0.010	ppm	0.5	PASS	ND												

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-001

Harvest/Lot ID: 5175 1201 3726 4958

Batch# : 5175 1201 3726 4958

Sampled : 03/13/24

Ordered : 03/13/24


Sample Size Received : 720 gram

Total Amount : 2084 units

Completed : 03/18/24 Expires: 03/20/25

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0212g	Extraction date: 03/14/24 12:22:28	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 03/14/24 15:10:05
Analytical Batch : DA07043850L	Batch Date : 03/13/24 14:58:49
Instrument Used : DA-GCMS-002	
Analyzed Date : 03/14/24 12:43:08	

Dilution : 1
Reagent : N/A
Consumables : G201.062; G201.062
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-001
Harvest/Lot ID: 5175 1201 3726 4958
Batch# : 5175 1201 3726 4958
Sample Size Received : 720 gram
Total Amount : 2084 units
Completed : 03/18/24 Expires: 03/20/25
Sampled : 03/13/24
Ordered : 03/13/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440
Weight: 0.9148g
Extraction date: 03/13/24 11:54:47
Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070405MIC
Reviewed On : 03/14/24 18:38:25
Batch Date : 03/13/24 09:03:07

Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254
Analyzed Date : 03/13/24 17:20:22

Dilution : N/A
Reagent : 012424.35; 012424.37; 022224.R10; 091523.43
Consumables : 7569002019
Pipette : N/A

Analyzed by: 3621, 3390, 585, 1440
Weight: 0.9148g
Extraction date: 03/13/24 11:54:47
Extracted by: 3621

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070434TYM
Instrument Used : Incubator (25-27°C) DA-096
Analyzed Date : 03/13/24 13:14:19
Reviewed On : 03/15/24 19:09:35
Batch Date : 03/13/24 11:55:02

Dilution : N/A
Reagent : 012424.35; 012424.37; 012524.R09
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.


Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
Weight: 0.907g
Extraction date: 03/13/24 15:07:48
Extracted by: 450

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070425MYC
Instrument Used : N/A
Analyzed Date : N/A
Reviewed On : 03/15/24 11:24:42
Batch Date : 03/13/24 10:03:21

Dilution : 250
Reagent : N/A
Consumables : N/A
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 585, 1440
Weight: 0.2832g
Extraction date: 03/13/24 12:42:39
Extracted by: 4306, 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070413HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : N/A
Reviewed On : 03/18/24 12:38:01
Batch Date : 03/13/24 09:54:23

Dilution : 50
Reagent : 030524.R01; 031124.R06; 030424.R01; 031124.R04; 031124.R05; 030424.01; 021324.R02
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40313002-001
Harvest/Lot ID: 5175 1201 3726 4958
Batch# : 5175 1201 3726 4958
Sample Size Received : 720 gram
Total Amount : 2084 units
Sampled : 03/13/24
Completed : 03/18/24 Expires: 03/20/25
Ordered : 03/13/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**

Homogeneity **PASSED**

Amount of tests conducted : 22

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440
Weight: NA
Extraction date: N/A
Extracted by: N/A
Analysis Method : SOP.T.40.090
Analytical Batch : DA070436FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 03/13/24 13:28:40
Reviewed On : 03/13/24 13:34:33
Batch Date : 03/13/24 13:20:47

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.534	PASS	0.85

Analyzed by: 4444, 585, 1440
Weight: 11.945g
Extraction date: 03/14/24 13:51:57
Extracted by: 4444
Analysis Method : SOP.T.40.019
Analytical Batch : DA070432WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 03/14/24 10:16:06
Reviewed On : 03/14/24 15:38:44
Batch Date : 03/13/24 11:04:10

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	2.104	25

Analyzed by: 3702, 585, 1440
Average Weight: 6.341g
Extraction date: 03/13/24 13:00:35
Extracted By: 3702

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : DA070402HOM
Instrument Used : DA-LC-001 (Homo)
Analyzed Date : 03/13/24 13:00:57
Reviewed On : 03/14/24 16:22:17
Batch Date : 03/13/24 08:59:19

Dilution : 40
Reagent : 022124.R03; 071222.35; 020124.02; 021424.R03
Consumables : 947.109; LCJ0311R; 34623011; 266969; 1008741093; CE0123; R1KB14270
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/18/24