



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40316012-002  
 Harvest/Lot ID: 9355 9585 7351 0173  
 Batch#: 9355 9585 7351 0173  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility : Tampa Processing  
 Source Facility : Tampa Cultivation  
 Seed to Sale# 5331 1327 2576 0902  
 Batch Date: 02/19/24  
 Sample Size Received: 15.3 gram  
 Total Amount: 1864 units  
 Retail Product Size: 0.3 gram  
 Retail Serving Size: 0.3 gram  
 Servings: 1  
 Ordered: 03/16/24  
 Sampled: 03/16/24  
 Completed: 03/21/24  
 Sampling Method: SOP.T.20.010

Mar 21, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals Solvents  
PASSED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
NOT TESTED



Terpenes  
TESTED

MISC.



Cannabinoid

**PASSED**



Total THC

**88.712%**

Total THC/Container : 266.14 mg



Total CBD

**0.262%**

Total CBD/Container : 0.79 mg



Total Cannabinoids

**93.882%**

Total Cannabinoids/Container : 281.65 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.613	0.113	0.262	ND	0.337	2.184	0.091	0.667	0.484	ND	1.131
mg/unit	265.84	0.34	0.79	ND	1.01	6.55	0.27	2.00	1.45	ND	3.39
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.1012g

Extraction date:  
03/18/24 10:26:13

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA070590POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : N/A

Reviewed On : 03/19/24 11:56:29  
 Batch Date : 03/17/24 22:40:32

Dilution : 400  
 Reagent : 022724.R01; 030624.05; 021424.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 03/21/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40316012-002  
Harvest/Lot ID: 9355 9585 7351 0173

Batch# : 9355 9585 7351 0173    Sample Size Received : 15.3 gram  
Total Amount : 1864 units  
Sampled : 03/16/24    Completed : 03/21/24    Expires: 03/21/25  
Ordered : 03/16/24    Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED						
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)			
TOTAL TERPENES	0.007	6.67	2.224	SABINENE	0.007	ND	ND			
ALPHA-TERPINOLENE	0.007	2.14	0.712	SABINENE HYDRATE	0.007	ND	ND			
BETA-CARYOPHYLLENE	0.007	0.86	0.285	ALPHA-CEDRENE	0.007	ND	ND			
FARNESENE	0.001	0.63	0.210	ALPHA-HUMULENE	0.007	ND	ND			
BETA-MYRCENE	0.007	0.56	0.188	ALPHA-TERPINENE	0.007	ND	ND			
LIMONENE	0.007	0.55	0.183	CIS-NEROLIDOL	0.007	ND	ND			
OCIMENE	0.007	0.34	0.114	GAMMA-TERPINENE	0.007	ND	ND			
BETA-PINENE	0.007	0.34	0.113	TRANS-NEROLIDOL	0.007	ND	ND			
ALPHA-PINENE	0.007	0.24	0.079							
VALENCENE	0.007	0.20	0.066	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.2984g	Extraction date:	03/17/24 10:12:44	Extracted by:	1879
LINALOOL	0.007	0.14	0.048	Analytical Batch : DA070554TER						
TOTAL TERPINEOL	0.007	0.11	0.038	Instrument Used : DA-GCMS-004						
ALPHA-PHELLANDRENE	0.007	0.11	0.038	Analysis Date : N/A						
FENCHYL ALCOHOL	0.007	0.11	0.037	Dilution : 10						
ALPHA-BISABOLOL	0.007	0.10	0.033	Reagent : N/A						
3-CARENE	0.007	0.08	0.028	Consumables : N/A						
CARYOPHYLLENE OXIDE	0.007	0.08	0.027	Pipette : N/A						
HEXAHYDROTHYMOL	0.007	0.08	0.025							
BORNEOL	0.013	ND	ND							
CAMPHERE	0.007	ND	ND							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAJOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
<b>Total (%)</b>			<b>2.224</b>							

Reviewed On : 03/19/24 11:56:31  
Batch Date : 03/16/24 11:20:45

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/21/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40316012-002  
Harvest/Lot ID: 9355 9585 7351 0173

Batch# : 9355 9585 7351 0173  
Sample Size Received : 15.3 gram  
Total Amount : 1864 units  
Completed : 03/21/24 Expires: 03/21/25  
Ordered : 03/16/24  
Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4056, 3379, 585, 1440 <b>Weight:</b> 0.2624g <b>Extraction date:</b> 03/17/24 13:55:05 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070579PES <b>Reviewed On :</b> 03/18/24 18:56:17 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 03/17/24 09:16:54 <b>Analyzed Date :</b> 03/17/24 13:00:11 <b>Dilution :</b> 250 <b>Reagent :</b> 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05; 031324.R17 <b>Consumables :</b> 326250W <b>Pipette :</b> DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4056, 450, 585, 1440 <b>Weight:</b> 0.2624g <b>Extraction date:</b> 03/17/24 13:55:05 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA070580VOL <b>Reviewed On :</b> 03/18/24 18:53:46 <b>Instrument Used :</b> DA-GCMS-010 <b>Batch Date :</b> 03/17/24 09:18:29 <b>Analyzed Date :</b> 03/17/24 12:53:20 <b>Dilution :</b> 250 <b>Reagent :</b> 031324.R20; 040423.08; 021424.R18; 021424.R19 <b>Consumables :</b> 326250W; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/21/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40316012-002

Harvest/Lot ID: 9355 9585 7351 0173

 Batch# : 9355 9585 7351  
 0173

Sampled : 03/16/24

Ordered : 03/16/24

Sample Size Received : 15.3 gram

Total Amount : 1864 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0207g	Extraction date: 03/19/24 13:27:21	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA07059450L  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 03/19/24 13:45:29

 Reviewed On : 03/19/24 14:02:26  
 Batch Date : 03/18/24 15:47:17

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; 304486  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA40316012-002  
 Harvest/Lot ID: 9355 9585 7351 0173  
 Batch# : 9355 9585 7351 0173  
 Sample Size Received : 15.3 gram  
 Total Amount : 1864 units  
 Completed : 03/21/24 Expires: 03/21/25  
 Sampled : 03/16/24  
 Ordered : 03/16/24  
 Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440      Weight: 0.895g      Extraction date: 03/19/24 13:47:29      Extracted by: 4351,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070582MIC      Reviewed On : 03/20/24 07:26:15 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021      Batch Date : 03/17/24 10:05:02 Analyzed Date : 03/18/24 14:13:46 Dilution : N/A Reagent : 012424.20; 012424.39; 022224.R10; 091523.43 Consumables : 7569001065 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 3379, 585, 1440      Weight: 0.2624g      Extraction date: 03/17/24 13:55:05      Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070581MYC      Reviewed On : 03/18/24 18:55:30 Instrument Used : N/A      Batch Date : 03/17/24 09:18:44 Analyzed Date : 03/17/24 14:48:24 Dilution : 250 Reagent : 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05; 031324.R17 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 3621, 585, 1440      Weight: 0.895g      Extraction date: 03/19/24 13:47:29      Extracted by: 4351,3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070583TYM      Reviewed On : 03/20/24 07:26:32 Instrument Used : Incubator (25-27°C) DA-097      Batch Date : 03/17/24 10:06:58 Analyzed Date : N/A Dilution : N/A Reagent : 012424.20; 012424.39; 012524.R09 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 585, 1440      Weight: 0.2655g      Extraction date: 03/17/24 09:18:53      Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070572HEA      Reviewed On : 03/21/24 18:44:57 Instrument Used : DA-ICPMS-004      Batch Date : 03/17/24 06:52:04 Analyzed Date : N/A Dilution : 50 Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



 Signature  
 03/21/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 0.3g  
 Everglade Haze  
 Matrix : Derivative  
 Type: Distillate



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40316012-002  
 Harvest/Lot ID: 9355 9585 7351 0173  
 Batch# : 9355 9585 7351  
 Sample Size Received : 15.3 gram  
 Total Amount : 1864 units  
 Sampled : 03/16/24  
 Completed : 03/21/24 Expires: 03/21/25  
 Ordered : 03/16/24  
 Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA070571FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 03/16/24 21:51:58  
 Reviewed On : 03/16/24 22:06:18  
 Batch Date : 03/16/24 21:44:29

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.527	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.663g	Extraction date: 03/17/24 10:34:27	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA070578WAT  
 Instrument Used : DA256 Rotronic HygroPalm  
 Analyzed Date : 03/17/24 10:30:37  
 Reviewed On : 03/18/24 18:57:06  
 Batch Date : 03/17/24 08:54:37

Dilution : N/A  
 Reagent : 022024.28  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
 03/21/24