



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40316012-005
 Harvest/Lot ID: 3665 7515 0640 0270
 Batch#: 3665 7515 0640 0270
 Cultivation Facility: Tampa Cultivation
 Processing Facility: Tampa Processing
 Source Facility: Tampa Cultivation
 Seed to Sale#: 2218 2889 2857 4636
 Batch Date: 02/16/24
 Sample Size Received: 119 gram
 Total Amount: 9397 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 03/16/24
 Sampled: 03/16/24
 Completed: 03/21/24
 Sampling Method: SOP.T.20.010

PASSED

Mar 21, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
32.797%
Dry Weight



Total CBD
0.072%
Dry Weight



Total Cannabinoids
37.999%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.132	31.59	ND	0.073	0.028	0.109	0.375	<0.010	ND	ND	0.102
mg/unit	39.62	1105.65	ND	2.555	0.98	3.815	13.125	<0.35	ND	ND	3.57
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
28.836%
1009.26 mg /Container

Total CBD
0.064%
2.24 mg /Container

Total Cannabinoids
33.409%
1169.315 mg /Container

As Received

Analyzed by:
3335, 585, 1440

Weight:
0.1956g

Extraction date:
03/18/24 10:34:43

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA070587POT
 Instrument Used : DA-LC-002
 Analyzed Date : 03/18/24 11:00:37

Reviewed On : 03/19/24 11:56:41
 Batch Date : 03/17/24 22:30:55

Dilution : 400
 Reagent : 022724.R01; 030624.05; 021424.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 03/21/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40316012-005
Harvest/Lot ID: 3665 7515 0640 0270

Batch# : 3665 7515 0640 0270
Sample Size Received : 119 gram
Total Amount : 9397 units
Completed : 03/21/24 Expires: 03/21/25
Ordered : 03/16/24
Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	130.24	3.721	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	47.29	1.351	VALENCENE	0.007	ND	ND
LIMONENE	0.007	17.50	0.500	ALPHA-CEDRENE	0.007	ND	ND
BETA-MYRCENE	0.007	17.33	0.495	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	15.44	0.441	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	10.08	0.288	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-BISABOLOL	0.007	9.91	0.283	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	2.84	0.081	TRANS-NEROLIDOL	0.007	ND	ND
BETA-PINENE	0.007	2.77	0.079	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
FARNESENE	0.001	2.70	0.077	3605, 585, 1440	0.965g	03/17/24 10:03:22	1879
ALPHA-PINENE	0.007	1.86	0.053	Analysis Batch : DA070553TER			Reviewed On : 03/19/24 11:57:12
TOTAL TERPINEOL	0.007	1.75	0.050	Instrument Used : DA-GCMS-009			Batch Date : 03/16/24 11:19:01
ALPHA-TERPINOLENE	0.007	0.81	0.023	Analysis Date : N/A			
3-CARENE	0.007	ND	ND	Dilution : 10			
BORNEOL	0.013	ND	ND	Reagent : N/A			
CAMPHENE	0.007	ND	ND	Consumables : N/A			
CAMPHOR	0.007	ND	ND	Pipette : N/A			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			3.721				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/21/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40316012-005

Harvest/Lot ID: 3665 7515 0640 0270

Batch# : 3665 7515 0640 0270

Sampled : 03/16/24
Ordered : 03/16/24

Sample Size Received : 119 gram

Total Amount : 9397 units

Completed : 03/21/24 Expires: 03/21/25

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 3379, 585, 1440 Weight: 0.8921g Extraction date: 03/17/24 13:55:07 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070579PES Reviewed On : 03/18/24 18:56:33 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/17/24 09:16:54 Analyzed Date : 03/17/24 13:00:11 Dilution : 250 Reagent : 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05; 031324.R17 Consumables : 326250W Pipette : DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4056, 450, 585, 1440 **Weight:** 0.8921g **Extraction date:** 03/17/24 13:55:07 **Extracted by:** 4056

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)
Analytical Batch : DA070580VOL **Reviewed On :** 03/18/24 18:53:49
Instrument Used : DA-GCMS-010 **Batch Date :** 03/17/24 09:18:29
Analyzed Date : 03/17/24 12:53:20

Dilution : 250
Reagent : 031324.R20; 040423.08; 021424.R18; 021424.R19
Consumables : 326250W; 14725401
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
03/21/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40316012-005
Harvest/Lot ID: 3665 7515 0640 0270
Batch# : 3665 7515 0640 0270
Sample Size Received : 119 gram
Total Amount : 9397 units
Sampled : 03/16/24
Completed : 03/21/24 Expires: 03/21/25
Ordered : 03/16/24
Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	10000	PASS	100000

Analyzed by: 3390, 585, 1440 Weight: 1.09g Extraction date: 03/19/24 13:47:31 Extracted by: 4351,3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070582MIC Reviewed On : 03/20/24 07:26:19

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Batch Date : 03/17/24 10:05:02

Analyzed Date : 03/18/24 14:13:46

Dilution : N/A
Reagent : 012424.20; 012424.39; 022224.R10; 091523.43
Consumables : 7569001065
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 4056, 3379, 585, 1440 Weight: 0.8921g Extraction date: 03/17/24 13:55:07 Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070581MYC Reviewed On : 03/18/24 18:55:33
Instrument Used : N/A Batch Date : 03/17/24 09:18:44
Analyzed Date : 03/17/24 14:48:24

Dilution : 250
Reagent : 031324.R20; 040423.08; 031524.R05; 031324.R19; 031324.R52; 021324.R05; 031324.R17
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 3621, 585, 1440 Weight: 1.09g Extraction date: 03/19/24 13:47:31 Extracted by: 4351,3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070583TYM Reviewed On : 03/20/24 07:26:35
Instrument Used : Incubator (25-27°C) DA-097 Batch Date : 03/17/24 10:06:58
Analyzed Date : N/A

Dilution : N/A
Reagent : 012424.20; 012424.39; 012524.R09
Consumables : N/A
Pipette : N/A

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2729g Extraction date: N/A Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070572HEA Reviewed On : 03/21/24 18:45:03
Instrument Used : DA-ICPMS-004 Batch Date : 03/17/24 06:52:04
Analyzed Date : N/A

Dilution : 50
Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01
Consumables : 179436; 35123025; 210508058
Pipette : DA-061; DA-191; DA-216

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/21/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40316012-005
Harvest/Lot ID: 3665 7515 0640 0270
Batch# : 3665 7515 0640 0270
Sample Size Received : 119 gram
Total Amount : 9397 units
Sampled : 03/16/24
Completed : 03/21/24 Expires: 03/21/25
Ordered : 03/16/24
Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.08	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Reviewed On : 03/16/24 22:06:17			Analyzed by: 4444, 585, 1440	Weight: 0.505g	Extraction date: 03/17/24 10:26:07	Reviewed On : 03/18/24 18:57:32		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 03/16/24 21:44:29			Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/17/24 08:53:56		
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA070571FIL						Analytical Batch : DA070576MOI					
Analyzed Date : 03/16/24 21:51:58						Analyzed Date : 03/17/24 10:25:25					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 092520.50; 020124.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.521	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 2.059g	Extraction date: 03/17/24 10:31:23	Reviewed On : 03/18/24 18:58:45		
Instrument Used : DA256 Rotronic HygroPalm			Batch Date : 03/17/24 08:54:16		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA070577WAT					
Analyzed Date : 03/17/24 10:30:26					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

