



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA40320001-008**  
**Harvest/Lot ID: ID-BLG-030624-A155**  
**Batch#: 5477 6770 7964 3490**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Cultivation**  
**Seed to Sale# 6348 1240 4283 5921**  
**Batch Date: 03/06/24**  
**Sample Size Received: 38.5 gram**  
**Total Amount: 2640 units**  
**Retail Product Size: 3.5 gram**  
**Retail Serving Size: 3.5 gram**  
**Servings: 1**  
**Ordered: 03/19/24**  
**Sampled: 03/20/24**  
**Completed: 03/23/24**  
**Sampling Method: SOP.T.20.010**











**PASSED**

Mar 23, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>NOT TESTED</b>	 Filtration <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>PASSED</b>	 Terpenes <b>TESTED</b>

### **Cannabinoid** **PASSED**

	<b>Total THC</b> <b>34.239%</b> Dry Weight		<b>Total CBD</b> <b>0.096%</b> Dry Weight		<b>Total Cannabinoids</b> <b>40.355%</b> Dry Weight
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.511	33.064	ND	0.095	0.054	0.069	0.927	ND	ND	ND	0.058	29.508%	0.083%	34.778%
mg/unit	17.885	1157.24	ND	3.325	1.89	2.415	32.445	ND	ND	ND	2.03	1032.78 mg /Container	2.905 mg /Container	1217.23 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
	%	%	%	%	%	%	%	%	%	%	%			As Received

Analyzed by: 3335, 585, 1440      Weight: 0.2036g      Extraction date: 03/20/24 12:15:29      Extracted by: 1665,3335  
 Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 03/21/24 11:10:10  
 Analytical Batch : DA070667POT      Batch Date : 03/20/24 09:31:42  
 Instrument Used : DA-LC-002  
 Analyzed Date : 03/20/24 12:28:09  
 Dilution : 400  
 Reagent : 022724.R01; 060723.24; 030824.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/23/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40320001-008  
Harvest/Lot ID: ID-BLG-030624-A155

Batch# : 5477 6770 7964    Sample Size Received : 38.5 gram  
3490    Total Amount : 2640 units  
Sampled : 03/20/24    Completed : 03/23/24 Expires: 03/23/25  
Ordered : 03/20/24    Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	100.49	2.871	VALENCENE	0.007	ND	ND
LIMONENE	0.007	41.34	1.181	ALPHA-BISABOLOL	0.007	ND	ND
BETA-MYRCENE	0.007	24.01	0.686	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	12.29	0.351	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	5.11	0.146	ALPHA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	3.71	0.106	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-PINENE	0.007	3.47	0.099	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-HUMULENE	0.007	3.15	0.090	GAMMA-TERPINENE	0.007	ND	ND
TOTAL TERPINEOL	0.007	2.91	0.083				
FARNESENE	0.001	2.31	0.066	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
TRANS-NEROLIDOL	0.007	1.40	0.040	3605, 585, 1440	1.007g	03/20/24 12:14:19	3605
CAMPHENE	0.007	0.81	0.023	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
3-CARENE	0.007	ND	ND	Analytical Batch : DA070671TER		Reviewed On : 03/21/24 09:42:08	Batch Date : 03/20/24 10:01:00
BORNEOL	0.013	ND	ND	Instrument Used : DA-GCMS-008			
CAMPHOR	0.007	ND	ND	Analyzed Date : 03/20/24 12:14:40			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 022224.01			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; CE0123			
FENCHONE	0.007	ND	ND	Pipette : DA-063			
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
LINALOOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>2.871</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/23/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40320001-008  
Harvest/Lot ID: ID-BLG-030624-A155  
Batch# : 5477 6770 7964 Sample Size Received : 38.5 gram  
3490 Total Amount : 2640 units  
Sampled : 03/20/24 Completed : 03/23/24 Expires: 03/23/25  
Ordered : 03/20/24 Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> <b>3379, 585, 1440</b>	<b>Weight:</b> <b>1.0757g</b>	<b>Extraction date:</b> <b>03/20/24 15:27:31</b>	<b>Extracted by:</b> <b>450,3379</b>		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	<b>Analytical Batch :</b> DA070684PES	<b>Reviewed On :</b> 03/21/24 11:25:06	<b>Batch Date :</b> 03/20/24 10:55:46		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)	<b>Analyzed Date :</b> N/A	<b>Dilution :</b> 250	<b>Reagent :</b> 031324.R20; 040423.08		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW	<b>Pipette :</b> N/A	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> <b>450, 585, 1440</b>	<b>Weight:</b> <b>1.0757g</b>	<b>Extraction date:</b> <b>03/20/24 15:27:31</b>	<b>Extracted by:</b> <b>450,3379</b>		
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	<b>Analytical Batch :</b> DA070685VOL	<b>Reviewed On :</b> 03/21/24 11:23:46	<b>Batch Date :</b> 03/20/24 10:56:49		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001	<b>Analyzed Date :</b> 03/20/24 15:47:09	<b>Dilution :</b> 250	<b>Reagent :</b> 031324.R20; 040423.08; 031824.R05; 031824.R06		
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401	<b>Pipette :</b> DA-080; DA-146; DA-218	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.			
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/23/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40320001-008  
Harvest/Lot ID: ID-BLG-030624-A155  
Batch# : 5477 6770 7964    Sample Size Received : 38.5 gram  
3490    Total Amount : 2640 units  
Sampled : 03/20/24    Completed : 03/23/24 Expires: 03/23/25  
Ordered : 03/20/24    Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000

Analyzed by: 3390, 585, 1440    Weight: 0.9179g    Extraction date: 03/20/24 11:34:57    Extracted by: 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
Analytical Batch : DA070658MIC    Reviewed On : 03/22/24 10:15:12    Batch Date : 03/20/24 08:27:52

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
Analyzed Date : 03/20/24 11:36:37

Dilution : N/A  
Reagent : 012424.18; 012424.22; 031824.R18; 091523.43  
Consumables : 7569003007  
Pipette : N/A

Analyzed by: 4044, 585, 1440    Weight: 0.9179g    Extraction date: 03/20/24 11:34:57    Extracted by: 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
Analytical Batch : DA070678TYM    Reviewed On : 03/22/24 17:20:45    Batch Date : 03/20/24 10:48:00  
Instrument Used : Incubator (25-27°C) DA-097  
Analyzed Date : 03/20/24 12:21:07

Dilution : N/A  
Reagent : 012424.18; 012424.22; 012524.R09  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02


Analyzed by: 3379, 585, 1440    Weight: 1.0757g    Extraction date: 03/20/24 15:27:31    Extracted by: 450,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA070686MYC    Reviewed On : 03/21/24 09:41:00  
Instrument Used : N/A    Batch Date : 03/20/24 10:59:06  
Analyzed Date : N/A

Dilution : 250  
Reagent : 031324.R20; 040423.08  
Consumables : 326250IW  
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440    Weight: 0.2582g    Extraction date: 03/20/24 12:21:51    Extracted by: 1022,1879

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : DA070674HEA    Reviewed On : 03/23/24 08:51:35  
Instrument Used : N/A    Batch Date : 03/20/24 10:11:50  
Analyzed Date : 03/22/24 18:45:44

Dilution : 50  
Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01  
Consumables : 179436; 34623011; 210508058  
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/23/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40320001-008  
Harvest/Lot ID: ID-BLG-030624-A155  
Batch# : 5477 6770 7964    Sample Size Received : 38.5 gram  
3490    Total Amount : 2640 units  
Sampled : 03/20/24    Completed : 03/23/24 Expires: 03/23/25  
Ordered : 03/20/24    Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	13.82	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Reviewed On : 03/20/24 22:29:03			Analyzed by: 4444, 585, 1440	Weight: 0.521g	Extraction date: 03/20/24 16:10:33	Reviewed On : 03/21/24 09:21:45		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 03/20/24 22:12:35			Instrument Used : DA-003 Moisture Analyzer			Batch Date : 03/20/24 11:12:54		
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA070692FIL						Analytical Batch : DA070687MOI					
Analysis Date : 03/20/24 22:16:29						Analysis Date : 03/20/24 14:03:45					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 092520.50; 020124.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.564	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 1.575g	Extraction date: 03/20/24 16:22:23	Reviewed On : 03/21/24 09:22:39		
Instrument Used : DA256 Rotronic HygroPalm			Batch Date : 03/20/24 11:13:14		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA070688WAT					
Analysis Date : 03/20/24 14:04:19					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

