

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Mar 23, 2024 | FLUENT

Certificate of Analysis

Kaycha Labs


Electric Kool Aid 1g Pre-roll(s) (.035oz) 1 unit Electric Kool Aid Matrix: Flower Type: Preroll



Sample:DA40320001-007 Harvest/Lot ID: SA-ELK-022724-A153 Batch#: 3100 7989 3583 2171 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 3803 9306 2220 9959 Batch Date: 02/22/24 Sample Size Received: 26 gram Total Amount: 1264 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 03/19/24 Sampled: 03/20/24 Completed: 03/23/24

Sampling Method: SOP.T.20.010

PASSED



Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Signature 03/23/24



. Electric Kool Aid 1g Pre-roll(s) (.035oz) 1 unit Electric Kool Aid Matrix : Flower Type: Preroll



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40320001-007 Harvest/Lot ID: SA-ELK-022724-A153 Batch#: 3100 7989 3583

Sampled : 03/20/24 Ordered : 03/20/24

Sample Size Received : 26 gram Total Amount : 1264 units Completed : 03/23/24 Expires: 03/23/25 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

lerpenes .	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	7.62	0.762		ALPHA-BISABOLOL		0.007	ND	ND	
ARNESENE	0.001	1.67	0.167		ALPHA-CEDRENE		0.007	ND	ND	
IMONENE	0.007	1.60	0.160		ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.51	0.151		ALPHA-TERPINENE		0.007	ND	ND	
INALOOL	0.007	0.66	0.066		ALPHA-TERPINOLENE		0.007	ND	ND	
ETA-PINENE	0.007	0.43	0.043		CIS-NEROLIDOL		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.42	0.042		GAMMA-TERPINENE		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.41	0.041		TRANS-NEROLIDOL		0.007	ND	ND	
OTAL TERPINEOL	0.007	0.33	0.033		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
LPHA-PINENE	0.007	0.31	0.031		3605, 585, 1440	1.0508g		03/20/24 12		3605
ETA-MYRCENE	0.007	0.28	0.028		Analysis Method : SOP.T.3	0.061A.FL, SOP.T.40.061A.FL				
-CARENE	0.007	ND	ND		Analytical Batch : DA0706 Instrument Used : DA-GCM					3/21/24 09:42:49 20/24 10:01:00
DRNEOL	0.013	ND	ND		Analyzed Date : 03/20/24 1			Batch	Date: U3/	20/24 10.01.00
AMPHENE	0.007	ND	ND		Dilution : 10					
AMPHOR	0.007	ND	ND		Reagent : 022224.01					
ARYOPHYLLENE OXIDE	0.007	ND	ND		Consumables : 947.109; C	0123				
EDROL	0.007	ND	ND		Pipette : DA-063					
UCALYPTOL	0.007	ND	ND		Terpenoid testing is performe	i utilizing Gas Chromatography N	lass Spectr	ometry. For all I	Flower samp	les, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							
	0.007	ND	ND							
SABINENE HYDRATE										
SABINENE HYDRATE /ALENCENE	0.007	ND	ND							

Total (%)

0.762

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

Signature 03/23/24



. Electric Kool Aid 1g Pre-roll(s) (.035oz) 1 unit Electric Kool Aid Matrix : Flower Type: Preroll



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40320001-007 Harvest/Lot ID: SA-ELK-022724-A153

Batch#: 3100 7989 3583 Sampled : 03/20/24 Ordered : 03/20/24

Sample Size Received : 26 gram Total Amount : 1264 units Completed : 03/23/24 Expires: 03/23/25 Sample Method : SOP.T.20.010

Page 3 of 5

0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
FOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	maa	0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		(DCND) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *						
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extracti	on date:		Extracted I	bv:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.9726g		4 15:27:30		450,3379	-,-
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101	L.FL (Gainesville), SOP.T.30.10	2.FL (Davie)	SOP.T.40.10	1.FL (Gainesville	2),
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070684PE				On:03/21/24		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 Analyzed Date : N/A	3 (PES)		Batch Date	:03/20/24 10):55:46	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 031324.R20: 040423	08					
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010		0.1	PASS	ND	Pipette : N/A						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is p		ig Liquid Chron	natography T	riple-Quadrupo	le Mass Spectror	metry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b	oy:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.9726g	03/20/24) COD T 40 1	450,3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method :SOP.T.30.151 Analytical Batch :DA070685V0				:03/21/24 11:		
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-00				3/20/24 10:56		
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/20/24 15:47				-,,		
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 031324.R20; 040423		5; 031824.R06				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 1472						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-2						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is p accordance with F.S. Rule 64ER20		ig Gas Chromai	tography Trip	le-Quadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/23/24

PASSED

PASSED



. Electric Kool Aid 1g Pre-roll(s) (.035oz) 1 unit Electric Kool Aid Matrix : Flower Type: Preroll



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40320001-007 Harvest/Lot ID: SA-ELK-022724-A153 Batch#: 3100 7989 3583

Sampled : 03/20/24 Ordered : 03/20/24 Sample Size Received : 26 gram Total Amount : 1264 units Completed : 03/23/24 Expires: 03/23/25 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ,	Microbia	I			PAS	SED	Å	/ycoto xi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	5 TERREUS			Not Present	PASS	Lever	AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	5 FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		Analysis al here	141-1-1-1-1-	Fortune attinue alla			at a start of the	
TOTAL YEAS	AND MOLD	10	CFU/g	540	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.9726g	Extraction da 03/20/24 15:2			xtracted 50,3379	oy:
	Weight: 0.9328g d:SOP.T.40.056C, SOP h:DA070658MIC	03/2	action date: 0/24 11:34:5 3.FL, SOP.T.4	0.209.FL	Extracted 3390		Analysis Method : SC SOP.T.30.102.FL (Da Analytical Batch : DA Instrument Used : N/ Analyzed Date : N/A	vie), SOP.T.40.102.F 070686MYC	L (Davie) Revie	wed On : 0	Gainesvi)3/21/24 0)20/24 10:	9:40:59	
Biosystems The DA-020,fisherb sotemp Heat B	d : PathogenDx Scanne ermocycler DA-171,fishe rand Isotemp Heat Bloc Block DA-021 : 03/20/24 11:36:37	erbrand I	sotemp Hea	t Block 08:27:	Date : 03/2 52	-0127	Dilution : 250 Reagent : 031324.R2 Consumables : 3262 Pipette : N/A		ranhy with Trink	-Ouadrupo	le Mass Sne	ctrometry	in
Dilution : N/A Reagent : 0124 Consumables : Pipette : N/A	24.18; 012424.22; 0318 7569003007	324.R18;	091523.43				accordance with F.S. R						SED
Analyzed by: 4044, 585, 144	Weight: 0 0.9328g		action date: 0/24 11:34:5	56	Extracted 3390	l by:	<u>ца</u> р	,					
Analysis Metho	d : SOP.T.40.208 (Gaine h : DA070678TYM		OP.T.40.209).33	Metal		LOD	Units	Result	Fail	Action Level
	d : Incubator (25-27*C)	DA-097		h Date : 03/20/			TOTAL CONTAMIN	ANT LOAD METAL	5 0.080	ppm	ND	PASS	1.1
Analyzed Date	: 03/20/24 12:21:07						ARSENIC		0.020	ppm	<0.100		0.2
Dilution : N/A							CADMIUM		0.020	ppm	ND	PASS	0.2
Reagent : 0124	24.18; 012424.22; 012	524.R09					MERCURY		0.020	ppm	ND	PASS	0.2
Consumables :	N/A						LEAD		0.020	ppm	<0.100	PASS	0.5
Pipette : N/A	nold testing is performed u	tilizing MI	PN and traditio	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 1440	Weight: 0.2631a	Extraction dat 03/20/24 12:2			ctracted I	
	F.S. Rule 64ER20-39.	5					Analysis Method : SC Analytical Batch : DA Instrument Used : N/	DP.T.30.082.FL, SOP. 070674HEA A	T.40.082.FL Reviewe	d On : 03/	23/24 08:5	51:33	

Analyzed Date : 03/22/24 18:45:44

Dilution: 50 Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

Signature 03/23/24



. Electric Kool Aid 1g Pre-roll(s) (.035oz) 1 unit Electric Kool Aid Matrix : Flower Type: Preroll



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40320001-007 Harvest/Lot ID: SA-ELK-022724-A153 Batch#: 3100 7989 3583

Sampled : 03/20/24 Ordered : 03/20/24

Sample Size Received : 26 gram Total Amount : 1264 units Completed : 03/23/24 Expires: 03/23/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





PASSED

PASSED

Page 5 of 5

Analyte Filth and Forei	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOD 1.00	Units %	Result 12.35	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440		Weight: NA	Extraction N/A	1 date:	Extra N/A	cted by:	Analyzed by: Weight: 4444, 585, 1440 0.509g		xtraction 0		Ex 44	tracted by: 44
Analysis Method Analytical Batch Instrument Used Analyzed Date :	: DA070692FIL : Filth/Foreign I		oscope		On : 03/20/ e : 03/20/24	24 22:29:04 4 22:12:35	Analysis Method : SOP.T.40.021 Analytical Batch : DA070687MOI Instrument Used : DA-003 Moisture Analyzed Date : 03/20/24 14:03:45	Analyze		Reviewed On Batch Date : (1 1	
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
Filth and foreign m technologies in ac				pection utilizi	ng naked eye	and microscope	Moisture Content analysis utilizing loss-o	on-drying	technology	in accordance	with F.S. Ru	e 64ER20-39.
\bigcirc	Water	Activ	ity		PAS	SSED						

Analyte Water Activity		LOD 0.010	Units aw	Result 0.604	P/F PASS	Action Level		
Analyzed by: 4444, 585, 1440	Weight: 1.663g		traction d /20/24 16			Extracted by: 4444		
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 03/20,	70688WAT 256 Rotronic Hy	groPaln	n	Reviewed On Batch Date :				
Dilution: N/A Reagent:022024.28 Consumables:PS-14 Pipette:N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

Signature 03/23/24