

COMPLIANCE FOR RETAIL

# **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate



Harvest/Lot ID: 1316 7715 8550 4966

Batch#: 1316 7715 8550 4966

**Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation** 

Seed to Sale# 7207 7913 0096 7336

Batch Date: 12/27/23

Sample Size Received: 16 gram Total Amount: 1964 units Retail Product Size: 1 gram

> Retail Serving Size: 1 gram Servings: 1

Ordered: 03/19/24 Sampled: 03/20/24 Completed: 03/23/24

Sampling Method: SOP.T.20.010

**PASSED** 

Mar 23, 2024 | FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US



Pages 1 of 6

MISC.



PRODUCT IMAGE



PASSED

SAFETY RESULTS







Heavy Metals PASSED

**Certificate of Analysis** 



Microbials

PASSED

Mycotoxins PASSED



Residuals Solvents PASSED



PASSED



Water Activity PASSED



Moisture



**TESTED** 

**PASSED** 



**Total THC** 

Cannabinoid

90,591%



**Total CBD** 

Total CBD/Container: 2.50 mg



**Total Cannabinoids** 

Total Cannabinoids/Container: 952.87

	90.490 0.116 0.250 ND 0.358 1.553 0.134 0.988 0.610 ND 0.788 g/unit 904.90 1.16 2.50 ND 3.58 15.53 1.34 9.88 6.10 ND 7.88 oD 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	alyzed by:			Weight:		Extraction	date:			Extracted		
90.490 0.116 0.250 ND 0.358 1.553 0.134 0.988 0.610 ND 0.788 g/unit 904.90 1.16 2.50 ND 3.58 15.53 1.34 9.88 6.10 ND 7.88	90.490 0.116 0.250 ND 0.358 1.553 0.134 0.988 0.610 ND 0.788 g/unit 904.90 1.16 2.50 ND 3.58 15.53 1.34 9.88 6.10 ND 7.88		%	%	%	%	%	%	%	%	%	%	%
90.490 0.116 0.250 ND 0.358 1.553 0.134 0.988 0.610 ND 0.788	90.490 0.116 0.250 ND 0.358 1.553 0.134 0.988 0.610 ND 0.788	.OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
		ng/unit	904.90	1.16	2.50	ND	3.58	15.53	1.34	9.88	6.10	ND	7.88
D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	D9-THC THCA CBD CBDA D8-THC CBG CBGA CBN THCV CBDV CBC	6	90.490	0.116	0.250	ND	0.358	1.553	0.134	0.988	0.610	ND	0.788
			D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	СВС

03/20/24 12:16:12

1665, 585, 1440 Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA070661POT Instrument Used: DA-LC-007 Analyzed Date: 03/20/24 12:31:48

Dilution: 400

Reagent: 022724.R01; 060723.24; 030824.R01
Consumables: 947.109; 280670723; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Reviewed On: 03/21/24 09:41:16

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 03/23/24



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative Type: Distillate



**Certificate of Analysis** 

**PASSED** 

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40320001-002 Harvest/Lot ID: 1316 7715 8550 4966

Batch#: 1316 7715 8550

Sampled: 03/20/24 Ordered: 03/20/24

Sample Size Received: 16 gram Total Amount: 1964 units

Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 2 of 6



# **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	17.28	1.728		PULEGONE		0.007	ND	ND	
ALPHA-TERPINOLENE	0.007	6.89	0.689		SABINENE		0.007	ND	ND	
BETA-MYRCENE	0.007	1.79	0.179		SABINENE HYDRATE		0.007	ND	ND	
CIMENE	0.007	1.41	0.141		TOTAL TERPINEOL		0.007	ND	ND	
IMONENE	0.007	0.95	0.095		ALPHA-CEDRENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	0.93	0.093		ALPHA-PHELLANDRENE		0.007	ND	ND	
CAMPHOR	0.007	0.63	0.063		CIS-NEROLIDOL		0.007	ND	ND	
BETA-PINENE	0.007	0.49	0.049	Ī	TRANS-NEROLIDOL		0.007	ND	ND	
BORNEOL	0.013	0.47	0.047		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
ALPHA-HUMULENE	0.007	0.40	0.040			0.2065g		03/20/24 12		3605
ALPHA-PINENE	0.007	0.40	0.040		Analysis Method: SOP.T.30.061A.FL, SOP.	T.40.061A.FL				
/ALENCENE	0.007	0.38	0.038		Analytical Batch : DA070669TER Instrument Used : DA-GCMS-004					8/21/24 09:41:16 20/24 09:58:16
ALPHA-BISABOLOL	0.007	0.36	0.036		Analyzed Date: 03/20/24 12:09:52			Daten	Date: 03/2	:0/24 09.30.10
IEXAHYDROTHYMOL	0.007	0.35	0.035		Dilution: 10					
INALOOL	0.007	0.35	0.035		Reagent: 022224.01					
CARYOPHYLLENE OXIDE	0.007	0.33	0.033		Consumables : 947.109; CE123					
ENCHYL ALCOHOL	0.007	0.30	0.030		Pipette : DA-063					
B-CARENE	0.007	0.29	0.029		Terpenoid testing is performed utilizing Gas Chr	omatography M	ass Spectro	ometry. For all I	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
ALPHA-TERPINENE	0.007	0.29	0.029							
GAMMA-TERPINENE	0.007	0.27	0.027							
CAMPHENE	0.007	ND	ND							
CEDROL	0.007	ND	ND							
UCALYPTOL	0.007	ND	ND							
ARNESENE	0.001	ND	ND							
ENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
otal (%)			1.728							

Total (%)

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/23/24



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40320001-002 Harvest/Lot ID: 1316 7715 8550 4966

Batch#: 1316 7715 8550

Sampled: 03/20/24 Ordered: 03/20/24

Sample Size Received: 16 gram Total Amount: 1964 units Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 3 of 6



### **Pesticides**

### **PASSED**

sticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND					0.1	PASS	ND
PHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010				
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND		FNE (DCND) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZ	ENE (PUNB) T				PASS	
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
ORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
FENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
IMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
ZINON	0.010	1.1.	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Evtracti	on date:		Extracted	hw
ETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2308g		15:23:16		450.3379	by.
OPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30				. SOP.T.40.101		.).
DFENPROX	0.010	11.11	0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
XAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch: DA07068				On:03/21/24		
IHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS	-003 (PES)		Batch Date	e:03/20/24 10	:50:45	
OXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A						
IPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 031324.R20: 040	123.08					
RONIL	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW	443.00					
DNICAMID	0.010	ppm	0.1	PASS	ND	Pipette : N/A						
DIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents	is performed utilizing	ng Liquid Chron	natography T	riple-Quadrupo	le Mass Spectro	metry in
CYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 648	R20-39.	-	,			
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extractio			Extracted b	y:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.2308g	03/20/24			450,3379	
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30						
ATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA07068				:03/21/24 11: 03/20/24 10:53		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS Analyzed Date : 03/20/24 1		Ва	iten pate :	J3/2U/24 1U:53	1.29	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250	,,,,,,,					
ГНОМҮL	0.010	ppm	0.1	PASS	ND	Reagent: 031324.R20: 040	423.08: 031824 R0	5: 031824.R06				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW;		-, -515200				
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; D						
LED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents	is performed utilizio	ng Gas Chromat	tography Trig	ole-Ouadrupole	Mass Spectrome	etry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/23/24



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative Type: Distillate



**PASSED** 

# **Certificate of Analysis**

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40320001-002 Harvest/Lot ID: 1316 7715 8550 4966

Batch#: 1316 7715 8550

Sampled: 03/20/24 Ordered: 03/20/24 Sample Size Received: 16 gram Total Amount: 1964 units Completed: 03/23/24 Expires: 03/23/25 Sample Method: SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Э Л			
- 14		3	ы
-	_		

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0256g	Extraction date: 03/21/24 09:33:35			extracted by: 850

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA070690SOL

Instrument Used: DA-GCMS-003 **Analyzed Date:**  $03/20/24\ 13:14:57$ Dilution: 1

Reagent: 030420.09 Consumables: 429651; 304486 **Pipette :** DA-309 25 uL Syringe 35028 Reviewed On: 03/21/24 10:57:02 Batch Date: 03/20/24 11:47:57

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

pass/fail does not include the MU. Any calculated totals may contain rounding errors

**Vivian Celestino** 

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for Signature Testing 97164 03/23/24



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



# **Certificate of Analysis**

**PASSED** 

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA40320001-002 Harvest/Lot ID: 1316 7715 8550 4966

Batch#: 1316 7715 8550

4966 Sampled: 03/20/24 Ordered: 03/20/24 Sample Size Received: 16 gram
Total Amount: 1964 units
Completed: 03/23/24 Expires: 03/23/25
Sample Method: SOP.T.20.010

Page 5 of 6



### **Microbial**

# **PASSED**



Analyte

# Mycotoxins

# PASSED

Action

Pass /

Result

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 3390, 585, 1440
 1.1027g
 03/20/24 11:34:54
 3390

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA070658MIC

Reviewed On: 03/22/24 10:15:04

10:15:04

Batch Date: 03/20/24

Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 08:27:52

DA-Ó20, fisher brand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

**Analyzed Date :** 03/20/24 11:36:37

Dilution: N/A

Reagent: 012424.18; 012424.22; 031824.R18; 091523.43

Instrument Used: PathogenDx Scanner DA-111.Applied

Consumables: 7569003007 Pipette: N/A

Pipette: N/A

					ган	Level	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
Analyzed by:	Weight:	Extraction dat	te:	Extracted by:			
3370 585 1440	0.22004	02/20/24 15:3	2.16	/	E0 2270		

LOD

3379, 585, 1440 0.2308g 03/20/24 15:23:16 450,3379

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

 $\begin{tabular}{ll} \textbf{Analytical Batch:} DA070683MYC & \textbf{Reviewed On:} 03/21/24 \ 11:09:47 \\ \textbf{Instrument Used:} \ N/A & \textbf{Batch Date:} 03/20/24 \ 10:54:50 \\ \end{tabular}$ 

Analyzed Date : N/A
Dilution : 250

Reagent: 031324.R20; 040423.08

Consumables : 3262501W

Pipette : N/A

Metal

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# **Heavy Metals**

# **PASSED**

Action

Pass /

Analyzed by: 4044, 585, 1440	<b>Weight:</b> 1.1027g	Extraction date: 03/20/24 11:34:54		Extracted by: 3390
Analysis Method: SOP Analytical Batch: DA0 Instrument Used: Incu Analyzed Date: 03/20	70678TYM  bator (25-27*C)		Reviewed On	: 03/22/24 17:22:29 03/20/24 10:48:00
Dilution: N/A Reagent: 012424.18; Consumables: N/A Pipette: N/A	012424.22; 0125	24.R09		
Total yeast and mold tes accordance with F.S. Rule		ilizing MPN and t	aditional cultur	re based techniques in

TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	
ARSENIC	0.020	ppm	ND	PASS	0.2	
CADMIUM	0.020	ppm	ND	PASS	0.2	
MERCURY	0.020	ppm	ND	PASS	0.2	
LEAD	0.020	ppm	ND	PASS	0.5	

LOD

 Analyzed by:
 Weight:
 Extraction date:
 Extracted by:

 1022, 585, 1440
 0.262g
 03/20/24 13:04:25
 1022,1879

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch: DA070673HEA
Instrument Used: DA-ICPMS-004
Batcl

Instrument Used : DA-ICPMS-004 Analyzed Date : 03/22/24 18:45:32 Reviewed On: 03/23/24 08:47:38 Batch Date: 03/20/24 10:10:09

Units

Result

Dilution: 50

Reagent: 030524.R01; 031424.R03; 030424.01; 031124.R06; 031124.R04; 031124.R05

Consumables: 179436; 210618-336; 210508058

**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 03/23/24



### **Kaycha Labs**

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix: Derivative

Type: Distillate



# **Certificate of Analysis**

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40320001-002 Harvest/Lot ID: 1316 7715 8550 4966

Batch#: 1316 7715 8550

Sampled: 03/20/24 Ordered: 03/20/24 Sample Size Received: 16 gram Total Amount: 1964 units Completed: 03/23/24 Expires: 03/23/25

Sample Method: SOP.T.20.010

Page 6 of 6



### Filth/Foreign **Material**

**PASSED** 

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA070692FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 03/20/24 22:29:17 Batch Date: 03/20/24 22:12:35

Analyzed Date: 03/20/24 22:16:29

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



# **Water Activity**

Reviewed On: 03/21/24 08:42:35

Batch Date: 03/20/24 11:13:27

Analyte Water Activity		<b>LOD</b> 0.010 a	<b>Units</b> aw	Result 0.442	P/F PASS	Action Level 0.85
Analyzed by: 4444, 585, 1440	<b>Weight:</b> 0.372g		action d 20/24 16		<b>Ex</b> 44	tracted by: 44

Analysis Method: SOP.T.40.019 Analytical Batch: DA070689WAT

Instrument Used : DA256 Rotronic HygroPalm

Analyzed Date: 03/20/24 14:04:42

Dilution: N/A Reagent: 022024.28 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### **Vivian Celestino**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/23/24