



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40321004-001
 Harvest/Lot ID: HYB-PS-031524-C0138
 Batch#: 8188 4480 3565 5172
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Zolfo Springs Processing
 Source Facility: Zolfo Springs Cultivation
 Seed to Sale# 5737 1617 1009 0823
 Batch Date: 02/20/24
 Sample Size Received: 38.5 gram
 Total Amount: 2712 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 03/20/24
 Sampled: 03/21/24
 Completed: 03/23/24
 Sampling Method: SOP.T.20.010











Mar 23, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US




PASSED

Pages 1 of 5

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|--|---|---|---|---|--|--|---|---|---|
|  |  Pesticides PASSED |  Heavy Metals PASSED |  Microbials PASSED |  Mycotoxins PASSED |  Residuals Solvents NOT TESTED |  Filtration PASSED |  Water Activity PASSED |  Moisture PASSED |  Terpenes TESTED |

Cannabinoid **PASSED**

| | | | | | |
|--|--|---|---|---|---|
|  | Total THC 28.278% Dry Weight |  | Total CBD 0.085% Dry Weight |  | Total Cannabinoids 33.255% Dry Weight |
|--|--|---|---|---|---|

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC | Total THC | Total CBD | Total Cannabinoids |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|----------------------|--------------------|------------------------|
| % | 0.471 | 27.368 | ND | 0.085 | 0.042 | 0.116 | 0.608 | ND | ND | ND | 0.089 | 24.472% | 0.074% | 28.779% |
| mg/unit | 16.485 | 957.88 | ND | 2.975 | 1.47 | 4.06 | 21.28 | ND | ND | ND | 3.115 | 856.52 mg /Container | 2.59 mg /Container | 1007.265 mg /Container |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | | | |
| | % | % | % | % | % | % | % | % | % | % | % | | | As Received |

| | | | |
|--|--------------------|---------------------------------------|----------------------------|
| Analyzed by: 3335, 585, 1440 | Weight: 0.1912g | Extraction date: 03/21/24 12:34:05 | Extracted by: 1665,3335 |
| Analysis Method : SOP.T.40.031, SOP.T.30.031 | | Reviewed On : 03/22/24 12:22:05 | |
| Analytical Batch : DA070713POT | | Batch Date : 03/21/24 10:29:01 | |
| Instrument Used : DA-LC-002 | | | |
| Analyzed Date : 03/21/24 13:08:06 | | | |

Dilution : 400
 Reagent : 022724.R01; 060723.24; 030824.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-001
Harvest/Lot ID: HYB-PS-031524-C0138

Batch# : 8188 4480 3565 5172
Sample Size Received : 38.5 gram
Total Amount : 2712 units
Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24
Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|---------------------|---------|---------|--------------|------------|--|---------|---------|----|------------|
| TOTAL TERPENES | 0.007 | 90.13 | 2.575 | | SABINENE HYDRATE | 0.007 | ND | ND | |
| BETA-CARYOPHYLLENE | 0.007 | 18.80 | 0.537 | | VALENCENE | 0.007 | ND | ND | |
| LIMONENE | 0.007 | 17.78 | 0.508 | | ALPHA-CEDRENE | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 13.02 | 0.372 | | ALPHA-PHELLANDRENE | 0.007 | ND | ND | |
| FARNESENE | 0.001 | 12.50 | 0.357 | | ALPHA-TERPINENE | 0.007 | ND | ND | |
| LINALOOL | 0.007 | 8.47 | 0.242 | | ALPHA-TERPINOLENE | 0.007 | ND | ND | |
| ALPHA-HUMULENE | 0.007 | 5.50 | 0.157 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| BETA-PINENE | 0.007 | 3.40 | 0.097 | | GAMMA-TERPINENE | 0.007 | ND | ND | |
| FENCHYL ALCOHOL | 0.007 | 2.73 | 0.078 | | Analyzed by: 3605, 585, 1440 Weight: 1.0165g Extraction date: 03/21/24 12:23:26 Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070716TER Instrument Used : DA-GCMS-004 Reviewed On : 03/22/24 12:22:42 Analyzed Date : 03/21/24 12:23:51 Batch Date : 03/21/24 10:46:43 | | | | |
| ALPHA-BISABOLOL | 0.007 | 2.35 | 0.067 | | Dilution : 10 Reagent : 022224.01 Consumables : 947.109; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| ALPHA-PINENE | 0.007 | 2.17 | 0.062 | | | | | | |
| TOTAL TERPINEOL | 0.007 | 1.96 | 0.056 | | | | | | |
| TRANS-NEROLIDOL | 0.007 | 1.47 | 0.042 | | | | | | |
| 3-CARENE | 0.007 | ND | ND | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| CAMPHENE | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.007 | ND | ND | | | | | | |
| CARYOPHYLLENE OXIDE | 0.007 | ND | ND | | | | | | |
| CEDROL | 0.007 | ND | ND | | | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | | | | | |
| FENCHONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | ND | ND | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| GUAJOL | 0.007 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | |
| ISOBORNEOL | 0.007 | ND | ND | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| NEROL | 0.007 | ND | ND | | | | | | |
| OCIMENE | 0.007 | ND | ND | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| SABINENE | 0.007 | ND | ND | | | | | | |
| Total (%) | | | 2.575 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-001
Harvest/Lot ID: HYB-PS-031524-C0138

Batch# : 8188 4480 3565 Sample Size Received : 38.5 gram
5172 Total Amount : 2712 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|---|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 Weight: 0.864g Extraction date: 03/21/24 15:37:15 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070718PES Reviewed On : 03/22/24 11:43:05 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/21/24 10:47:52 Analyzed Date : 03/21/24 15:41:11 Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 Weight: 0.864g Extraction date: 03/21/24 15:37:15 Extracted by: 450,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA070719VOL Reviewed On : 03/22/24 11:38:02 Instrument Used : DA-GCMS-010 Batch Date : 03/21/24 10:49:24 Analyzed Date : 03/21/24 15:55:46 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHIACARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-001
Harvest/Lot ID: HYB-PS-031524-C0138
Batch# : 8188 4480 3565 Sample Size Received : 38.5 gram
5172 Total Amount : 2712 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------------------|-----|-------|-------------|-------------|--------------|
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | 250 | PASS | 100000 |

Analyzed by: 3390, 585, 1440 Weight: 1.0436g Extraction date: 03/21/24 11:47:40 Extracted by: 3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070707MIC Reviewed On : 03/23/24 09:21:36 Batch Date : 03/21/24 09:51:55

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 03/21/24 13:37:13

Dilution : N/A
Reagent : 012424.26; 012424.27; 031824.R18; 091523.43
Consumables : 7569003009
Pipette : N/A

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--------------|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |

Analyzed by: 3379, 585, 1440 Weight: 0.864g Extraction date: 03/21/24 15:37:15 Extracted by: 450,3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070720MYC Reviewed On : 03/22/24 11:39:06
Instrument Used : N/A Batch Date : 03/21/24 10:50:58
Analyzed Date : 03/21/24 15:42:35

Dilution : 250
Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |

Analyzed by: 1022, 585, 1440 Weight: 0.2421g Extraction date: 03/21/24 11:08:29 Extracted by: 1022

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070732TYM Reviewed On : 03/23/24 18:08:20
Instrument Used : Incubator (25-27°C) DA-097 Batch Date : 03/21/24 11:12:52
Analyzed Date : 03/21/24 13:03:40

Dilution : N/A
Reagent : 012424.26; 012424.27; 012524.R09
Consumables : N/A
Pipette : N/A

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|-------------------------------|-------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |

Analyzed by: 1022, 585, 1440 Weight: 0.2421g Extraction date: 03/21/24 11:08:29 Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070710HEA Reviewed On : 03/23/24 18:05:20
Instrument Used : DA-ICPMS-004 Batch Date : 03/21/24 10:08:10
Analyzed Date : 03/22/24 18:57:01

Dilution : 50
Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-001
Harvest/Lot ID: HYB-PS-031524-C0138
Batch# : 8188 4480 3565 Sample Size Received : 38.5 gram
5172 Total Amount : 2712 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|------------|----------------------|-------------------|------|--------------|---|------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 | Moisture Content | 1.00 | % | 13.46 | PASS | 15 |
| Analyzed by: 1879, 585, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A | | | | | | | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA070787FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 03/22/24 21:53:51 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA070734MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 03/21/24 13:54:27 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 020124.02; 031523.19 Consumables : N/A Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|----------------|------------------------------------|---|------|--------------|
| Water Activity | 0.010 | aw | 0.620 | PASS | 0.65 |
| Analyzed by: 4056, 585, 1440 | Weight: 1.181g | Extraction date: 03/21/24 14:06:59 | Extracted by: 4056 | | |
| Analysis Method : SOP.T.40.019 Analytical Batch : DA070735WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 03/21/24 13:54:55 | | | Reviewed On : 03/22/24 11:19:28 Batch Date : 03/21/24 11:29:48 | | |
| Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

