



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40321004-003
Harvest/Lot ID: HYB-GS-031524-C0138
Batch#: 7881 4436 0496 0805
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 9251 0433 2901 9773
Batch Date: 02/20/24
Sample Size Received: 31.5 gram
Total Amount: 2071 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 03/20/24
Sampled: 03/21/24
Completed: 03/23/24
Sampling Method: SOP.T.20.010

Mar 23, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
32.943%
Dry Weight



Total CBD
0.084%
Dry Weight



Total Cannabinoids
40.968%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.37	31.85	ND	0.084	0.036	0.132	2.652	ND	0.013	ND	0.059	28.302%	0.073%	35.196%
mg/unit	12.95	1114.75	ND	2.94	1.26	4.62	92.82	ND	0.455	ND	2.065	990.57 mg /Container	2.555 mg /Container	1231.86 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
	%	%	%	%	%	%	%	%	%	%	%			

Analyzed by:
3335, 585, 1440

Weight:
0.1988g

Extraction date:
03/21/24 12:34:06

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070713POT

Instrument Used : DA-LC-002

Analyzed Date : 03/21/24 13:08:06

Reviewed On : 03/22/24 12:22:12

Batch Date : 03/21/24 10:29:01

Dilution : 400

Reagent : 022724.R01; 060723.24; 030824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-003
Harvest/Lot ID: HYB-GS-031524-C0138

Batch# : 7881 4436 0496 Sample Size Received : 31.5 gram
0805 Total Amount : 2071 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	82.43	2.355	VALENCENE	0.007	ND	ND
LIMONENE	0.007	22.40	0.640	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	14.84	0.424	ALPHA-PHELLANDRENE	0.007	ND	ND
FARNESENE	0.001	10.75	0.307	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	6.02	0.172	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-PINENE	0.007	5.60	0.160	CIS-NEROLIDOL	0.007	ND	ND
BETA-PINENE	0.007	4.66	0.133	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	4.06	0.116	TRANS-NEROLIDOL	0.007	ND	ND
GUAJOL	0.007	3.08	0.088				
FENCHYL ALCOHOL	0.007	2.91	0.083	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
TOTAL TERPINEOL	0.007	2.10	0.060	3605, 585, 1440	1.0472g	03/21/24 12:23:26	3605
BETA-MYRCENE	0.007	1.93	0.055	Analysis Batch : DA070716TER			Reviewed On : 03/22/24 12:22:51
OCIMENE	0.007	1.68	0.048	Instrument Used : DA-GCMS-004			Batch Date : 03/21/24 10:46:43
ALPHA-BISABOLOL	0.007	1.61	0.046	Analysis Date : 03/21/24 12:23:51			
CAMPHENE	0.007	0.81	0.023	Dilution : 10			
3-CARENE	0.007	ND	ND	Reagent : 022224.01			
BORNEOL	0.013	ND	ND	Consumables : 947.109; CE0123			
CAMPHOR	0.007	ND	ND	Pipette : DA-063			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
Total (%)			2.355				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-003

Harvest/Lot ID: HYB-GS-031524-C0138

Batch# : 7881 4436 0496
0805


Sampled : 03/21/24
Ordered : 03/21/24

Sample Size Received : 31.5 gram

Total Amount : 2071 units

Completed : 03/23/24 Expires: 03/23/25
Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.8726g Extraction date: 03/21/24 15:37:16 Extracted by: 450,3379					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070718PES Instrument Used : DA-LCMS-003 (PES) Reviewed On : 03/22/24 11:43:07					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/21/24 15:41:11 Batch Date : 03/21/24 10:47:52					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.8726g Extraction date: 03/21/24 15:37:16 Extracted by: 450,3379					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070719VOL Instrument Used : DA-GCMS-010 Reviewed On : 03/22/24 11:38:02					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/21/24 15:55:46 Batch Date : 03/21/24 10:49:24					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-003
Harvest/Lot ID: HYB-GS-031524-C0138
Batch#: 7881 4436 0496 Sample Size Received : 31.5 gram
0805 Total Amount : 2071 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	380	PASS	100000

Analyzed by: 3390, 585, 1440 **Weight:** 1.004g **Extraction date:** 03/21/24 11:47:41 **Extracted by:** 3621
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070707MIC **Reviewed On :** 03/23/24 09:21:38
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021
Batch Date : 03/21/24 09:51:55
Analyzed Date : 03/21/24 13:37:13

Dilution : N/A
Reagent : 012424.26; 012424.27; 031824.R18; 091523.43
Consumables : 7569003009
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 0.8726g **Extraction date:** 03/21/24 15:37:16 **Extracted by:** 450,3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070720MYC **Reviewed On :** 03/22/24 11:39:07
Instrument Used : N/A **Batch Date :** 03/21/24 10:50:58
Analyzed Date : 03/21/24 15:42:35

Dilution : 250
Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 1.004g **Extraction date:** 03/21/24 11:47:41 **Extracted by:** 3621
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070732TYM **Reviewed On :** 03/23/24 18:08:23
Instrument Used : Incubator (25-27°C) DA-097 **Batch Date :** 03/21/24 11:12:52
Analyzed Date : 03/21/24 13:03:40

Dilution : N/A
Reagent : 012424.26; 012424.27; 012524.R09
Consumables : N/A
Pipette : N/A

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2989g **Extraction date:** 03/21/24 11:09:34 **Extracted by:** 1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070710HEA **Reviewed On :** 03/23/24 18:05:22
Instrument Used : DA-ICPMS-004 **Batch Date :** 03/21/24 10:08:10
Analyzed Date : 03/22/24 18:57:01

Dilution : 50
Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321004-003
Harvest/Lot ID: HYB-GS-031524-C0138
Batch# : 7881 4436 0496 Sample Size Received : 31.5 gram
0805 Total Amount : 2071 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/22/24 22:37:47		
Analytical Batch : DA070787FIL			Batch Date : 03/22/24 12:49:10		
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : 03/22/24 21:53:51					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.09	PASS	15
Analyzed by: 4056, 585, 1440	Weight: 0.504g	Extraction date: 03/21/24 13:59:04		Extracted by: 4056	
Analysis Method : SOP.T.40.021			Reviewed On : 03/22/24 11:18:35		
Analytical Batch : DA070734MOI			Batch Date : 03/21/24 11:29:39		
Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 03/21/24 13:54:27					
Dilution : N/A					
Reagent : 020124.02; 031523.19					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.564	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 1.105g	Extraction date: 03/21/24 14:07:00		Extracted by: 4056	
Analysis Method : SOP.T.40.019			Reviewed On : 03/22/24 11:19:30		
Analytical Batch : DA070735WAT			Batch Date : 03/21/24 11:29:48		
Instrument Used : DA-028 Rotronic HygroPalm					
Analyzed Date : 03/21/24 13:54:55					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

