



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40322002-004
Harvest/Lot ID: 9171 0362 0230 8795
Batch#: 9171 0362 0230 8795
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6173 4151 2254 3536
Batch Date: 09/29/24
Sample Size Received: 15.3 gram
Total Amount: 1509 units
Retail Product Size: 0.3 gram
Retail Serving Size: 0.3 gram
Servings: 1
Ordered: 03/21/24
Sampled: 03/22/24
Completed: 03/26/24
Sampling Method: SOP.T.20.010

Mar 26, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
90.627%
Total THC/Container : 271.88 mg



Total CBD
0.260%
Total CBD/Container : 0.78 mg



Total Cannabinoids
95.740%
Total Cannabinoids/Container : 287.22 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.536	0.104	0.260	ND	0.266	1.886	0.127	0.820	0.754	ND	0.987
mg/unit	271.61	0.31	0.78	ND	0.80	5.66	0.38	2.46	2.26	ND	2.96
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by:
1665, 585, 1440

Weight:
0.1065g

Extraction date:
03/22/24 13:32:16

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA070774POT
Instrument Used : DA-LC-007
Analized Date : 03/22/24 13:57:49

Reviewed On : 03/25/24 11:56:11
Batch Date : 03/22/24 11:13:01

Dilution : 400
Reagent : 022724.R01; 060723.24; 030824.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/26/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40322002-004
Harvest/Lot ID: 9171 0362 0230 8795

Batch# : 9171 0362 0230 8795
Sample Size Received : 15.3 gram
Total Amount : 1509 units
Sampled : 03/22/24
Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/22/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED						
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)			
TOTAL TERPENES	0.007	10.32	3.440	PULEGONE	0.007	ND	ND			
LIMONENE	0.007	3.23	1.077	SABINENE	0.007	ND	ND			
BETA-MYRCENE	0.007	2.20	0.733	VALENCENE	0.007	ND	ND			
BETA-CARYOPHYLLENE	0.007	1.44	0.479	ALPHA-CEDRENE	0.007	ND	ND			
LINALOOL	0.007	0.99	0.330	ALPHA-PHELLANDRENE	0.007	ND	ND			
BETA-PINENE	0.007	0.42	0.140	ALPHA-TERPINENE	0.007	ND	ND			
ALPHA-HUMULENE	0.007	0.36	0.121	CIS-NEROLIDOL	0.007	ND	ND			
FENCHYL ALCOHOL	0.007	0.29	0.096	GAMMA-TERPINENE	0.007	ND	ND			
ALPHA-PINENE	0.007	0.27	0.089							
FARNESENE	0.001	0.20	0.066	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.2177g	Extraction date:	03/22/24 14:39:58	Extracted by:	3605
BORNEOL	0.013	0.17	0.056	Analysis Batch : DA070796TER						
CARYOPHYLLENE OXIDE	0.007	0.12	0.040	Instrument Used : DA-GCMS-004					Reviewed On : 03/25/24 11:56:13	
TOTAL TERPINEOL	0.007	0.11	0.038	Analysis Date : 03/22/24 14:40:29					Batch Date : 03/22/24 11:38:30	
TRANS-NEROLIDOL	0.007	0.11	0.038	Dilution : 10						
ALPHA-BISABOLOL	0.007	0.10	0.034	Reagent : 022224.01						
OCIMENE	0.007	0.10	0.033	Consumables : 947.109; CE0123						
GUAJOL	0.007	0.09	0.029	Pipette : DA-063						
ALPHA-TERPINOLENE	0.007	0.08	0.028							
CAMPHENE	0.007	0.08	0.027							
SABINENE HYDRATE	0.007	0.07	0.024							
3-CARENE	0.007	ND	ND							
CAMPHOR	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
Total (%)			3.440							

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/26/24



Certificate of Analysis

PASSED

FLUENT

Sample : DA40322002-004

Harvest/Lot ID: 9171 0362 0230 8795

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Batch#: 9171 0362 0230 8795
Sample Size Received : 15.3 gram
Total Amount : 1509 units
Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/22/24
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.231g	Extraction date: 03/22/24 16:33:13	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070773PES			Reviewed On : 03/25/24 12:03:19		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/22/24 11:12:26		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/22/24 16:42:02					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031924.R27; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250W					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.231g	Extraction date: 03/22/24 16:33:13	Extracted by: 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070775VOL			Reviewed On : 03/25/24 12:02:10		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 03/22/24 11:13:54		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/22/24 17:13:16					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250W; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
03/26/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40322002-004

Harvest/Lot ID: 9171 0362 0230 8795

 Batch# : 9171 0362 0230
 8795

Sampled : 03/22/24

Ordered : 03/22/24

Sample Size Received : 15.3 gram

Total Amount : 1509 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0211g

 Extraction date:
 03/24/24 15:23:02

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA07079350L
 Instrument Used : DA-GCMS-003
 Analyzed Date : 03/24/24 15:23:26

 Reviewed On : 03/25/24 11:43:27
 Batch Date : 03/22/24 17:01:10

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40322002-004

Harvest/Lot ID: 9171 0362 0230 8795

Batch# : 9171 0362 0230 8795

 Sampled : 03/22/24
 Ordered : 03/22/24

Sample Size Received : 15.3 gram

Total Amount : 1509 units

 Completed : 03/26/24 Expires: 03/26/25
 Sample Method : SOP.T.20.010


Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 585, 1440	Weight: 1.1428g	Extraction date: 03/22/24 13:18:58	Extracted by: 3390,4044		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/25/24 15:42:54		
Analytical Batch : DA070754MIC			Batch Date : 03/22/24 10:04:27		
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021			Analyzed Date : 03/25/24 11:38:18		
Dilution : N/A					
Reagent : 012424.15; 012424.27; 031824.R18; 091523.42					
Consumables : 7569002025; 7569003009					
Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.231g	Extraction date: 03/22/24 16:33:13	Extracted by: 3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA070776MYC					
Instrument Used : N/A					
Analyzed Date : 03/22/24 16:42:19					
Dilution : 250					
Reagent : 031924.R27; 040423.08					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.231g	Extraction date: 03/22/24 16:33:13	Extracted by: 3379		
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA070776MYC					
Instrument Used : N/A					
Analyzed Date : 03/22/24 16:42:19					
Dilution : 250					
Reagent : 031924.R27; 040423.08					
Consumables : 326250IW					
Pipette : N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2508g	Extraction date: 03/22/24 14:47:40	Extracted by: 1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA070757HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 03/25/24 14:24:35					
Dilution : 50					
Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01					
Consumables : 179436; 34623011; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 03/26/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40322002-004
Harvest/Lot ID: 9171 0362 0230 8795
Batch# : 9171 0362 0230 8795
Sample Size Received : 15.3 gram
Total Amount : 1509 units
Sampled : 03/22/24
Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/22/24
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign Material PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090
Analytical Batch : DA070787FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 03/22/24 21:53:51
Reviewed On : 03/22/24 22:39:21
Batch Date : 03/22/24 12:49:10

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.465	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
4056, 585, 1440	0.349g	03/22/24 17:36:22	4056

Analysis Method : SOP.T.40.019
Analytical Batch : DA070790WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 03/22/24 17:07:44
Reviewed On : 03/25/24 09:55:28
Batch Date : 03/22/24 12:49:52

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

