



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40323008-003
 Harvest/Lot ID: SA-KOY-030624-A155
 Batch#: 8837 0298 6504 5964
 Cultivation Facility: Tampa Cultivation
 Processing Facility: Tampa Processing
 Source Facility: Tampa Cultivation
 Seed to Sale#: 1471 2997 1594 0396
 Batch Date: 03/06/24
 Sample Size Received: 42 gram
 Total Amount: 2865 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 03/23/24
 Sampled: 03/23/24
 Completed: 03/26/24
 Sampling Method: SOP.T.20.010

PASSED

Mar 26, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
35.942%
Dry Weight



Total CBD
0.104%
Dry Weight



Total Cannabinoids
42.163%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.787	34.103	ND	0.102	0.051	0.082	0.785	ND	ND	ND	0.098
mg/unit	27.545	1193.605	ND	3.57	1.785	2.87	27.475	ND	ND	ND	3.43
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
30.695%
1074.325 mg /Container

Total CBD
0.089%
3.115 mg /Container

Total Cannabinoids
36.008%
1260.28 mg /Container

As Received

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.2033g

Extraction date:
03/25/24 09:42:26

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA070827POT
 Instrument Used : DA-LC-002
 Analyzed Date : 03/25/24 10:03:26

Reviewed On : 03/25/24 23:41:34
 Batch Date : 03/23/24 23:42:08

Dilution : 400
 Reagent : 022724.R01; 032123.11; 030824.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 03/26/24



Certificate of Analysis

PASSED

FLUENT

Sample : DA40323008-003
Harvest/Lot ID: SA-KOY-030624-A155

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Batch# : 8837 0298 6504 Sample Size Received : 42 gram
5964 Total Amount : 2865 units
Sampled : 03/23/24 Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/23/24 Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	91.04	2.601		SABINENE HYDRATE	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	18.59	0.531		VALENCENE	0.007	ND	ND	
LIMONENE	0.007	16.87	0.482		ALPHA-CEDRENE	0.007	ND	ND	
LINALOOL	0.007	14.70	0.420		ALPHA-PHELLANDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	14.42	0.412		ALPHA-TERPINENE	0.007	ND	ND	
ALPHA-HUMULENE	0.007	7.00	0.200		ALPHA-TERPINOLENE	0.007	ND	ND	
ALPHA-BISABOLOL	0.007	5.32	0.152		CIS-NEROLIDOL	0.007	ND	ND	
TRANS-NEROLIDOL	0.007	3.36	0.096		GAMMA-TERPINENE	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	2.52	0.072		Analyzed by: 3605, 585, 1440 Weight: 0.9896g Extraction date: 03/24/24 10:24:34 Extracted by: 1879 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070822TER Instrument Used : DA-GCMS-004 Reviewed On : 03/25/24 16:47:02 Analyzed Date : N/A Batch Date : 03/23/24 12:23:20 Dilution : 10 Reagent : 022224.01 Consumables : 947.109; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
BETA-PINENE	0.007	2.52	0.072						
FARNESENE	0.001	2.03	0.058						
TOTAL TERPINEOL	0.007	2.03	0.058						
ALPHA-PINENE	0.007	1.68	0.048						
3-CARENE	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
CAMPHENE	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
CARYOPHYLLENE OXIDE	0.007	ND	ND						
CEDROL	0.007	ND	ND						
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAJOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
Total (%)			2.601						



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40323008-003
Harvest/Lot ID: SA-KOY-030624-A155

Batch# : 8837 0298 6504 Sample Size Received : 42 gram
5964 Total Amount : 2865 units
Sampled : 03/23/24 Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/23/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.8825g	Extraction date: 03/24/24 15:31:41	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070824PES			Reviewed On : 03/26/24 12:03:16		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/23/24 14:14:57		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/25/24 12:34:21					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.8825g	Extraction date: 03/24/24 15:31:41	Extracted by: 4056		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070838VOL			Reviewed On : 03/26/24 12:02:17		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 03/24/24 09:34:37		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/25/24 10:25:03					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/26/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40323008-003
Harvest/Lot ID: SA-KOY-030624-A155
Batch#: 8837 0298 6504 Sample Size Received : 42 gram
5964 Total Amount : 2865 units
Sampled : 03/23/24 Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/23/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	90	PASS	100000

Analyzed by: 3390, 4044, 585, 1440 Weight: 0.9458g Extraction date: 03/24/24 10:10:42 Extracted by: 4451,3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070832MIC Reviewed On : 03/26/24 17:44:24
Instrument Used : Applied Biosystems Thermocycler Batch Date : 03/24/24 09:07:48
DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 03/25/24 11:38:07

Dilution : N/A
Reagent : 012424.13; 012424.19; 031824.R18; 091523.42
Consumables : 7569002025
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	90	PASS	100000

Analyzed by: 3390, 3621, 585, 1440 Weight: 0.9458g Extraction date: 03/24/24 10:10:42 Extracted by: 4451,3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070833TYM Reviewed On : 03/26/24 12:12:38
Instrument Used : Incubator (25-27°C) DA-097 Batch Date : 03/24/24 09:10:42
Analyzed Date : 03/25/24 12:43:14

Dilution : N/A
Reagent : 012424.19; 012424.13; 031824.R19
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.8825g Extraction date: 03/24/24 15:31:41 Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070839MYC Reviewed On : 03/26/24 08:10:52
Instrument Used : N/A Batch Date : 03/24/24 09:35:04
Analyzed Date : 03/25/24 12:34:45

Dilution : 250
Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2644g Extraction date: N/A Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070835HEA Reviewed On : 03/26/24 15:17:18
Instrument Used : DA-ICPMS-004 Batch Date : 03/24/24 09:19:46
Analyzed Date : 03/26/24 10:17:12

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Dilution : 50
Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40323008-003

Harvest/Lot ID: SA-KOY-030624-A155

Batch#: 8837 0298 6504
5964

Sampled : 03/23/24
Ordered : 03/23/24

Sample Size Received : 42 gram

Total Amount : 2865 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.60	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Reviewed On : 03/26/24 15:03:02			Analyzed by: 4444, 585, 1440	Weight: 0.507g	Extraction date: 03/25/24 14:25:59	Reviewed On : 03/25/24 16:43:46		
Analysis Method : SOP.T.40.090			Batch Date : 03/24/24 16:47:58			Analysis Method : SOP.T.40.021			Batch Date : 03/25/24 12:19:46		
Analytical Batch : DA070843FIL						Analytical Batch : DA070844MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 03/24/24 16:49:27						Analyzed Date : 03/25/24 14:00:59					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 092520.50; 020124.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.584	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 1.444g	Extraction date: 03/25/24 14:26:41	Reviewed On : 03/25/24 16:46:51		
Analysis Method : SOP.T.40.019		Batch Date : 03/25/24 12:20:19			
Analytical Batch : DA070845WAT					
Instrument Used : DA256 Rotronic HygroPalm					
Analyzed Date : 03/25/24 14:01:15					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

