



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample: DA40323005-003**  
**Harvest/Lot ID: HYB-CC-031824-C0137**  
**Batch#: 4821 4438 3909 1797**  
**Cultivation Facility: Zolfo Springs Cultivation**  
**Processing Facility: Zolfo Springs Processing**  
**Source Facility: Zolfo Springs Cultivation**  
**Seed to Sale# 4741 5512 1421 5843**  
**Batch Date: 02/22/24**  
**Sample Size Received: 31.5 gram**  
**Total Amount: 1200 units**  
**Retail Product Size: 3.5 gram**  
**Retail Serving Size: 3.5 gram**  
**Servings: 1**  
**Ordered: 03/22/24**  
**Sampled: 03/23/24**  
**Completed: 03/26/24**  
**Sampling Method: SOP.T.20.010**

Mar 26, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



**Total THC**  
**29.484%**  
Dry Weight



**Total CBD**  
**0.063%**  
Dry Weight



**Total Cannabinoids**  
**34.696%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.56	28.453	ND	0.063	0.036	0.112	0.743	ND	ND	ND	0.056	25.513%	0.055%	30.023%
mg/unit	19.6	995.855	ND	2.205	1.26	3.92	26.005	ND	ND	ND	1.96	892.955 mg /Container	1.925 mg /Container	1050.805 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
%	%	%	%	%	%	%	%	%	%	%	%			As Received

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
0.2163g

Extraction date:  
03/25/24 09:42:26

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070827POT

Instrument Used : DA-LC-002

Analyzed Date : 03/25/24 10:03:26

Reviewed On : 03/25/24 23:39:45

Batch Date : 03/23/24 23:42:08

Dilution : 400

Reagent : 022724.R01; 032123.11; 030824.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323005-003  
Harvest/Lot ID: HYB-CC-031824-C0137

Batch# : 4821 4438 3909    Sample Size Received : 31.5 gram  
1797    Total Amount : 1200 units  
Sampled : 03/23/24    Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/23/24    Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED						
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)			
TOTAL TERPENES	0.007	69.20	1.977	ALPHA-BISABOLOL	0.007	ND	ND			
LIMONENE	0.007	15.16	0.433	ALPHA-CEDRENE	0.007	ND	ND			
BETA-CARYOPHYLLENE	0.007	13.20	0.377	ALPHA-PHELLANDRENE	0.007	ND	ND			
FARNESENE	0.001	11.76	0.336	ALPHA-TERPINENE	0.007	ND	ND			
BETA-MYRCENE	0.007	8.86	0.253	ALPHA-TERPINOLENE	0.007	ND	ND			
LINALOOL	0.007	7.28	0.208	CIS-NEROLIDOL	0.007	ND	ND			
ALPHA-HUMULENE	0.007	4.59	0.131	GAMMA-TERPINENE	0.007	ND	ND			
BETA-PINENE	0.007	2.98	0.085	TRANS-NEROLIDOL	0.007	ND	ND			
ALPHA-PINENE	0.007	2.00	0.057							
FENCHYL ALCOHOL	0.007	1.93	0.055	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.9658g	Extraction date:	03/23/24 14:26:54	Extracted by:	1879.795
TOTAL TERPINEOL	0.007	1.47	0.042	Analysis Batch : DA070820TER	Instrument Used : DA-GCMS-008	Analysis Date : N/A	Reviewed On : 03/25/24 16:42:11	Batch Date : 03/23/24 12:21:08		
3-CARENE	0.007	ND	ND	Dilution : 10	Reagent : 022224.01	Consumables : 947.109; CE0123	Pipette : DA-063			
BORNEOL	0.013	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.						
CAMPHENE	0.007	ND	ND							
CAMPHOR	0.007	ND	ND							
CARYOPHYLLENE OXIDE	0.007	ND	ND							
CEDROL	0.007	ND	ND							
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
OCIMENE	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
VALENCENE	0.007	ND	ND							
<b>Total (%)</b>			<b>1.977</b>							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323005-003  
Harvest/Lot ID: HYB-CC-031824-C0137

Batch# : 4821 4438 3909      Sample Size Received : 31.5 gram  
1797      Total Amount : 1200 units  
Sampled : 03/23/24      Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/23/24      Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4056, 3379, 585, 1440 <b>Weight:</b> 1.057g <b>Extraction date:</b> 03/24/24 15:31:37 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070824PES <b>Reviewed On :</b> 03/26/24 12:02:57 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 03/23/24 14:14:57 <b>Analyzed Date :</b> 03/25/24 12:34:21 <b>Dilution :</b> 250 <b>Reagent :</b> 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 <b>Consumables :</b> 326250W <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323005-003  
Harvest/Lot ID: HYB-CC-031824-C0137  
Batch#: 4821 4438 3909      Sample Size Received : 31.5 gram  
1797      Total Amount : 1200 units  
Sampled : 03/23/24      Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/23/24      Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000
<b>Analyzed by:</b> 3390, 4044, 585, 1440 <b>Weight:</b> 0.8121g <b>Extraction date:</b> 03/23/24 12:58:32 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA070802MIC <b>Reviewed On :</b> 03/26/24 17:36:08 <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 03/23/24 10:58:38 <b>Analyzed Date :</b> 03/25/24 11:38:11					

**Dilution :** N/A  
**Reagent :** 012424.13; 012424.19; 031824.R18; 091523.42  
**Consumables :** 7569002025  
**Pipette :** N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 4044, 3390, 585, 1440 <b>Weight:</b> 0.8121g <b>Extraction date:</b> 03/23/24 12:58:32 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA070823TYM <b>Reviewed On :</b> 03/25/24 20:04:07 <b>Instrument Used :</b> Incubator (25-27°C) DA-097 <b>Batch Date :</b> 03/23/24 12:40:12 <b>Analyzed Date :</b> 03/23/24 16:10:52					
<b>Dilution :</b> N/A <b>Reagent :</b> 012424.13; 012424.19; 031824.R19 <b>Consumables :</b> N/A <b>Pipette :</b> N/A					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 4056, 3379, 585, 1440 <b>Weight:</b> 1.057g <b>Extraction date:</b> 03/24/24 15:31:37 <b>Extracted by:</b> 4056 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070839MYC <b>Reviewed On :</b> 03/26/24 08:10:47 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 03/24/24 09:35:04 <b>Analyzed Date :</b> 03/25/24 12:34:45 <b>Dilution :</b> 250 <b>Reagent :</b> 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2767g <b>Extraction date:</b> 03/23/24 13:21:30 <b>Extracted by:</b> 4306,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA070818HEA <b>Reviewed On :</b> 03/26/24 14:29:28 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 03/23/24 11:57:23 <b>Analyzed Date :</b> 03/25/24 17:39:16					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2767g <b>Extraction date:</b> 03/23/24 13:21:30 <b>Extracted by:</b> 4306,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA070818HEA <b>Reviewed On :</b> 03/26/24 14:29:28 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 03/23/24 11:57:23 <b>Analyzed Date :</b> 03/25/24 17:39:16 <b>Dilution :</b> 50 <b>Reagent :</b> 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2767g <b>Extraction date:</b> 03/23/24 13:21:30 <b>Extracted by:</b> 4306,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA070818HEA <b>Reviewed On :</b> 03/26/24 14:29:28 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 03/23/24 11:57:23 <b>Analyzed Date :</b> 03/25/24 17:39:16					

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2767g <b>Extraction date:</b> 03/23/24 13:21:30 <b>Extracted by:</b> 4306,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA070818HEA <b>Reviewed On :</b> 03/26/24 14:29:28 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 03/23/24 11:57:23 <b>Analyzed Date :</b> 03/25/24 17:39:16 <b>Dilution :</b> 50 <b>Reagent :</b> 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/26/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323005-003  
Harvest/Lot ID: HYB-CC-031824-C0137  
Batch#: 4821 4438 3909    Sample Size Received : 31.5 gram  
1797    Total Amount : 1200 units  
Sampled : 03/23/24    Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/23/24    Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	13.47	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A								
Analysis Method : SOP.T.40.090				Reviewed On : 03/26/24 15:02:57				Analysis Method : SOP.T.40.021			
Analytical Batch : DA070843FIL				Batch Date : 03/24/24 16:47:58				Analytical Batch : DA070804MOI			
Instrument Used : Filth/Foreign Material Microscope								Instrument Used : DA-003 Moisture Analyzer			
Analyzed Date : 03/24/24 16:49:27								Analyzed Date : 03/23/24 15:02:00			
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 092520.50; 020124.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.547	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 2.054g	Extraction date: 03/23/24 15:12:02	Extracted by: 4444		
Analysis Method : SOP.T.40.019			Reviewed On : 03/25/24 16:03:31		
Analytical Batch : DA070805WAT			Batch Date : 03/23/24 11:34:24		
Instrument Used : DA256 Rotronic HygroPalm					
Analyzed Date : 03/23/24 15:02:48					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

