



# Certificate of Analysis

## COMPLIANCE FOR RETAIL











Sample: DA40323005-001  
 Harvest/Lot ID: HYB-OKC-032024-C0137  
 Batch#: 0513 1312 8708 5135  
 Cultivation Facility: Zolfo Springs Cultivation  
 Processing Facility: Zolfo Springs Processing  
 Source Facility: Zolfo Springs Cultivation  
 Seed to Sale# 7100 3046 7721 8226  
 Batch Date: 02/22/24  
 Sample Size Received: 31.5 gram  
 Total Amount: 1907 units  
 Retail Product Size: 3.5 gram  
 Retail Serving Size: 3.5 gram  
 Servings: 1  
 Ordered: 03/22/24  
 Sampled: 03/23/24  
 Completed: 03/26/24  
 Revision Date: 03/27/24  
 Sampling Method: SOP.T.20.010

Mar 27, 2024 | FLUENT  
 5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents NOT TESTED	 Filtth <b>PASSED</b>	 Water Activity <b>PASSED</b>	 Moisture <b>PASSED</b>	 Terpenes TESTED

### Cannabinoid **PASSED**

	<b>Total THC</b> <b>30.016%</b> Dry Weight		<b>Total CBD</b> <b>0.066%</b> Dry Weight		<b>Total Cannabinoids</b> <b>34.938%</b> Dry Weight
--	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	
%	0.561	29.155	ND	0.067	0.033	0.103	0.437	ND	ND	ND	0.058	<b>Total THC</b> 26.129% 914.515 mg /Container
mg/unit	19.635	1020.425	ND	2.345	1.155	3.605	15.295	ND	ND	ND	2.03	<b>Total CBD</b> 0.058% 2.03 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	<b>Total Cannabinoids</b> 30.414% 1064.49 mg /Container
%	%	%	%	%	%	%	%	%	%	%	%	<b>As Received</b>

Analyzed by: 3335, 1665, 585, 1440      Weight: 0.2075g      Extraction date: 03/25/24 09:42:25      Extracted by: 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 03/25/24 23:39:40  
 Analytical Batch : DA070827POT      Batch Date : 03/23/24 23:42:08  
 Instrument Used : DA-LC-002  
 Analyzed Date : 03/25/24 10:03:26

Dilution : 400  
 Reagent : 022724.R01; 032123.11; 030824.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 03/26/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323005-001

Harvest/Lot ID: HYB-OKC-032024-C0137

Batch# : 0513 1312 8708  
5135

Sampled : 03/23/24  
Ordered : 03/23/24

Sample Size Received : 31.5 gram

Total Amount : 1907 units

Completed : 03/26/24 Expires: 03/27/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	104.72	2.992	ALPHA-BISABOLOL	0.007	ND	ND
LIMONENE	0.007	32.17	0.919	ALPHA-CEDRENE	0.007	ND	ND
FARNESENE	0.001	18.13	0.518	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	12.29	0.351	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	11.45	0.327	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-MYRCENE	0.007	8.30	0.237	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-PINENE	0.007	5.71	0.163	GAMMA-TERPINENE	0.007	ND	ND
BETA-PINENE	0.007	5.60	0.160	TRANS-NEROLIDOL	0.007	ND	ND
FENCHYL ALCOHOL	0.007	3.96	0.113				
ALPHA-HUMULENE	0.007	3.15	0.090	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight: 0.8902g	Extraction date: 03/23/24 14:24:23	Extracted by: 1879,795
TOTAL TERPINEOL	0.007	3.08	0.088	Analytical Batch : DA070820TER			Reviewed On : 03/25/24 16:42:07
OCIMENE	0.007	0.91	0.026	Instrument Used : DA-GCMS-008			Batch Date : 03/23/24 12:21:08
3-CARENE	0.007	ND	ND	Analyzed Date : N/A			
BORNEOL	0.013	ND	ND	Dilution : 10			
CAMPHENE	0.007	ND	ND	Reagent : 022224.01			
CAMPHOR	0.007	ND	ND	Consumables : 947.109; CE0123			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Pipette : DA-063			
CEDROL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
<b>Total (%)</b>			<b>2.992</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40323005-001

Harvest/Lot ID: HYB-OKC-032024-C0137

 Batch# : 0513 1312 8708  
 5135


 Sampled : 03/23/24  
 Ordered : 03/23/24

Sample Size Received : 31.5 gram

Total Amount : 1907 units

 Completed : 03/26/24 Expires: 03/27/25  
 Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440      Weight: 1.0258g      Extraction date: 03/24/24 15:39:16      Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070807PES      Reviewed On : 03/26/24 11:31:30 Instrument Used : DA-LCMS-003 (PES)      Batch Date : 03/23/24 11:38:47 Analyzed Date : 03/25/24 12:34:25 Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. Analyzed by: 450, 585, 1440      Weight: 1.0258g      Extraction date: 03/24/24 15:39:16      Extracted by: 4056 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA070808VOL      Reviewed On : 03/26/24 11:05:15 Instrument Used : DA-GCMS-010      Batch Date : 03/23/24 11:39:23 Analyzed Date : 03/25/24 11:43:45 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/LA-  
 Testing 97164



 Signature  
 03/26/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA40323005-001  
 Harvest/Lot ID: HYB-OKC-032024-C0137  
 Batch#: 0513 1312 8708    Sample Size Received : 31.5 gram  
 5135    Total Amount : 1907 units  
 Sampled : 03/23/24    Completed : 03/26/24 Expires: 03/27/25  
 Ordered : 03/23/24    Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	90	PASS	100000

Analyzed by: 3390, 4044, 585, 1440    Weight: 0.8591g    Extraction date: 03/23/24 12:58:31    Extracted by: 3621  
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
 Analytical Batch : DA070802MIC    Reviewed On : 03/26/24 17:36:05  
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021  
 Batch Date : 03/23/24 10:58:38  
 Analyzed Date : 03/25/24 11:38:11

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440    Weight: 1.0258g    Extraction date: 03/24/24 15:39:16    Extracted by: 4056  
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
 Analytical Batch : DA070809MYC    Reviewed On : 03/26/24 07:45:20  
 Instrument Used : N/A    Batch Date : 03/23/24 11:39:58  
 Analyzed Date : 03/25/24 12:34:53  
 Dilution : 250  
 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01  
 Consumables : 326250IW  
 Pipette : DA-093; DA-094; DA-219


Dilution : N/A  
 Reagent : 012424.13; 012424.19; 031824.R18; 091523.42  
 Consumables : 7569002025  
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4044, 3390, 585, 1440    Weight: 0.8591g    Extraction date: 03/23/24 12:58:31    Extracted by: 3621  
 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA070823TYM    Reviewed On : 03/25/24 20:04:05  
 Instrument Used : Incubator (25-27°C) DA-097    Batch Date : 03/23/24 12:40:12  
 Analyzed Date : 03/23/24 16:10:52

Dilution : N/A  
 Reagent : 012424.13; 012424.19; 031824.R19  
 Consumables : N/A  
 Pipette : N/A

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440    Weight: 0.2568g    Extraction date: 03/23/24 13:17:55    Extracted by: 4306,1022  
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA070818HEA    Reviewed On : 03/26/24 14:29:25  
 Instrument Used : DA-ICPMS-004    Batch Date : 03/23/24 11:57:23  
 Analyzed Date : 03/25/24 17:39:16  
 Dilution : 50  
 Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01  
 Consumables : 179436; 34623011; 210508058  
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/JLA-  
 Testing 97164



 Signature  
 03/26/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323005-001  
Harvest/Lot ID: HYB-OKC-032024-C0137  
Batch# : 0513 1312 8708    Sample Size Received : 31.5 gram  
5135    Total Amount : 1907 units  
Sampled : 03/23/24    Completed : 03/26/24 Expires: 03/27/25  
Ordered : 03/23/24    Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	12.95	PASS	15
<b>Analyzed by:</b> 1879, 585, 1440 <b>Weight:</b> NA <b>Extraction date:</b> N/A <b>Extracted by:</b> N/A <b>Analysis Method :</b> SOP.T.40.090 <b>Analytical Batch :</b> DA070843FIL <b>Instrument Used :</b> Filth/Foreign Material Microscope <b>Analyzed Date :</b> 03/24/24 16:49:27						<b>Analyzed by:</b> 4444, 585, 1440 <b>Weight:</b> 0.505g <b>Extraction date:</b> 03/23/24 15:07:13 <b>Extracted by:</b> 4444 <b>Analysis Method :</b> SOP.T.40.021 <b>Analytical Batch :</b> DA070804MOI <b>Instrument Used :</b> DA-003 Moisture Analyzer <b>Analyzed Date :</b> 03/23/24 15:02:00					
<b>Dilution :</b> N/A <b>Reagent :</b> N/A <b>Consumables :</b> N/A <b>Pipette :</b> N/A			<b>Reviewed On :</b> 03/26/24 15:02:55 <b>Batch Date :</b> 03/24/24 16:47:58			<b>Dilution :</b> N/A <b>Reagent :</b> 092520.50; 020124.02 <b>Consumables :</b> N/A <b>Pipette :</b> DA-066			<b>Reviewed On :</b> 03/25/24 16:00:27 <b>Batch Date :</b> 03/23/24 11:34:03		

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.574	PASS	0.65
<b>Analyzed by:</b> 4444, 585, 1440 <b>Weight:</b> 1.54g <b>Extraction date:</b> 03/23/24 15:12:01 <b>Extracted by:</b> 4444 <b>Analysis Method :</b> SOP.T.40.019 <b>Analytical Batch :</b> DA070805WAT <b>Instrument Used :</b> DA256 Rotronic HygroPalm <b>Analyzed Date :</b> 03/23/24 15:02:48			<b>Reviewed On :</b> 03/25/24 16:03:23 <b>Batch Date :</b> 03/23/24 11:34:24		
<b>Dilution :</b> N/A <b>Reagent :</b> 022024.28 <b>Consumables :</b> PS-14 <b>Pipette :</b> N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/26/24