



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40328005-002  
Harvest/Lot ID: HYB-GZ-032124-C0137  
Batch#: 7700 4588 4651 0395  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Homestead Cultivation  
Seed to Sale#: 9192 1232 9180 2132  
Batch Date: 02/22/24  
Sample Size Received: 31.5 gram  
Total Amount: 2182 units  
Retail Product Size: 3.5 gram  
Retail Serving Size: 1 gram  
Servings: 3.5  
Ordered: 03/27/24  
Sampled: 03/28/24  
Completed: 03/30/24  
Sampling Method: SOP.T.20.010

Mar 30, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS

  
Pesticides  
**PASSED**

  
Heavy Metals  
**PASSED**

  
Microbials  
**PASSED**

  
Mycotoxins  
**PASSED**

  
Residuals Solvents  
**NOT TESTED**

  
Filtration  
**PASSED**

  
Water Activity  
**PASSED**

  
Moisture  
**PASSED**

MISC.  
  
Terpenes  
**TESTED**

### Cannabinoid **PASSED**



Total THC  
**28.53%**  
Dry Weight



Total CBD  
**0.066%**  
Dry Weight



Total Cannabinoids  
**33.566%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.834	26.871	ND	0.065	0.039	0.217	0.619	ND	ND	ND	0.061	24.399%	0.057%	28.706%
mg/unit	29.19	940.485	ND	2.275	1.365	7.595	21.665	ND	ND	ND	2.135	853.965 mg /Container	1.995 mg /Container	1004.71 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
%	%	%	%	%	%	%	%	%	%	%	%			As Received

Analyzed by: 1665, 585, 1440      Weight: 0.1967g      Extraction date: 03/28/24 12:07:08      Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 03/29/24 09:13:40  
Analytical Batch : DA070954POT      Batch Date : 03/28/24 09:48:26  
Instrument Used : DA-LC-002  
Analyzed Date : 03/28/24 12:07:45

Dilution : 400  
Reagent : 030924.R02; 060723.24; 030824.R01  
Consumables : 947.100; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/30/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40328005-002  
Harvest/Lot ID: HYB-GZ-032124-C0137

Batch# : 7700 4588 4651    Sample Size Received : 31.5 gram  
0395    Total Amount : 2182 units  
Sampled : 03/28/24    Completed : 03/30/24 Expires: 03/30/25  
Ordered : 03/28/24    Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	81.69	2.334	SABINENE HYDRATE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	16.45	0.470	VALENCENE	0.007	ND	ND
LIMONENE	0.007	14.77	0.422	ALPHA-CEDRENE	0.007	ND	ND
FARNESENE	0.001	14.39	0.411	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	9.80	0.280	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	4.62	0.132	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-MYRCENE	0.007	4.20	0.120	CIS-NEROLIDOL	0.007	ND	ND
OCIMENE	0.007	3.71	0.106	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	2.94	0.084	Analyzed by: 3605, 585, 1440    Weight: 1.0366g    Extraction date: 03/28/24 12:09:04    Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070946TER    Reviewed On : 03/30/24 16:38:06 Instrument Used : DA-GCMS-009    Batch Date : 03/28/24 09:21:35 Analyzed Date : 03/28/24 12:09:32 Dilution : 10 Reagent : 022224.01 Consumables : 947.109; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
BETA-PINENE	0.007	2.56	0.073				
ALPHA-PINENE	0.007	2.35	0.067				
FENCHYL ALCOHOL	0.007	2.07	0.059				
TRANS-NEROLIDOL	0.007	2.07	0.059				
TOTAL TERPINEOL	0.007	1.79	0.051				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
<b>Total (%)</b>			<b>2.334</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/30/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40328005-002  
Harvest/Lot ID: HYB-GZ-032124-C0137

Batch# : 7700 4588 4651    Sample Size Received : 31.5 gram  
0395    Total Amount : 2182 units  
Sampled : 03/28/24    Completed : 03/30/24 Expires: 03/30/25  
Ordered : 03/28/24    Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.8021g <b>Extraction date:</b> 03/28/24 15:39:11 <b>Extracted by:</b> 450,3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA070966PES <b>Reviewed On :</b> 03/29/24 11:33:50 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 03/28/24 10:44:45 <b>Analyzed Date :</b> N/A <b>Dilution :</b> 250 <b>Reagent :</b> 032724.R26; 032724.R03; 032624.R12; 032824.R01; 031824.R02; 032724.R01; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.8021g <b>Extraction date:</b> 03/28/24 15:39:11 <b>Extracted by:</b> 450,3379 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA070968VOL <b>Reviewed On :</b> 03/29/24 11:32:13 <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 03/28/24 10:47:46 <b>Analyzed Date :</b> 03/28/24 16:02:45 <b>Dilution :</b> 250 <b>Reagent :</b> 032624.R12; 040423.08; 031824.R05; 031824.R06 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</b>					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/30/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40328005-002  
Harvest/Lot ID: HYB-GZ-032124-C0137  
Batch#: 7700 4588 4651    Sample Size Received : 31.5 gram  
0395    Total Amount : 2182 units  
Sampled : 03/28/24    Completed : 03/30/24 Expires: 03/30/25  
Ordered : 03/28/24    Sample Method : SOP.T.20.010


Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000
Analyzed by: 3390, 585, 1440		Weight: 0.8179g	Extraction date: 03/28/24 12:59:32		Extracted by: 4451
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 03/29/24 19:23:50		
Analytical Batch : DA070955MIC			Batch Date : 03/28/24 09:49:25		
Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021			Analyzed Date : 03/28/24 16:40:32		
Dilution : N/A					
Reagent : 031824.R18; 091523.42; 012424.17; 012424.28					
Consumables : 7569003006					
Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440		Weight: 0.8021g	Extraction date: 03/28/24 15:39:11		Extracted by: 450,3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA070967MYC			Reviewed On : 03/29/24 08:59:04		
Instrument Used : N/A			Batch Date : 03/28/24 10:47:43		
Analyzed Date : N/A					
Dilution : 250					
Reagent : 032724.R26; 032724.R03; 032624.R12; 032824.R01; 031824.R02; 032724.R01; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 4451, 585, 1440		Weight: 0.8179g	Extraction date: 03/28/24 12:59:32		Extracted by: 4451
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 03/30/24 16:30:50		
Analytical Batch : DA070978TYM			Batch Date : 03/28/24 12:05:54		
Instrument Used : Incubator (25-27°C) DA-097			Analyzed Date : 03/28/24 16:41:19		
Dilution : N/A					
Reagent : 012424.17; 012424.28; 031824.R19					
Consumables : N/A					
Pipette : N/A					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>					
ARSENIC	0.080	ppm	ND	PASS	1.1
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2648g	Extraction date: 03/28/24 11:40:02		Extracted by: 1022,4306
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			Reviewed On : 03/29/24 10:57:38		
Analytical Batch : DA070958HEA			Batch Date : 03/28/24 10:25:49		
Instrument Used : DA-ICPMS-004					
Analyzed Date : 03/28/24 14:40:37					
Dilution : 50					
Reagent : 030524.R01; 032524.R03; 032724.R42; 032524.R01; 032524.R02; 030424.01					
Consumables : 179436; 34623011; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
03/30/24



# Certificate of Analysis

**PASSED**

**FLUENT**


5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40328005-002  
Harvest/Lot ID: HYB-GZ-032124-C0137  
Batch# : 7700 4588 4651    Sample Size Received : 31.5 gram  
0395    Total Amount : 2182 units  
Sampled : 03/28/24    Completed : 03/30/24 Expires: 03/30/25  
Ordered : 03/28/24    Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
------------------------------	------------	----------------------	-------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA070986FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 03/28/24 19:51:12  
Reviewed On : 03/29/24 12:16:19  
Batch Date : 03/28/24 19:48:14

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	14.48	PASS	15

Analyzed by: 4444, 585, 4056, 1440	Weight: 0.505g	Extraction date: 03/28/24 14:10:36	Extracted by: 4444
------------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.021  
Analytical Batch : DA070975MOI  
Instrument Used : DA-003 Moisture Analyzer  
Analyzed Date : 03/28/24 13:49:58  
Reviewed On : 03/30/24 16:30:56  
Batch Date : 03/28/24 11:00:08

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.596	PASS	0.65

Analyzed by: 4444, 585, 1440	Weight: 1.124g	Extraction date: 03/28/24 14:29:39	Extracted by: 4444
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA070976WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 03/28/24 13:48:19  
Reviewed On : 03/28/24 14:55:32  
Batch Date : 03/28/24 11:00:26

Dilution : N/A  
Reagent : 022024.28  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

