



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40322002-002  
 Harvest/Lot ID: 0596 4997 4133 7992  
 Batch#: 0596 4997 4133 7992  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility : Tampa Processing  
 Source Facility : Tampa Cultivation  
 Seed to Sale# 7139 0360 3165 4448  
 Batch Date: 02/19/24  
 Sample Size Received: 16 gram  
 Total Amount: 2022 units  
 Retail Product Size: 1 gram  
 Retail Serving Size: 1 gram  
 Servings: 1  
 Ordered: 03/21/24  
 Sampled: 03/22/24  
 Completed: 03/26/24  
 Sampling Method: SOP.T.20.010

Mar 26, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals Solvents  
PASSED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
NOT TESTED



Terpenes  
TESTED

MISC.



Cannabinoid

**PASSED**



Total THC  
**88.467%**  
 Total THC/Container : 884.67 mg



Total CBD  
**0.248%**  
 Total CBD/Container : 2.48 mg



Total Cannabinoids  
**93.707%**  
 Total Cannabinoids/Container : 937.07 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.348	0.136	0.248	ND	0.254	2.370	0.097	0.788	0.474	ND	0.992
mg/unit	883.48	1.36	2.48	ND	2.54	23.70	0.97	7.88	4.74	ND	9.92
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analized by:  
1665, 585, 1440

Weight:  
0.1177g

Extraction date:  
03/22/24 13:32:15

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA070774POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 03/22/24 13:57:49

Reviewed On : 03/25/24 11:54:54  
 Batch Date : 03/22/24 11:13:01

Dilution : 400  
 Reagent : 022724.R01; 060723.24; 030824.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 03/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40322002-002  
Harvest/Lot ID: 0596 4997 4133 7992

Batch# : 0596 4997 4133      Sample Size Received : 16 gram  
7992      Total Amount : 2022 units  
Sampled : 03/22/24      Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/22/24      Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	15.48	1.548	PULEGONE	0.007	ND	ND
BETA-MYRCENE	0.007	3.90	0.390	SABINENE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	2.84	0.284	SABINENE HYDRATE	0.007	ND	ND
ALPHA-PINENE	0.007	1.31	0.131	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	1.27	0.127	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	1.05	0.105	CIS-NEROLIDOL	0.007	ND	ND
LIMONENE	0.007	0.85	0.085	GAMMA-TERPINENE	0.007	ND	ND
OCIMENE	0.007	0.68	0.068	TRANS-NEROLIDOL	0.007	ND	ND
BETA-PINENE	0.007	0.67	0.067				
ALPHA-BISABOLOL	0.007	0.64	0.064	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
ALPHA-HUMULENE	0.007	0.64	0.064	3605, 585, 1440	0.2034g	03/22/24 14:39:57	3605
VALENCENE	0.007	0.43	0.043	Analysis Batch : DA070786TER			
CARYOPHYLLENE OXIDE	0.007	0.35	0.035	Instrument Used : DA-GCMS-004			Reviewed On : 03/25/24 11:54:55
ALPHA-PHELLANDRENE	0.007	0.34	0.034	Analysis Date : 03/22/24 14:40:29			Batch Date : 03/22/24 11:38:30
FENCHYL ALCOHOL	0.007	0.27	0.027	Dilution : 10			
3-CARENE	0.007	0.24	0.024	Reagent : 022224.01			
TOTAL TERPINEOL	0.007	0.24	0.024	Consumables : 947.109; CE0123			
BORNEOL	0.013	ND	ND	Pipette : DA-063			
CAMPHENE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
<b>Total (%)</b>			<b>1.548</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40322002-002

Harvest/Lot ID: 0596 4997 4133 7992

Batch# : 0596 4997 4133 7992

Sampled : 03/22/24

Ordered : 03/22/24

Sample Size Received : 16 gram

Total Amount : 2022 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2703g <b>Extraction date:</b> 03/22/24 16:33:11 <b>Extracted by:</b> 3379					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA070773PES <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Reviewed On :</b> 03/25/24 12:03:12					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 03/22/24 11:12:26					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 03/22/24 16:42:02					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 031924.R27; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250W					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.2703g <b>Extraction date:</b> 03/22/24 16:33:11 <b>Extracted by:</b> 3379					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA070775VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Reviewed On :</b> 03/25/24 12:02:08					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 03/22/24 11:13:54					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 03/22/24 17:13:16					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 031924.R27; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250W; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40322002-002

Harvest/Lot ID: 0596 4997 4133 7992

Batch# : 0596 4997 4133 7992

Sampled : 03/22/24

Ordered : 03/22/24

Sample Size Received : 16 gram

Total Amount : 2022 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.02g	Extraction date: 03/24/24 15:23:01	Extracted by: 850
--------------------------------	------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07079350L Instrument Used : DA-GCMS-003 Analyzed Date : 03/24/24 15:23:26	Reviewed On : 03/25/24 11:43:25 Batch Date : 03/22/24 17:01:10
---	---

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40322002-002  
Harvest/Lot ID: 0596 4997 4133 7992  
Batch# : 0596 4997 4133 7992  
Sample Size Received : 16 gram  
Total Amount : 2022 units  
Sampled : 03/22/24  
Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/22/24  
Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>SALMONELLA SPECIFIC GENE</b>			Not Present	PASS	
<b>ECOLI SHIGELLA</b>			Not Present	PASS	
<b>ASPERGILLUS FLAVUS</b>			Not Present	PASS	
<b>ASPERGILLUS FUMIGATUS</b>			Not Present	PASS	
<b>ASPERGILLUS TERREUS</b>			Not Present	PASS	
<b>ASPERGILLUS NIGER</b>			Not Present	PASS	
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 585, 1440	<b>Weight:</b> 0.894g	<b>Extraction date:</b> 03/22/24 13:18:57	<b>Extracted by:</b> 3390,4044		
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			<b>Reviewed On :</b> 03/25/24 15:42:50		
<b>Analytical Batch :</b> DA070754MIC			<b>Batch Date :</b> 03/22/24 10:04:27		
<b>Instrument Used :</b> PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021			<b>Analyzed Date :</b> 03/25/24 11:38:18		
<b>Dilution :</b> N/A					
<b>Reagent :</b> 012424.15; 012424.27; 031824.R18; 091523.42					
<b>Consumables :</b> 7569002025; 7569003009					
<b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>AFLATOXIN B2</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN B1</b>	0.002	ppm	ND	PASS	0.02
<b>OCHRATOXIN A</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G1</b>	0.002	ppm	ND	PASS	0.02
<b>AFLATOXIN G2</b>	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2703g	<b>Extraction date:</b> 03/22/24 16:33:11	<b>Extracted by:</b> 3379		
<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
<b>Analytical Batch :</b> DA070776MYC					
<b>Instrument Used :</b> N/A					
<b>Analyzed Date :</b> 03/22/24 16:42:19					
<b>Dilution :</b> 250					
<b>Reagent :</b> 031924.R27; 040423.08					
<b>Consumables :</b> 326250IW					
<b>Pipette :</b> N/A					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>ARSENIC</b>	0.020	ppm	ND	PASS	0.2
<b>CADMIUM</b>	0.020	ppm	ND	PASS	0.2
<b>MERCURY</b>	0.020	ppm	ND	PASS	0.2
<b>LEAD</b>	0.020	ppm	ND	PASS	0.5
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.080	ppm	ND	PASS	1.1
<b>Analyzed by:</b> 1022, 585, 1440	<b>Weight:</b> 0.2431g	<b>Extraction date:</b> 03/22/24 14:45:01	<b>Extracted by:</b> 1022		
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL					
<b>Analytical Batch :</b> DA070757HEA					
<b>Instrument Used :</b> DA-ICPMS-004					
<b>Analyzed Date :</b> 03/25/24 14:24:35					
<b>Dilution :</b> 50					
<b>Reagent :</b> 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01					
<b>Consumables :</b> 179436; 34623011; 210508058					
<b>Pipette :</b> DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>ARSENIC</b>	0.020	ppm	ND	PASS	0.2
<b>CADMIUM</b>	0.020	ppm	ND	PASS	0.2
<b>MERCURY</b>	0.020	ppm	ND	PASS	0.2
<b>LEAD</b>	0.020	ppm	ND	PASS	0.5
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.080	ppm	ND	PASS	1.1
<b>Analyzed by:</b> 1022, 585, 1440	<b>Weight:</b> 0.2431g	<b>Extraction date:</b> 03/22/24 14:45:01	<b>Extracted by:</b> 1022		
<b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL					
<b>Analytical Batch :</b> DA070757HEA					
<b>Instrument Used :</b> DA-ICPMS-004					
<b>Analyzed Date :</b> 03/25/24 14:24:35					
<b>Dilution :</b> 50					
<b>Reagent :</b> 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01					
<b>Consumables :</b> 179436; 34623011; 210508058					
<b>Pipette :</b> DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40322002-002  
Harvest/Lot ID: 0596 4997 4133 7992  
Batch# : 0596 4997 4133      Sample Size Received : 16 gram  
7992                                      Total Amount : 2022 units  
Sampled : 03/22/24                      Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/22/24                      Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA070787FIL      Reviewed On : 03/22/24 22:42:57  
Instrument Used : Filth/Foreign Material Microscope      Batch Date : 03/22/24 12:49:10  
Analyzed Date : 03/22/24 21:53:51

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.549	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.208g	Extraction date: 03/22/24 17:36:21	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA070790WAT      Reviewed On : 03/25/24 09:55:26  
Instrument Used : DA-028 Rotronic HygroPalm      Batch Date : 03/22/24 12:49:52  
Analyzed Date : 03/22/24 17:07:44

Dilution : N/A  
Reagent : 022024.28  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

