



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40607005-002  
Harvest/Lot ID: 9801 2015 4202 8170  
Batch#: 9801 2015 4202 8170  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 6707 1123 9749 2454  
Batch Date: 05/05/24  
Sample Size Received: 66.5 gram  
Total Amount: 4970 units  
Retail Product Size: 3.5 gram  
Retail Serving Size: 3.5 gram  
Servings: 1  
Ordered: 06/06/24  
Sampled: 06/07/24  
Completed: 06/10/24  
Sampling Method: SOP.T.20.010

Jun 10, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.

## Cannabinoid **PASSED**



Total THC  
**29.088%**  
Dry Weight



Total CBD  
**0.054%**  
Dry Weight



Total Cannabinoids  
**34.238%**  
Dry Weight

Total THC  
**25.4%**  
889 mg /Container

Total CBD  
**0.048%**  
1.68 mg /Container

Total Cannabinoids  
**29.897%**  
1046.395 mg /Container

As Received

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.711	28.152	ND	0.055	0.025	0.099	0.824	ND	ND	ND	0.031
mg/unit	24.885	985.32	ND	1.925	0.875	3.465	28.84	ND	ND	ND	1.085
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3335, 1665, 585, 4351

Weight:  
0.2224g

Extraction date:  
06/07/24 12:49:56

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA073719POT  
Instrument Used : DA-LC-002  
Analysis Date : 06/07/24 13:02:21

Reviewed On : 06/10/24 10:47:48  
Batch Date : 06/07/24 09:57:46

Dilution : 400  
Reagent : 052924.R01; 041124.41; 060724.R01  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/10/24



# Certificate of Analysis

**PASSED**


FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40607005-002  
Harvest/Lot ID: 9801 2015 4202 8170

Batch# : 9801 2015 4202    Sample Size Received : 66.5 gram  
8170    Total Amount : 4970 units  
Sampled : 06/07/24    Completed : 06/10/24 Expires: 06/10/25  
Ordered : 06/07/24    Sample Method : SOP.T.20.010

Page 2 of 5

 <b>Terpenes</b>				<b>TESTED</b>			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	66.15	1.890	NEROL	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	23.87	0.682	PULEGONE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	7.81	0.223	SABINENE HYDRATE	0.007	ND	ND
BETA-MYRCENE	0.007	6.41	0.183	VALENCENE	0.007	ND	ND
OCIMENE	0.007	5.29	0.151	ALPHA-BISABOLOL	0.007	ND	ND
BETA-PINENE	0.007	4.10	0.117	ALPHA-CEDRENE	0.005	ND	ND
LIMONENE	0.007	3.71	0.106	CIS-NEROLIDOL	0.003	ND	ND
ALPHA-PINENE	0.007	2.70	0.077	TRANS-NEROLIDOL	0.005	ND	ND
ALPHA-HUMULENE	0.007	2.66	0.076	Analyzed by: 3605, 585, 4351    Weight: 1.0181g    Extraction date: 06/07/24 13:26:32    Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA073727TER    Reviewed On : 06/10/24 10:55:20 Instrument Used : DA-GCMS-008    Batch Date : 06/07/24 10:22:30 Analyzed Date : 06/07/24 13:26:57 Dilution : 10 Reagent : 022224.09 Consumables : 947.109; 7931220; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-PHELLANDRENE	0.007	1.61	0.046				
3-CARENE	0.007	1.54	0.044				
ALPHA-TERPINENE	0.007	1.33	0.038				
ALPHA-TERPINEOL	0.007	1.26	0.036				
SABINENE	0.007	1.12	0.032				
GAMMA-TERPINENE	0.007	1.05	0.030				
FENCHYL ALCOHOL	0.007	0.95	0.027				
LINALOOL	0.007	0.77	0.022				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
<b>Total (%)</b>			<b>1.890</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
06/10/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40607005-002  
Harvest/Lot ID: 9801 2015 4202 8170

Batch# : 9801 2015 4202      Sample Size Received : 66.5 gram  
8170      Total Amount : 4970 units  
Sampled : 06/07/24      Completed : 06/10/24 Expires: 06/10/25  
Ordered : 06/07/24      Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 4056, 3379, 585, 4351 <b>Weight:</b> 0.9737g <b>Extraction date:</b> 06/07/24 17:51:27 <b>Extracted by:</b> 450 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA073737PES <b>Reviewed On :</b> 06/10/24 10:47:35 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 06/07/24 10:47:54 <b>Analyzed Date :</b> 06/07/24 18:20:36 <b>Dilution :</b> 250 <b>Reagent :</b> 060524.R07; 040423.08; 060524.R50; 060524.R06; 052824.R02; 052924.R31; 060524.R04 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
06/10/24



# Certificate of Analysis

**PASSED**

**FLUENT**


5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40607005-002  
Harvest/Lot ID: 9801 2015 4202 8170  
Batch# : 9801 2015 4202 8170  
Sample Size Received : 66.5 gram  
Total Amount : 4970 units  
Completed : 06/10/24 Expires: 06/10/25  
Sampled : 06/07/24  
Ordered : 06/07/24  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		<b>Analyzed by:</b> 4056, 3379, 585, 4351 <b>Weight:</b> 0.9737g <b>Extraction date:</b> 06/07/24 17:51:27 <b>Extracted by:</b> 450					
<b>TOTAL YEAST AND MOLD</b>	10	CFU/g	70	PASS	100000	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA073739MYC <b>Reviewed On :</b> 06/10/24 10:20:13 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 06/07/24 10:50:48 <b>Analyzed Date :</b> 06/07/24 18:20:41					
<b>Analyzed by:</b> 3390, 4044, 585, 4351 <b>Weight:</b> 1.1268g <b>Extraction date:</b> 06/07/24 12:39:03 <b>Extracted by:</b> 4044						<b>Dilution :</b> 250 <b>Reagent :</b> 060524.R07; 040423.08; 060524.R50; 060524.R06; 052824.R02; 052924.R31; 060524.R04 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219					
<b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA073715MIC <b>Reviewed On :</b> 06/10/24 10:28:34 <b>Batch Date :</b> 06/07/24 09:40:45						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
<b>Instrument Used :</b> PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 06/07/24 19:02:40											
<b>Dilution :</b> N/A <b>Reagent :</b> 052024.24; 052024.26; 060524.R52; 030724.36 <b>Consumables :</b> N/A <b>Pipette :</b> N/A											

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

**Analyzed by:** 1022, 585, 4351     **Weight:** 0.2704g     **Extraction date:** 06/07/24 11:40:37     **Extracted by:** 1022,1879

**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch :** DA073732HEA     **Reviewed On :** 06/10/24 10:18:29  
**Instrument Used :** DA-ICPMS-004     **Batch Date :** 06/07/24 10:41:06  
**Analyzed Date :** 06/07/24 16:16:58

**Dilution :** 50  
**Reagent :** 052924.R44; 060324.R06; 053024.R03; 060324.R04; 060324.R05; 030424.01; 060524.R41  
**Consumables :** 179436; 120423CH01; 210508058  
**Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
06/10/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40607005-002  
Harvest/Lot ID: 9801 2015 4202 8170  
Batch#: 9801 2015 4202 8170  
Sample Size Received : 66.5 gram  
Total Amount : 4970 units  
Completed : 06/10/24 Expires: 06/10/25  
Sample Method : SOP.T.20.010  
Sampled : 06/07/24  
Ordered : 06/07/24

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 4351	Weight: NA	Extraction date: N/A	Extracted by: N/A
------------------------------	------------	----------------------	-------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA073795FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 06/09/24 19:04:01  
Reviewed On : 06/09/24 19:42:00  
Batch Date : 06/09/24 18:58:16

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.500	PASS	0.65

Analyzed by: 4512, 585, 4351	Weight: 0.9159g	Extraction date: 06/07/24 17:03:30	Extracted by: 4512
------------------------------	-----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA073724WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 06/07/24 17:03:51  
Reviewed On : 06/10/24 08:57:25  
Batch Date : 06/07/24 10:11:48

Dilution : N/A  
Reagent : 022024.29  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	12.68	PASS	15

Analyzed by: 4512, 585, 4351	Weight: 0.501g	Extraction date: 06/07/24 16:07:06	Extracted by: 4512
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.021  
Analytical Batch : DA073723MOI  
Reviewed On : 06/10/24 08:56:21

Instrument Used : DA-003 Moisture Analyzer, DA-046 Moisture Analyzer, DA-263 Moisture Analyser, DA-264 Moisture Analyser  
Analyzed Date : 06/07/24 16:07:43  
Batch Date : 06/07/24 10:09:17

Dilution : N/A  
Reagent : 092520.50; 020124.02  
Consumables : N/A  
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.

