



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA40314003-006
Harvest/Lot ID: 3290 8882 8454 8729
Batch#: 3290 8882 8454 8729
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 8949 6698 7369 4861
Batch Date: 12/07/23
Sample Size Received: 15.5 gram
Total Amount: 1895 units
Retail Product Size: 0.5 gram
Ordered: 03/13/24
Sampled: 03/14/24
Completed: 03/18/24
Sampling Method: SOP.T.20.010

Mar 18, 2024 | FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US




PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes TESTED

Cannabinoid **PASSED**



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	88.503	0.194	0.247	ND	0.774	2.209	ND	1.039	0.550	ND	0.551
mg/unit	442.52	0.97	1.24	ND	3.87	11.05	ND	5.20	2.75	ND	2.76
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 1440 Weight: 0.1073g Extraction date: 03/14/24 12:43:03 Extracted by: 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 03/15/24 07:10:44
Analytical Batch : DA070450POT Batch Date : 03/14/24 09:48:49
Instrument Used : DA-LC-007
Analyzed Date : 03/14/24 12:50:03

Dilution : 400
Reagent : 030624.R33; 060723.24; 021424.R04
Consumables : 947.109; 34623011; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-006

Harvest/Lot ID: 3290 8882 8454 8729

Batch# : 3290 8882 8454 8729

Sampled : 03/14/24

Ordered : 03/14/24

Sample Size Received : 15.5 gram

Total Amount : 1895 units

Completed : 03/18/24 Expires: 03/18/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	8.12	1.623	SABINENE	0.007	ND	ND
BETA-MYRCENE	0.007	4.09	0.818	SABINENE HYDRATE	0.007	ND	ND
ALPHA-PINENE	0.007	0.95	0.189	VALENCENE	0.007	ND	ND
LIMONENE	0.007	0.54	0.107	ALPHA-CEDRENE	0.007	ND	ND
LINALOOL	0.007	0.43	0.085	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	0.35	0.069	ALPHA-TERPINOLENE	0.007	ND	ND
OCIMENE	0.007	0.33	0.065	CIS-NEROLIDOL	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	0.31	0.062	GAMMA-TERPINENE	0.007	ND	ND
TRANS-NEROLIDOL	0.007	0.31	0.061	Analyzed by: 1665, 585, 1440 Weight: 0.198g Extraction date: 03/14/24 15:22:43 Extracted by: 3605,795			
FENCHYL ALCOHOL	0.007	0.23	0.046	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070454TER Instrument Used : DA-GCMS-009 Analyzed Date : N/A Reviewed On : 03/15/24 07:56:13 Batch Date : 03/14/24 10:14:37			
ALPHA-BISABOLOL	0.007	0.22	0.044	Dilution : 10 Reagent : N/A Consumables : N/A Pipette : N/A			
ALPHA-HUMULENE	0.007	0.22	0.044	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINENE	0.007	0.17	0.033				
TOTAL TERPINEOL	0.007	0.15	0.029				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
Total (%)			1.623				




Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40314003-006
Harvest/Lot ID: 3290 8882 8454 8729
Batch# : 3290 8882 8454 8729
Sampled : 03/14/24
Ordered : 03/14/24
Sample Size Received : 15.5 gram
Total Amount : 1895 units
Completed : 03/18/24 Expires: 03/18/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2544g	Extraction date: 03/14/24 16:19:02	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070456PES			Reviewed On : 03/18/24 13:07:21		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/14/24 10:23:35		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2544g	Extraction date: 03/14/24 16:19:02	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070458VOL			Reviewed On : 03/15/24 11:34:34		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 03/14/24 10:27:14		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/14/24 16:31:53					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031324.R20; 040423.08; 021424.R18; 021424.R19					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 03/18/24




Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40314003-006
Harvest/Lot ID: 3290 8882 8454 8729
Batch# : 3290 8882 8454 8729
Sampled : 03/14/24
Ordered : 03/14/24
Sample Size Received : 15.5 gram
Total Amount : 1895 units
Completed : 03/18/24 Expires: 03/18/25
Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0198g	Extraction date: 03/15/24 17:36:37	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07048550L Instrument Used : DA-GCMS-002 Analyzed Date : 03/15/24 17:21:00	Reviewed On : 03/15/24 19:44:57 Batch Date : 03/14/24 14:07:32
---	---

Dilution : 1
 Reagent : 030923.29
 Consumables : G201.062; G201.062
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-006
Harvest/Lot ID: 3290 8882 8454 8729
Batch# : 3290 8882 8454 8729
Sample Size Received : 15.5 gram
Total Amount : 1895 units
Completed : 03/18/24 Expires: 03/18/25
Sampled : 03/14/24
Ordered : 03/14/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.923g Extraction date: 03/14/24 11:58:55 Extracted by: 3621						Analyzed by: 3379, 585, 1440 Weight: 0.2544g Extraction date: 03/14/24 16:19:02 Extracted by: 450,585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070449MIC Reviewed On : 03/16/24 14:53:52 Batch Date : 03/14/24 09:23:15 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 03/14/24 19:14:47						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070457MYC Reviewed On : 03/18/24 13:09:37 Instrument Used : N/A Batch Date : 03/14/24 10:27:11 Analyzed Date : N/A Dilution : 250 Reagent : 031124.R01; 031324.R19; 031324.R20; 031324.R52; 021324.R05; 031324.R17; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 012424.12; 012424.21; 022224.R10; 091523.43 Consumables : 7569003015 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 3629, 585, 1440 Weight: 0.2779g Extraction date: 03/14/24 12:43:19 Extracted by: 4306,1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070473HEA Reviewed On : 03/18/24 09:05:39 Instrument Used : DA-ICPMS-004 Batch Date : 03/14/24 11:45:38 Analyzed Date : 03/16/24 15:20:53					
Dilution : 50 Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/18/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40314003-006
Harvest/Lot ID: 3290 8882 8454 8729
Batch# : 3290 8882 8454 8729
Sample Size Received : 15.5 gram
Total Amount : 1895 units
Sampled : 03/14/24
Completed : 03/18/24 Expires: 03/18/25
Ordered : 03/14/24
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA070486FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 03/14/24 19:17:00
Reviewed On : 03/14/24 19:26:58
Batch Date : 03/14/24 19:05:04

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.509	PASS	0.85

Analyzed by: 4444, 4056, 585, 1440	Weight: 0.452g	Extraction date: 03/15/24 18:35:59	Extracted by: 4444,4056
---------------------------------------	-------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA070483WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 03/14/24 13:57:11
Reviewed On : 03/15/24 19:51:26
Batch Date : 03/14/24 13:01:46

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

