



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40321003-003
 Harvest/Lot ID: 6809 9194 4632 0486
 Batch#: 6809 9194 4632 0486
 Cultivation Facility: Tampa Cultivation
 Processing Facility : Tampa Processing
 Source Facility : Tampa Cultivation
 Seed to Sale# 9390 8406 7866 0155
 Batch Date: 02/19/24
 Sample Size Received: 16 gram
 Total Amount: 2022 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 03/20/24
 Sampled: 03/21/24
 Completed: 03/23/24
 Sampling Method: SOP.T.20.010

Mar 23, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
91.668%
 Total THC/Container : 916.68 mg



Total CBD
0.259%
 Total CBD/Container : 2.59 mg



Total Cannabinoids
97.223%
 Total Cannabinoids/Container : 972.23 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.575	0.107	0.259	ND	0.336	2.582	0.109	0.600	0.544	ND	1.111
mg/unit	915.75	1.07	2.59	ND	3.36	25.82	1.09	6.00	5.44	ND	11.11
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1079g

Extraction date:
03/21/24 12:36:15

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA070702POT
 Instrument Used : DA-LC-007
 Analyzed Date : 03/21/24 12:55:00

Reviewed On : 03/22/24 12:21:50
 Batch Date : 03/21/24 09:23:01

Dilution : 400
 Reagent : 022724.R01; 032123.11; 030824.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



Signature
 03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-003
Harvest/Lot ID: 6809 9194 4632 0486

Batch# : 6809 9194 4632 0486 Sample Size Received : 16 gram
Total Amount : 2022 units
Sampled : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED					
Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	26.19	2.619		ALPHA-BISABOLOL	0.007	ND	ND	
LIMONENE	0.007	11.18	1.118		ALPHA-CEDRENE	0.007	ND	ND	
BETA-MYRCENE	0.007	4.15	0.415		ALPHA-PHELLANDRENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.37	0.237		ALPHA-TERPINENE	0.007	ND	ND	
LINALOOL	0.007	2.04	0.204		ALPHA-TERPINOLENE	0.007	ND	ND	
BETA-PINENE	0.007	1.90	0.190		CIS-NEROLIDOL	0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	1.76	0.176		GAMMA-TERPINENE	0.007	ND	ND	
OCIMENE	0.007	0.76	0.076		TRANS-NEROLIDOL	0.007	ND	ND	
FENCHYL ALCOHOL	0.007	0.74	0.074						
FARNESENE	0.001	0.68	0.068		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.2101g	Extraction date:	03/21/24 12:25:07
ALPHA-HUMULENE	0.007	0.35	0.035		Analytical Batch : DA070717TER			Reviewed On :	03/22/24 12:21:52
CAMPHENE	0.007	0.26	0.026		Instrument Used : DA-GCMS-009			Batch Date :	03/21/24 10:47:09
TOTAL TERPINEOL	0.007	0.23	0.023		Analysis Date : 03/21/24 12:25:41				
3-CARENE	0.007	ND	ND		Dilution : 10				
BORNEOL	0.013	ND	ND		Reagent : 022224.01				
CAMPHOR	0.007	ND	ND		Consumables : 947.109; CE0123				
CARYOPHYLLENE OXIDE	0.007	ND	ND		Pipette : DA-063				
CEDROL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
EUCALYPTOL	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
GUAIOL	0.007	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
ISOPULEGOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
SABINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
VALENCENE	0.007	ND	ND						
Total (%)			2.619						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/23/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-003
Harvest/Lot ID: 6809 9194 4632 0486

Batch# : 6809 9194 4632 0486 Sample Size Received : 16 gram
Sampled : 03/21/24 Total Amount : 2022 units
Ordered : 03/21/24 Completed : 03/23/24 Expires: 03/23/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2164g Extraction date: 03/21/24 15:38:25 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070721PES Reviewed On : 03/22/24 14:20:24 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/21/24 10:52:32 Analyzed Date : 03/21/24 15:41:14 Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/23/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40321003-003

Harvest/Lot ID: 6809 9194 4632 0486

 Batch# : 6809 9194 4632
 0486

Sampled : 03/21/24

Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 2022 units

Completed : 03/23/24 Expires: 03/23/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0207g	Extraction date: 03/22/24 14:51:16	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07073950L Instrument Used : DA-GCMS-003 Analyzed Date : 03/22/24 15:09:08	Reviewed On : 03/22/24 19:57:00 Batch Date : 03/21/24 13:45:25
---	---

 Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 30395
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-003

Harvest/Lot ID: 6809 9194 4632 0486

Batch#: 6809 9194 4632 0486

Sampled : 03/21/24
Ordered : 03/21/24

Sample Size Received : 16 gram

Total Amount : 2022 units


Completed : 03/23/24 Expires: 03/23/25

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 585, 1440 Weight: 0.811g Extraction date: 03/21/24 11:47:39 Extracted by: 3621						Analyzed by: 3379, 585, 1440 Weight: 0.2164g Extraction date: 03/21/24 15:38:25 Extracted by: 3379					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070707MIC Reviewed On : 03/23/24 09:21:34 Batch Date : 03/21/24 09:51:55						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070723MYC Reviewed On : 03/22/24 12:19:47 Instrument Used : N/A Batch Date : 03/21/24 10:56:17 Analyzed Date : 03/21/24 15:42:37					
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 03/21/24 13:37:13						Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 012424.26; 012424.27; 031824.R18; 091523.43 Consumables : 7569003009 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2675g Extraction date: 03/21/24 12:04:32 Extracted by: 1022,1879					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070711HEA Reviewed On : 03/23/24 18:00:49 Instrument Used : DA-ICPMS-004 Batch Date : 03/21/24 10:11:01 Analyzed Date : 03/23/24 14:52:33					
Dilution : 50 Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
03/23/24



Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-003
Harvest/Lot ID: 6809 9194 4632 0486
Batch# : 6809 9194 4632 **Sample Size Received :** 16 gram
 0486 **Total Amount :** 2022 units
Sampled : 03/21/24 **Completed :** 03/23/24 **Expires:** 03/23/25
Ordered : 03/21/24 **Sample Method :** SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
--	----------------------	--------------------------------	-----------------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA070787FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 03/22/24 21:53:51
Reviewed On : 03/22/24 22:37:42
Batch Date : 03/22/24 12:49:10

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.486	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.214g	Extraction date: 03/21/24 14:12:35	Extracted by: 4056
--	--------------------------	--	------------------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA070736WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 03/21/24 13:54:51
Reviewed On : 03/21/24 14:20:35
Batch Date : 03/21/24 11:32:59

Dilution : N/A
Reagent : 022024.28
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.