



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40321003-004
 Harvest/Lot ID: ID-APT-010324-A144
 Batch#: 5090 9927 7907 5360
 Cultivation Facility: Tampa Cultivation
 Processing Facility: Tampa Processing
 Source Facility: Tampa Cultivation
 Seed to Sale#: 5767 4682 2115 8816
 Batch Date: 12/28/23
 Sample Size Received: 26 gram
 Total Amount: 2216 units
 Retail Product Size: 1 gram
 Retail Serving Size: 1 gram
 Servings: 1
 Ordered: 03/20/24
 Sampled: 03/21/24
 Completed: 03/25/24
 Sampling Method: SOP.T.20.010

PASSED

Mar 25, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
 NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
 TESTED

MISC.



Cannabinoid

PASSED



Total THC
16.733%
 Dry Weight



Total CBD
0.045%
 Dry Weight



Total Cannabinoids
19.462%
 Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.71	15.141	ND	0.047	0.03	0.078	0.337	0.014	ND	ND	0.076
mg/unit	17.1	151.41	ND	0.47	0.3	0.78	3.37	0.14	ND	ND	0.76
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
14.988%
 149.88 mg /Container

Total CBD
0.041%
 0.41 mg /Container

Total Cannabinoids
17.433%
 174.33 mg /Container

As Received

Analyzed by:
 3335, 585, 1440

Weight:
 0.2166g

Extraction date:
 03/21/24 12:34:05

Extracted by:
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA070713POT
 Instrument Used : DA-LC-002
 Analyzed Date : 03/21/24 13:08:06

Reviewed On : 03/22/24 12:21:56
 Batch Date : 03/21/24 10:29:01

Dilution : 400
 Reagent : 022724.R01; 060723.24; 030824.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/25/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Ape Tranquilizer 1g Pre-Roll(s)
 Ape Tranquilizer
 Matrix : Flower
 Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40321003-004
 Harvest/Lot ID: ID-APT-010324-A144
 Batch# : 5090 9927 7907 Sample Size Received : 26 gram
 5360 Total Amount : 2216 units
 Sampled : 03/21/24 Completed : 03/25/24 Expires: 03/25/25
 Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	1.80	0.180
ALPHA-BISABOLOL	0.007	0.87	0.087
BETA-CARYOPHYLLENE	0.007	0.49	0.049
GUAIOL	0.007	0.44	0.044
TOTAL TERPINEOL	0.007	<-0.20	<-0.020
3-CARENE	0.007	ND	ND
BORNEOL	0.013	ND	ND
CAMPHENE	0.007	ND	ND
CAMPHOR	0.007	ND	ND
CARYOPHYLLENE OXIDE	0.007	ND	ND
CEDROL	0.007	ND	ND
EUCALYPTOL	0.007	ND	ND
FARNESENE	0.001	ND	ND
FENCHONE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	ND	ND
GERANIOL	0.007	ND	ND
GERANYL ACETATE	0.007	ND	ND
HEXAHYDROTHYMOL	0.007	ND	ND
ISOBORNEOL	0.007	ND	ND
ISOPULEGOL	0.007	ND	ND
LIMONENE	0.007	ND	ND
LINALOOL	0.007	ND	ND
NEROL	0.007	ND	ND
OCIMENE	0.007	ND	ND
PULEGONE	0.007	ND	ND
SABINENE	0.007	ND	ND
SABINENE HYDRATE	0.007	ND	ND
VALENCENE	0.007	ND	ND
ALPHA-CEDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	ND	ND
ALPHA-PHELLANDRENE	0.007	ND	ND
Total (%)			0.180

Terpenes	LOD (%)	mg/unit %	Result (%)
ALPHA-PINENE	0.007	ND	ND
ALPHA-TERPINENE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	ND	ND
BETA-MYRCENE	0.007	ND	ND
BETA-PINENE	0.007	ND	ND
CIS-NEROLIDOL	0.007	ND	ND
GAMMA-TERPINENE	0.007	ND	ND
TRANS-NEROLIDOL	0.007	ND	ND

Analyzed by: 3605, 585, 1440 Weight: 1.0813g Extraction date: 03/21/24 12:23:25 Extracted by: 3605
 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
 Analytical Batch : DA070716TER Reviewed On : 03/25/24 10:50:08
 Instrument Used : DA-GCMS-004 Batch Date : 03/21/24 10:46:43
 Analyzed Date : 03/21/24 12:23:51
 Dilution : 10
 Reagent : 022224.01
 Consumables : 947.109; CE0123
 Pipette : DA-063

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164

Signature
 03/25/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-004
Harvest/Lot ID: ID-APT-010324-A144

Batch# : 5090 9927 7907 Sample Size Received : 26 gram
5360 Total Amount : 2216 units
Sampled : 03/21/24 Completed : 03/25/24 Expires: 03/25/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.8644g Extraction date: 03/21/24 15:37:14 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070718PES Reviewed On : 03/22/24 11:43:05 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/21/24 10:47:52 Analyzed Date : 03/21/24 15:41:11 Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.8644g Extraction date: 03/21/24 15:37:14 Extracted by: 450,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA070719VOL Reviewed On : 03/22/24 11:38:01 Instrument Used : DA-GCMS-010 Batch Date : 03/21/24 10:49:24 Analyzed Date : 03/21/24 15:55:46 Dilution : 250 Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/25/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-004
Harvest/Lot ID: ID-APT-010324-A144
Batch# : 5090 9927 7907 Sample Size Received : 26 gram
5360 Total Amount : 2216 units
Sampled : 03/21/24 Completed : 03/25/24 Expires: 03/25/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	260	PASS	100000

Analyzed by: 3390, 585, 1440 **Weight:** 0.9609g **Extraction date:** 03/21/24 11:47:39 **Extracted by:** 3621
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL **Reviewed On :** 03/23/24 09:21:34
Analytical Batch : DA070707MIC **Batch Date :** 03/21/24 09:51:55
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 03/21/24 13:37:13

Dilution : N/A
Reagent : 012424.26; 012424.27; 031824.R18; 091523.43
Consumables : 7569003009
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 **Weight:** 0.8644g **Extraction date:** 03/21/24 15:37:14 **Extracted by:** 450,3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070720MYC **Reviewed On :** 03/22/24 11:39:04
Instrument Used : N/A **Batch Date :** 03/21/24 10:50:58
Analyzed Date : 03/21/24 15:42:35

Dilution : 250
Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 **Weight:** 0.2777g **Extraction date:** 03/21/24 11:16:54 **Extracted by:** 1022
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL **Reviewed On :** 03/23/24 18:05:19
Analytical Batch : DA070732TYM **Batch Date :** 03/21/24 11:12:52
Instrument Used : Incubator (25-27°C) DA-097
Analyzed Date : 03/21/24 13:03:40

Dilution : N/A
Reagent : 012424.26; 012424.27; 012524.R09
Consumables : N/A
Pipette : N/A

	Heavy Metals	PASSED
---	---------------------	---------------

Analyzed by: 1022, 585, 1440 **Weight:** 0.2777g **Extraction date:** 03/21/24 11:16:54 **Extracted by:** 1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL **Reviewed On :** 03/23/24 18:05:19
Analytical Batch : DA070710HEA **Batch Date :** 03/21/24 10:08:10
Instrument Used : DA-ICPMS-004
Analyzed Date : 03/22/24 18:57:01

Dilution : 50
Reagent : 030524.R01; 031124.R06; 031424.R03; 031124.R04; 031124.R05; 030424.01
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/25/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40321003-004
Harvest/Lot ID: ID-APT-010324-A144
Batch# : 5090 9927 7907 Sample Size Received : 26 gram
5360 Total Amount : 2216 units
Sampled : 03/21/24 Completed : 03/25/24 Expires: 03/25/25
Ordered : 03/21/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material **PASSED**



Moisture **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A		
Analysis Method : SOP.T.40.090			Reviewed On : 03/22/24 22:37:44		
Analytical Batch : DA070787FIL			Batch Date : 03/22/24 12:49:10		
Instrument Used : Filth/Foreign Material Microscope					
Analyzed Date : 03/22/24 21:53:51					
Dilution : N/A					
Reagent : N/A					
Consumables : N/A					
Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	10.43	PASS	15
Analyzed by: 4056, 585, 1440	Weight: 0.508g	Extraction date: 03/21/24 13:59:03	Extracted by: 4056		
Analysis Method : SOP.T.40.021			Reviewed On : 03/22/24 11:18:32		
Analytical Batch : DA070734MOI			Batch Date : 03/21/24 11:29:39		
Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 03/21/24 13:54:27					
Dilution : N/A					
Reagent : 020124.02; 031523.19					
Consumables : N/A					
Pipette : DA-066					

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.484	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 1.389g	Extraction date: 03/21/24 14:06:59	Extracted by: 4056		
Analysis Method : SOP.T.40.019			Reviewed On : 03/22/24 11:19:23		
Analytical Batch : DA070735WAT			Batch Date : 03/21/24 11:29:48		
Instrument Used : DA-028 Rotronic HygroPalm					
Analyzed Date : 03/21/24 13:54:55					
Dilution : N/A					
Reagent : 022024.28					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

