



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40323008-002
 Harvest/Lot ID: 0712 2090 5126 6655
 Batch#: 0712 2090 5126 6655
 Cultivation Facility: Tampa Cultivation
 Processing Facility: Tampa Processing
 Source Facility: Tampa Cultivation
 Seed to Sale#: 2466 4706 4724 2493
 Batch Date: 12/29/23
 Sample Size Received: 15.3 gram
 Total Amount: 1990 units
 Retail Product Size: 0.3 gram
 Retail Serving Size: 0.3 gram
 Servings: 1
 Ordered: 03/23/24
 Sampled: 03/23/24
 Completed: 03/26/24
 Sampling Method: SOP.T.20.010

Mar 26, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US



PASSED

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
91.983%
 Total THC/Container : 275.95 mg



Total CBD
0.277%
 Total CBD/Container : 0.83 mg



Total Cannabinoids
95.166%
 Total Cannabinoids/Container : 285.50 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	91.841	0.163	0.277	ND	0.309	ND	ND	0.616	0.610	ND	1.350
mg/unit	275.52	0.49	0.83	ND	0.93	ND	ND	1.85	1.83	ND	4.05
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1062g

Extraction date:
03/25/24 09:39:17

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA070830POT
 Instrument Used : DA-LC-007
 Analyzed Date : 03/25/24 09:55:28

Reviewed On : 03/25/24 23:41:29
 Batch Date : 03/23/24 23:52:33

Dilution : 400
 Reagent : 022724.R01; 030624.05; 030824.R01
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/26/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40323008-002
Harvest/Lot ID: 0712 2090 5126 6655

Batch# : 0712 2090 5126 6655 Sample Size Received : 15.3 gram
Sampled : 03/23/24 Total Amount : 1990 units
Ordered : 03/23/24 Completed : 03/26/24 Expires: 03/26/25
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	6.76	2.254	PULEGONE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	1.87	0.623	SABINENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	0.90	0.301	SABINENE HYDRATE	0.007	ND	ND
FARNESENE	0.001	0.73	0.244	ALPHA-CEDRENE	0.007	ND	ND
LIMONENE	0.007	0.57	0.190	ALPHA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	0.52	0.173	CIS-NEROLIDOL	0.007	ND	ND
BETA-PINENE	0.007	0.34	0.112	GAMMA-TERPINENE	0.007	ND	ND
OCIMENE	0.007	0.32	0.107	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-PINENE	0.007	0.24	0.081	Analyzed by: 3605, 585, 1440 Weight: 0.2959g Extraction date: 03/24/24 10:26:31 Extracted by: 1879 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA070822TER Reviewed On : 03/25/24 23:41:31 Instrument Used : DA-GCMS-004 Analyzed Date : N/A Batch Date : 03/23/24 12:23:20 Dilution : 10 Reagent : 022224.01 Consumables : 947.109; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
VALENCENE	0.007	0.22	0.074				
LINALOOL	0.007	0.17	0.055				
FENCHYL ALCOHOL	0.007	0.14	0.046				
TOTAL TERPINEOL	0.007	0.13	0.043				
CARYOPHYLLENE OXIDE	0.007	0.13	0.042				
ALPHA-BISABOLOL	0.007	0.13	0.042				
BORNEOL	0.013	0.12	0.041				
3-CARENE	0.007	0.11	0.038				
ALPHA-PHELLANDRENE	0.007	0.10	0.032				
HEXAHYDROTHYMOL	0.007	0.09	0.031				
ALPHA-HUMULENE	0.007	0.07	0.022				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
Total (%)			2.254				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
03/26/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40323008-002

Harvest/Lot ID: 0712 2090 5126 6655

Batch# : 0712 2090 5126 6655

Sampled : 03/23/24

Ordered : 03/23/24

Sample Size Received : 15.3 gram

Total Amount : 1990 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.2478g	Extraction date: 03/24/24 15:33:40	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070814PES			Reviewed On : 03/26/24 12:11:01		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 03/23/24 11:51:08		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 03/25/24 12:34:40					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.2478g	Extraction date: N/A	Extracted by: 4056		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Reviewed On : 03/26/24 12:09:22		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070815VOL			Batch Date : 03/23/24 11:52:34		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 03/25/24 10:25:24					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 25					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 031924.R27; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
03/26/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40323008-002

Harvest/Lot ID: 0712 2090 5126 6655

Batch# : 0712 2090 5126 6655

Sampled : 03/23/24

Ordered : 03/23/24


Sample Size Received : 15.3 gram

Total Amount : 1990 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0274g	Extraction date: 03/24/24 15:03:44	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 03/25/24 12:14:12
Analytical Batch : DA07079450L	Batch Date : 03/22/24 17:11:00
Instrument Used : DA-GCMS-002	
Analyzed Date : 03/24/24 15:03:49	

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

FLUENT

Sample : DA40323008-002
Harvest/Lot ID: 0712 2090 5126 6655

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Batch#: 0712 2090 5126 6655
Sample Size Received : 15.3 gram
Total Amount : 1990 units
Sampled : 03/23/24
Completed : 03/26/24 Expires: 03/26/25
Ordered : 03/23/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 4044, 585, 1440
Weight: 1.1624g
Extraction date: 03/24/24 10:10:41
Extracted by: 4451,3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA070832MIC
Reviewed On : 03/26/24 17:44:15
Batch Date : 03/24/24 09:07:48

Instrument Used : Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 03/25/24 11:38:07

Dilution : N/A
Reagent : 012424.13; 012424.19; 031824.R18; 091523.42
Consumables : 7569002025
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
Weight: 0.2478g
Extraction date: N/A
Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA070816MYC
Instrument Used : N/A
Analyzed Date : 03/25/24 12:34:46
Reviewed On : 03/26/24 08:03:26
Batch Date : 03/23/24 11:53:00

Dilution : 250
Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 0.2573g
Extraction date: 03/24/24 09:59:44
Extracted by: 4306,1022

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA070833TYM
Instrument Used : Incubator (25-27°C) DA-097
Analyzed Date : 03/25/24 12:43:14
Reviewed On : 03/26/24 12:12:38
Batch Date : 03/24/24 09:10:42

Dilution : N/A
Reagent : 012424.19; 012424.13; 031824.R19
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 0.2573g
Extraction date: 03/24/24 09:59:44
Extracted by: 4306,1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA070835HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : 03/26/24 10:17:12
Reviewed On : 03/26/24 15:17:12
Batch Date : 03/24/24 09:19:46

Dilution : 50
Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
03/26/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Everglade Haze Disposable Pen 0.3g
 Everglade Haze Disposable Pen 0.3g
 Matrix : Derivative
 Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40323008-002
 Harvest/Lot ID: 0712 2090 5126 6655
 Batch# : 0712 2090 5126 6655
 Sample Size Received : 15.3 gram
 Total Amount : 1990 units
 Sampled : 03/23/24
 Completed : 03/26/24 Expires: 03/26/25
 Ordered : 03/23/24
 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA070843FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 03/24/24 16:49:27
 Reviewed On : 03/26/24 15:03:02
 Batch Date : 03/24/24 16:47:58

Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.502	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 1.18g	Extraction date: 03/25/24 14:27:35	Extracted by: 4444
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
 Analytical Batch : DA070846WAT
 Instrument Used : DA256 Rotronic HygroPalm
 Analyzed Date : 03/25/24 14:01:30
 Reviewed On : 03/25/24 16:43:39
 Batch Date : 03/25/24 12:21:06

Dilution : N/A
 Reagent : 022024.28
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 03/26/24