

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Mar 26, 2024 | FLUENT

Certificate of Analysis

Kaycha Labs


FTH-Rainbow Belts Pre-Filled Pipe 0.35g FTH-Rainbow Belts Matrix: Flower Type: Flower-Cured



Sample:DA40323008-004 Harvest/Lot ID: HYB-RB-021624-C133 Batch#: 3854 3588 9172 5275 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 3056 3998 0655 7591 Batch Date: 01/19/24 Sample Size Received: 25.55 gram Total Amount: 250 units Retail Product Size: 0.35 gram Retail Serving Size: 0.35 gram Servings: 1 Ordered: 03/23/24 Sampled: 03/23/24 Completed: 03/26/24

Sampling Method: SOP.T.20.010

PASSED



Consumables : 947.109; 280670723; CE0123; R1KB1427 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/26/24



FTH-Rainbow Belts Pre-Filled Pipe 0.35g FTH-Rainbow Belts Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40323008-004 Harvest/Lot ID: HYB-RB-021624-C133 Batch# : 3854 3588 9172 Sample

5275 Sampled : 03/23/24 Ordered : 03/23/24 Sample Size Received : 25.55 gram Total Amount : 250 units Completed : 03/26/24 Expires: 03/26/25 Sample Method : SOP.T.20.010

Page 2 of 5

	~
80	32
Sr.	18

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	2.97	0.849		VALENCENE		0.007	ND	ND	
INALOOL	0.007	0.88	0.252		ALPHA-CEDRENE		0.007	ND	ND	
ETA-CARYOPHYLLENE	0.007	0.62	0.176		ALPHA-PHELLANDRENE		0.007	ND	ND	
LPHA-BISABOLOL	0.007	0.29	0.083		ALPHA-TERPINENE		0.007	ND	ND	
IMONENE	0.007	0.23	0.067		ALPHA-TERPINOLENE		0.007	ND	ND	
LPHA-HUMULENE	0.007	0.19	0.055		BETA-MYRCENE		0.007	ND	ND	
RANS-NEROLIDOL	0.007	0.19	0.053		CIS-NEROLIDOL		0.007	ND	ND	
ENCHYL ALCOHOL	0.007	0.17	0.049		GAMMA-TERPINENE		0.007	ND	ND	
OTAL TERPINEOL	0.007	0.14	0.039		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
ETA-PINENE	0.007	0.11	0.031		3605, 585, 1440	1.0398g		03/24/24 10		1879
ERANIOL	0.007	0.08	0.022		Analysis Method : SOP.T.30.061A	.FL, SOP.T.40.061A.FI				
LPHA-PINENE	0.007	0.08	0.022		Analytical Batch : DA070822TER Instrument Used : DA-GCMS-004					3/25/24 16:47:04 23/24 12:23:20
CARENE	0.007	ND	ND		Analyzed Date : N/A			Batch	Date: U3/	23/24 12.23.20
DRNEOL	0.013	ND	ND		Pilution : 10					
AMPHENE	0.007	ND	ND		Reagent : 022224.01					
AMPHOR	0.007	ND	ND		Consumables : 947.109; CE0123 Pipette : DA-063					
ARYOPHYLLENE OXIDE	0.007	ND	ND			0.01				
EDROL	0.007	ND	ND		l'erpenoia testing is performed utilizi	ng Gas Chromatography	Mass Spectr	ometry. For all I	-lower samp	oles, the Total Terpenes % is dry-weight corrected.
JCALYPTOL	0.007	ND	ND							
ARNESENE	0.001	ND	ND							
ENCHONE	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
UAIOL	0.007	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
SOPULEGOL	0.007	ND	ND							
EROL	0.007	ND	ND							
CIMENE	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
otal (%)			0.849							

Total (%)

0.849

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/26/24

PASSED

TESTED



. FTH-Rainbow Belts Pre-Filled Pipe 0.35g FTH-Rainbow Belts Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40323008-004 Harvest/Lot ID: HYB-RB-021624-C133

Batch#: 3854 3588 9172 5275 Sampled : 03/23/24 Ordered : 03/23/24

Sample Size Received : 25.55 gram Total Amount : 250 units Completed : 03/26/24 Expires: 03/26/25 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	1.1.	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND			0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE						
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	1.1.	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	1.1.	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		(ND) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (F	CNB) *				PASS	
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	by:
DIMETHOATE	0.010		0.1	PASS	ND	3379, 585, 1440	0.853g		4 15:31:41		4056	-,-
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.F	(Gainesville),	SOP.T.30.10	2.FL (Davie), 9	50P.T.40.101.I	FL (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA070824PES				n:03/26/24 12		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (I Analyzed Date : 03/25/24 12:34:22			Batch Date :	03/23/24 14:1	L4:57	
FENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250						
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent: 031924.R27; 040423.08	: 032024.R08:	032024.R03	: 032024.R07:	031824.R02:	032024.R01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is per		Liquid Chrom	natography Trij	ole-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39						
IMAZALIL	0.010		0.1	PASS	ND		Neight: D.853q	Extractio	on date: 15:31:41		Extracted 4056	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440 Analysis Method :SOP.T.30.151.FI				COD T 40 151		
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.1.30.131.FI Analytical Batch : DA070838VOL	_ (Gamesville),		viewed On :			
MALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-001			atch Date : 03			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :03/25/24 10:25:03	3					
METHIOCARB	0.010		0.1	PASS	ND	Dilution : 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 031924.R27; 040423.08		031824.R06				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 147254	01					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	· · · · · ·	0 0		0 1 1 1		
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3		Gas Chromat	tograpny Triple	-Quadrupole M	iass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/26/24



..... FTH-Rainbow Belts Pre-Filled Pipe 0.35g FTH-Rainbow Belts Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40323008-004 Harvest/Lot ID: HYB-RB-021624-C133

Batch#: 3854 3588 9172 5275 Sampled : 03/23/24 Ordered : 03/23/24

Sample Size Received : 25.55 gram Total Amount : 250 units Completed : 03/26/24 Expires: 03/26/25 Sample Method : SOP.T.20.010

Page 4 of 5	ige 4	of 5	
-------------	-------	------	--

(F	Micro	bial			PAS	SED	လို့	My	cotoxi	ns			PAS	SED
Analyte		LOI	D Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREIIS			Not Present	PASS	Level	AFLATOXIN E	2		0.002	maa	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN (0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN (2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		10	CFU/a	Not Present 50	PASS PASS	100000	Analyzed by: 3379, 585, 144)	Weight: 0.853q	Extraction da 03/24/24 15:			Extracted 4056	by:
Analyzed by:		Weight:	Extraction d	ate:	Extracted	by:	Analysis Metho		5					
3390, 4044, 58	5, 1440	1.0243g	03/24/24 10		4451,339		SOP.T.30.102.F					. (Guinesvi	1107,	
	d:SOP.T.40.056 h:DA070832MIC		058.FL, SOP.T		ed On : 03/2	26/24	Analytical Batc Instrument Use Analyzed Date	d:N/A				3/26/24 08 24/24 09:3		
DA-013,fisherb Isotemp Heat E DA-021	ed : Applied Biosy prand Isotemp He Block DA-049,Fish : 03/25/24 11:38	at Block DA- ner Scientific	020,fisherbrar	nd 09:07:4	a te : 03/24 8	12-1	Dilution : 250 Reagent : 0319 032024.R01 Consumables : Pipette : DA-09	326250IW)24.R08; 03202	4.R03; 03	2024.R07;	031824.	R02;
Dilution : N/A Reagent : 0124 Consumables : Pipette : N/A	124.13; 012424.1 7569002025	.9; 031824.R	18; 091523.42	2			Mycotoxins test accordance with	ng utilizing L F.S. Rule 64	iquid Chromatog ER20-39.	graphy with Triple	e-Quadrupo	le Mass Spe	ctrometry	in
Analyzed by: 3390, 3621, 58	5, 1440	Weight: 1.0243g	Extraction d 03/24/24 10		Extracted 4451,339		[Hg]	Неа	vy Me	etals		l	PAS	SED
Analytical Batc	d: SOP.T.40.208 h: DA070833TYN	N.	Rev	viewed On : 03/2	- 1		Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25 : 03/25/24 12:43		JI Bat	ch Date : 03/24	124 09.10:4	2	TOTAL CONT	AMINANT	LOAD METAL	S 0.080	ppm	ND	PASS	1.1
Dilution : N/A							ARSENIC			0.020	ppm	ND	PASS	0.2
	124.19; 012424.1	.3; 031824.R	19				CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :							MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perf F.S. Rule 64ER20-3		MPN and tradit	ional culture base	d techniques	; in	Analyzed by: 1022, 585, 144)	Weight: 0.2778g	Extractio N/A	on date:		tracted b 022	y:
							Analysis Metho Analytical Batc Instrument Use Analyzed Date	n:DA07083 d:DA-ICPN	35HEA 1S-004	Reviewe		/26/24 15: 4/24 09:19		

Dilution: 50

Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/26/24



Page 5 of 5

FTH-Rainbow Belts Pre-Filled Pipe 0.35g FTH-Rainbow Belts Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

PASSED

FLUENT 5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Tavlor.iones@aetfluent.com
 Sample : DA40323008-004

 Harvest/Lot ID: HYB-RB-021-24-C133

 Batch# : 3854 3588 9172
 Sample

 5275
 Total And

Sampled : 03/23/24 Ordered : 03/23/24 Sample Size Received : 25.55 gram Total Amount : 250 units Completed : 03/26/24 Expires: 03/26/25 Sample Method : SOP.T.20.010



Filth/Foreign Material





Ρ	A	S	S	EI	D

Analyte Filth and Foreig	ın Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content		LOD 1.00	Units %	Result 10.65	P/F PASS	Action Level
Analyzed by: 1879, 585, 1440	We NA	eight:	Extractio N/A	n date:	Extr N/A	acted by:	Analyzed by: 4444, 585, 1440	Weight: 0.508g		xtraction d 3/25/24 14			tracted by: 44
Analysis Method : Analytical Batch : Instrument Used : Analyzed Date : 02	DA070843FIL Filth/Foreign Ma		oscope			6/24 15:03:02 4 16:47:58	Analysis Method : SOP.T.4 Analytical Batch : DA0708 Instrument Used : DA-003 Analyzed Date : 03/25/24	44MOI Moisture A	Analyzei		Reviewed On Batch Date : (1 - 1	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A	Ą						Dilution : N/A Reagent : 092520.50; 020 Consumables : N/A Pipette : DA-066	124.02					
Filth and foreign ma technologies in acco				pection utilizi	ng naked ey	e and microscope	Moisture Content analysis uti	lizing loss-or	n-drying	technology	in accordance	with F.S. Ru	le 64ER20-39.
(\bigcirc)	Water	Activ	ity		PA	SSED							

Analyte Water Activity	_	ор .010	Units aw	Result 0.461	P/F PASS	Action Level
Analyzed by: 4444, 585, 1440	Weight: 1.523g		traction d 3/25/24 14			tracted by: 44
Analysis Method : SOF Analytical Batch : DAO Instrument Used : DA2 Analyzed Date : 03/25	70845WAT 256 Rotronic Hygi	oPalr		Reviewed Or Batch Date :		
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/26/24