



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA40323002-004  
 Harvest/Lot ID: 5725 6379 7433 1773  
 Batch#: 5725 6379 7433 1773  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility : Tampa Processing  
 Source Facility : Tampa Cultivation  
 Seed to Sale# 6454 2573 8198 3448  
 Batch Date: 11/01/23  
 Sample Size Received: 16 gram  
 Total Amount: 825 units  
 Retail Product Size: 1 gram  
 Retail Serving Size: 1 gram  
 Servings: 1  
 Ordered: 03/22/24  
 Sampled: 03/23/24  
 Completed: 03/26/24  
 Sampling Method: SOP.T.20.010

Mar 26, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
**TESTED**

MISC.



**Cannabinoid**

**PASSED**



Total THC  
**83.503%**  
 Total THC/Container : 835.03 mg



Total CBD  
**0.172%**  
 Total CBD/Container : 1.72 mg



Total Cannabinoids  
**95.196%**  
 Total Cannabinoids/Container : 951.96 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	1.576	93.418	ND	0.197	ND	ND	ND	ND	ND	ND	0.005
mg/unit	15.76	934.18	ND	1.97	ND	ND	ND	ND	ND	ND	0.05
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 1665, 585, 1440

Weight:  
 0.1068g

Extraction date:  
 03/25/24 09:39:16

Extracted by:  
 1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA070830POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 03/25/24 09:55:28

Reviewed On : 03/26/24 07:58:58  
 Batch Date : 03/23/24 23:52:33

Dilution : 400  
 Reagent : 022724.R01; 030624.05; 030824.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 03/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323002-004  
Harvest/Lot ID: 5725 6379 7433 1773

Batch# : 5725 6379 7433      Sample Size Received : 16 gram  
1773      Total Amount : 825 units  
Sampled : 03/23/24      Completed : 03/26/24 Expires: 03/26/25  
Ordered : 03/23/24      Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	47.62	4.762	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	14.57	1.457	ALPHA-BISABOLOL	0.007	ND	ND
FARNESENE	0.001	14.10	1.410	ALPHA-CEDRENE	0.007	ND	ND
LIMONENE	0.007	4.88	0.488	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	4.61	0.461	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	3.49	0.349	ALPHA-TERPINOLENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	2.09	0.209	CIS-NEROLIDOL	0.007	ND	ND
TRANS-NEROLIDOL	0.007	0.77	0.077	GAMMA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	0.72	0.072				
BETA-PINENE	0.007	0.61	0.061	Analyzed by:	Weight:	Extraction date:	Extracted by:
TOTAL TERPINEOL	0.007	0.56	0.056	3605, 585, 1440	0.3041g	03/24/24 10:16:46	1879,795
CARYOPHYLLENE OXIDE	0.007	0.42	0.042				
ALPHA-PINENE	0.007	0.41	0.041	Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL		Reviewed On : 03/26/24 07:59:12
GUAIOL	0.007	0.39	0.039	Analytical Batch :	DA070821TER		Batch Date : 03/23/24 12:21:54
3-CARENE	0.007	ND	ND	Instrument Used :	DA-GCMS-009		
BORNEOL	0.013	ND	ND	Analyzed Date :	N/A		
CAMPHENE	0.007	ND	ND	Dilution :	10		
CAMPHOR	0.007	ND	ND	Reagent :	022224.01		
CEDROL	0.007	ND	ND	Consumables :	947.109; CE0123		
EUCALYPTOL	0.007	ND	ND	Pipette :	DA-063		
FENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>4.762</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40323002-004

Harvest/Lot ID: 5725 6379 7433 1773

Batch# : 5725 6379 7433

1773

Sampled : 03/23/24

Ordered : 03/23/24


Sample Size Received : 16 gram

Total Amount : 825 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 3 of 6



**Pesticides**

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.2677g	<b>Extraction date:</b> 03/24/24 15:33:33	<b>Extracted by:</b> 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA070814PES		<b>Reviewed On :</b> 03/26/24 12:10:37			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)		<b>Batch Date :</b> 03/23/24 11:51:08			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 03/25/24 12:34:40					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.2677g	<b>Extraction date:</b> 03/24/24 15:33:33	<b>Extracted by:</b> 4056		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA070815VOL		<b>Reviewed On :</b> 03/26/24 12:09:09			
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001		<b>Batch Date :</b> 03/23/24 11:52:34			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 03/25/24 10:25:24					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 031924.R27; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
03/26/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40323002-004

Harvest/Lot ID: 5725 6379 7433 1773

 Batch# : 5725 6379 7433  
 1773

Sampled : 03/23/24

Ordered : 03/23/24

Sample Size Received : 16 gram

Total Amount : 825 units

Completed : 03/26/24 Expires: 03/26/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0249g

 Extraction date:  
 03/24/24 15:41:21

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA070841SOL  
 Instrument Used : DA-GCMS-002  
 Analysis Date : 03/24/24 15:41:31

 Reviewed On : 03/26/24 15:08:13  
 Batch Date : 03/24/24 14:15:53

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; 304486  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

 Sample : DA40323002-004  
 Harvest/Lot ID: 5725 6379 7433 1773  
 Batch# : 5725 6379 7433      Sample Size Received : 16 gram  
 1773                                      Total Amount : 825 units  
 Sampled : 03/23/24                      Completed : 03/26/24 Expires: 03/26/25  
 Ordered : 03/23/24                      Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------


Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 4044, 585, 1440      Weight: 1.0306g      Extraction date: 03/23/24 12:43:09      Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA070797MIC      Reviewed On : 03/26/24 17:30:25 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021      Batch Date : 03/23/24 10:19:06 Analyzed Date : 03/25/24 11:38:12					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440      Weight: 0.2677g      Extraction date: 03/24/24 15:33:33      Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA070816MYC      Reviewed On : 03/26/24 08:03:15 Instrument Used : N/A      Batch Date : 03/23/24 11:53:00 Analyzed Date : 03/25/24 12:34:46 Dilution : 250 Reagent : 031924.R27; 040423.08; 032024.R08; 032024.R03; 032024.R07; 031824.R02; 032024.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					

Dilution : N/A  
 Reagent : 012424.13; 012424.19; 031824.R18; 091523.42  
 Consumables : 7569002025  
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Analyzed by: 4044, 3390, 585, 1440      Weight: 1.0306g      Extraction date: 03/23/24 12:43:09      Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA070803TYM      Reviewed On : 03/25/24 19:58:50 Instrument Used : Incubator (25-27°C) DA-097      Batch Date : 03/23/24 11:10:22 Analyzed Date : 03/23/24 16:10:48 Dilution : N/A Reagent : 012424.13; 012424.19; 031824.R19 Consumables : N/A Pipette : N/A					

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	<0.400	PASS	1.1
ARSENIC	0.020	ppm	0.150	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	<0.100	PASS	0.5

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
Analyzed by: 1022, 585, 1440      Weight: 0.2719g      Extraction date: 03/23/24 14:52:34      Extracted by: 4306,1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA070813HEA      Reviewed On : 03/26/24 07:47:52 Instrument Used : DA-ICPMS-004      Batch Date : 03/23/24 11:51:05 Analyzed Date : 03/25/24 17:39:48 Dilution : 50 Reagent : 030524.R01; 032524.R03; 031424.R03; 032524.R01; 032524.R02; 030424.01 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

Honeymoon's Over Cured SGR 1 g  
 Honeymoon's Over  
 Matrix : Derivative  
 Type: Sugar Wax



# Certificate of Analysis

**PASSED**

Page 6 of 6

**FLUENT**

5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40323002-004  
 Harvest/Lot ID: 5725 6379 7433 1773  
 Batch# : 5725 6379 7433    Sample Size Received : 16 gram  
 1773    Total Amount : 825 units  
 Sampled : 03/23/24    Completed : 03/26/24 Expires: 03/26/25  
 Ordered : 03/23/24    Sample Method : SOP.T.20.010

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA070843FIL    Reviewed On : 03/26/24 15:02:32  
 Instrument Used : Filth/Foreign Material Microscope    Batch Date : 03/24/24 16:47:58  
 Analyzed Date : 03/24/24 16:49:27

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
--	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.497	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.554g	Extraction date: 03/23/24 16:02:58	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA070806WAT    Reviewed On : 03/25/24 16:07:54  
 Instrument Used : DA256 Rotronic HygroPalm    Batch Date : 03/23/24 11:35:07  
 Analyzed Date : 03/23/24 15:02:31

Dilution : N/A  
 Reagent : 022024.28  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 03/26/24