

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

### **Kaycha Labs**

Locals Only Cartridge Concentrate 1g (90%) Locals Only Matrix: Derivative Type: Distillate



Sample:DA40327003-003

Batch#: 6222 4901 0058 6346

Sample Size Received: 16 gram

Sampling Method: SOP.T.20.010

Pages 1 of 6

Batch Date: 02/21/24

Servings: 1 Ordered: 03/26/24 Sampled: 03/27/24 Completed: 03/29/24

PASSED

Total Amount: 1952 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram

Harvest/Lot ID: 6222 4901 0058 6346

**Cultivation Facility: Tampa Cultivation** 

**Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 3988 0333 9935 6945

# **Certificate of Analysis**

## **COMPLIANCE FOR RETAIL**

FLUENT

DA40327003-003

ш

Mar 29, 2024 | FLUENT 5540 W. Executive Drive

Tampa, FL, 33609, US

BLACK

High-Potency

#### 

SAFETY R	ESULTS										MISC.
r の	É	Hg	Ç	ؠٛ	ۍ ک	Ä		(	$\bigcirc$		Ô
Pestici PASS		avy Metals ASSED	Microbials PASSED	Mycotoxins PASSED		Residuals Solvents <b>PASSED</b>	Filth PASSED		r Activity SSED	Moisture NOT TESTED	Terpenes <b>TESTED</b>
Ä	Cannat	oinoid								F	PASSED
	38	I THC <b>3.322</b> THC/Container			3 (	otal CBD <b>).248%</b> otal CBD/Container	-		394	al Cannabinoids <b>1.198%</b> Cannabinoids/Conta	) iiner : 941.98
%	D9-ТНС 88.177	тнса 0.166	свр 0,248	cbda ND	<sup>D8-THC</sup>	св <b>д</b> 2.955	CBGA ND	CBN 0.600	тнсv 0.565	CBDV ND	свс 1.141
™g/unit	881.77	1.66	2.48	ND	3.46	29.55	ND	6.00	5.65	ND	11.41
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585	5, 1440			Weight: 0.1066g		Extraction date: 03/27/24 12:23:1	9			Extracted by: 3335	
Analytical Batch Instrument Use	d:SOP.T.40.031, So h:DA070913POT d:DA-LC-007 :03/27/24 12:30:48					Reviewed On : 03 Batch Date : 03/2					
Consumables :	24.R33; 060723.24 947.109; 34623011 9; DA-108; DA-078		270								
Full Spectrum car	nnahinoid analysis utili	izing High Performance	Liquid Chromatography	with LIV detection in	accordance with	E.S. Rule 64ER20-39					

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Vivian Celestino** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/29/24



Locals Only Cartridge Concentrate 1g (90%) Locals Only Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40327003-003 Harvest/Lot ID: 6222 4901 0058 6346 Batch# : 6222 4901 0058 Sample

6346 Sampled : 03/27/24 Ordered : 03/27/24 58 6346 Sample Size Received : 16 gram Total Amount : 1952 units Completed : 03/29/24 Expires: 03/29/25 Sample Method : SOP.T.20.010

Page 2 of 6



### Terpenes

Terpenes	LOD (%)	mg/unit	: %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
FOTAL TERPENES	0.007	24.44	2.444		ALPHA-BISABOLOL		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	6.35	0.635		ALPHA-CEDRENE		0.007	ND	ND		
IMONENE	0.007	6.31	0.631		ALPHA-PHELLANDRENE		0.007	ND	ND		
BETA-MYRCENE	0.007	5.17	0.517		ALPHA-TERPINENE		0.007	ND	ND		
INALOOL	0.007	1.48	0.148		ALPHA-TERPINOLENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	1.33	0.133		CIS-NEROLIDOL		0.007	ND	ND		
ARNESENE	0.001	1.07	0.107		GAMMA-TERPINENE		0.007	ND	ND		
ABINENE	0.007	0.85	0.085		TRANS-NEROLIDOL		0.007	ND	ND		
ENCHYL ALCOHOL	0.007	0.81	0.081		Analyzed by:	Weight:		Extraction da	ate:		Extracted by:
ETA-PINENE	0.007	0.70	0.070		3605, 585, 1440	0.1973g		03/27/24 12			3605
LPHA-PINENE	0.007	0.37	0.037		Analysis Method : SOP.T.30.061						
OTAL TERPINEOL	0.007	0.35	0.035		Analytical Batch : DA070909TER Instrument Used : DA-GCMS-008					3/28/24 10:06:16 27/24 09:55:19	
-CARENE	0.007	ND	ND		Analyzed Date : 03/27/24 12:09			batth	Date: 03/	27/24 09.55.19	
ORNEOL	0.013	ND	ND		Dilution : 10						
AMPHENE	0.007	ND	ND		Reagent : 022224.01						
AMPHOR	0.007	ND	ND		Consumables : 947.109; CE0123 Pipette : DA-063						
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed utiliz						
EDROL	0.007	ND	ND		rerpenoid testing is performed utiliz	ng Gas Chromatography I	lass spectr	ometry. For all i	-lower samp	ies, the Total Terpenes % I	s ary-weight corrected.
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
UAIOL	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								
VALENCENE	0.007	ND	ND								
otal (%)			2.444								

Total (%)

2.444

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/29/24



Locals Only Cartridge Concentrate 1g (90%) Locals Only Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Tavlor.lones@qetfluent.com Sample : DA40327003-003 Harvest/Lot ID: 6222 4901 0058 6346

Batch# : 6222 4901 0058 6346 Sampled : 03/27/24 Ordered : 03/27/24 Sample Size Received :16 gram Total Amount : 1952 units Completed : 03/29/24 Expires: 03/29/25 Sample Method : SOP.T.20.010

Page 3 of 6

R: Ø

## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN					
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			ppm	0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.2631g		tion date: 24 12:54:20		Extracted 450	i by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvil			OD T 40 101 0		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	ne), 501.1.50.10	2.1 L (Davie), 5	501.1.40.101.1	L (Gamesville)	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA070910PES		Reviewed O	n:03/28/24 12	2:03:31	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	03/27/24 10:0	3:29	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 032724.R26; 032724.R03; 032624. Consumables : 326250IW	R12; 032024.R0	)/; 031824.R0.	2; 032724.R01	; 040423.08	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilized	zina Liquid Chror	natography Trir	ole-Quadrupole	Mass Spectrom	etry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	Ling Liquid cirror	nacography m	one quadrapore	nass spectron	icci y ini
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extract	ion date:		Extracted	by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2631g	03/27/2	4 12:54:20		450	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesvil					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA070912VOL		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010	В	atch Date : 03,	/2//24 10:07:4	1	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :03/27/24 14:56:31 Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 032624.R12; 040423.08; 031824.R	05-031824 R06	i			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401		,			
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilized	zing Gas Chroma	tography Triple	-Quadrupole M	ass Spectromet	ry in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/29/24



Locals Only Cartridge Concentrate 1g (90%) Locals Only Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA40327003-003

 Harvest/Lot ID: 6222 4901 0058 6346

 Batch#: 6222 4901 0058
 Sample

 6346
 Total Ar

Sampled : 03/27/24 Ordered : 03/27/24 Sa 5346 Sample Size Received :16 gram Total Amount : 1952 units Completed : 03/29/24 Expires: 03/29/25 Sample Method : SOP.T.20.010 Page 4 of 6



## **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
HLOROFORM	0.200	ppm	2	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.023g	Extraction date: 03/28/24 14:00:12		<b>Ex</b> 85	tracted by: O
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA070939SOL nstrument Used : DA-GCMS-003 Analyzed Date : 03/28/24 14:05:41			<b>On :</b> 03/28/24 14:48:21 <b>a :</b> 03/27/24 14:46:39		

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/29/24



Locals Only Cartridge Concentrate 1g (90%) Locals Only Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40327003-003 Harvest/Lot ID: 6222 4901 0058 6346

Batch#: 6222 4901 0058 6346 Sampled: 03/27/24 Ordered: 03/27/24 Sample Size Received : 16 gram Total Amount : 1952 units Completed : 03/29/24 Expires: 03/29/25 Sample Method : SOP.T.20.010

Page 5 of 6

Ç.	Microbi	al			PAS	SED	သို့	M	ycotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	STERREIIS			Not Present	PASS	Level	AFLATOXIN	R2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXI			0.002	ppm	ND	PASS	0.02
ASPERGILLUS				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGEI	LLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	ate:		Extracted	l hv
TOTAL YEAST	FAND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 144	10	0.2631g	03/27/24 12			450	. is y .
nalyzed by: 390, 585, 1440	Weight: 0 0.829g		r <b>action date:</b> 27/24 10:57:2	29	Extracted 4351	by:			T.30.101.FL (Gai e), SOP.T.40.102.		40.101.FL	. (Gainesvi	ille),	
	d:SOP.T.40.056C, S h:DA070906MIC	OP.T.40.05	58.FL, SOP.T.4		<b>d On :</b> 03/2	29/24	Analytical Bat Instrument Us Analyzed Date	ed:N/A	0911MYC			3/28/24 1: 27/24 10:		
DA-049,Fisher S Analyzed Date : Dilution : 10	24.24; 012424.29; 0	at Block D	A-021	k 09:10:2!			040423.08 Consumables Pipette : DA-0	: 3262501 93; DA-09	94; DA-219					
nalyzed by: 044, 3390, 58		e <b>ight:</b> 329g	Extraction da 03/27/24 10		Extracte 4351	ed by:	Нд	Не	avy Mo	etals			PAS	SED
	<b>d :</b> SOP.T.40.208 (Ga <b>h :</b> DA070934TYM	inesville),		).FL 1:03/29/24 15:	24:28									
nstrument Use	d:N/A			03/27/24 10:3			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 03/27/24 13:49:27						TOTAL CONT		IT LOAD METAI	LS 0.080	ppm	ND	PASS	1.1
ilution: 10	24.24; 012424.29; 0	21024 010					ARSENIC			0.020	ppm	ND	PASS	0.2
onsumables :		J1024.R15	7				CADMIUM			0.020	ppm	ND	PASS	0.2
ipette : N/A							MERCURY			0.020	ppm	ND	PASS	0.2
otal yeast and r	nold testing is performe	d utilizing N	IPN and tradition	onal culture base	d techniques	s in	LEAD			0.020	ppm	ND	PASS	0.5
ccordance with	F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 144	10	Weight: 0.2965g	Extraction dat 03/27/24 12:0			<b>(tracted b</b> 306,1022	y:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA07 ed : DA-I0	CPMS-004	Reviewe		/28/24 10: 7/24 10:24		
									032524.R03; 03 34623011; 210		524.R01; (	)32524.R0	2; 030424	4.01

**Consumables :** 179436; 34623011; **Pipette :** DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/29/24



Locals Only Cartridge Concentrate 1g (90%) Locals Only Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

\_\_\_\_\_

## **Certificate of Analysis**

#### FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com

 $\bigcirc$ 

Reagent : N/A Consumables : N/A Sample : DA40327003-003 Harvest/Lot ID: 6222 4901 0058 6346 Batch# : 6222 4901 0058 Sample 6346 Total Ar

6346 Sampled : 03/27/24 Ordered : 03/27/24 Sample Size Received : 16 gram Total Amount : 1952 units Completed : 03/29/24 Expires: 03/29/25 Sample Method : SOP.T.20.010

		Filth/ Mate		PASSED					
	nalyte ilth and Forei	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level		
	nalyzed by: 879, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:		
A In	nalysis Method nalytical Batch strument Used nalyzed Date :	: DA070937FII : Filth/Foreign		/	/24 16:01:54 4 12:41:25				
D	ilution : N/A								

-

Pipette : N/A Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		L <b>OD</b> 0.010	<b>Units</b> aw	Result 0.45	- / -	Action Level 0.85
Analyzed by: 4444, 585, 1440	Weight: 0.33g		traction d /27/24 13			tracted by: 144
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA-0 Analyzed Date : 03/27/	70932WAT 028 Rotronic Hy	gropal	m		<b>On :</b> 03/28/2 <b>e :</b> 03/27/24	
Dilution : N/A Reagent : 022024.28 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

## Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 03/29/24

## PASSED

Page 6 of 6