

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

DA40330005-003

COMPLIANCE FOR RETAIL

Apr 02, 2024 | FLUENT

UEN

WHOLE FLOW

5540 W. Executive Drive Tampa, FL, 33609, US

S

SAFETY F	RESULTS												MISC.
Pestici	-	[Hg] Heavy Metals	Microbi	t als	လို့ Mycotoxir	ıs R	esiduals	Filt		() Water Activity	<u>с</u> мо	isture	O Terpenes
PASS	ED	PASSED	PASS	ED	PASSE	9	olvents	PASS	SED	PASSED	ΡΑ	SSED	TESTED
Ä	Cann	abinoid										F	ASSED
		Total THC 27.94 Dry Weight	1%) 0	tal CBD .092 Weight	2%	E			Cannabino 604	
		_	_									Total TI 24.41 854.525 r	
												Total Cl 0.081 2.835 mg	
	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС	Total Ca	annabinoids
%	0.469	27.305	ND	0.093	0.051	0.051	1.312	ND	0.02		0.063	29.36	
mg/unit	16.415		ND	3.255	1.785	1.785	45.92	ND	0.7		2.205	1027.74 r	ng /Container
LOD	0.001 %	0.001 %		0.001 %	0.001 %	0.001 %	0.001 %	0.001 %	0.001 %		0.001 %	As Rece	ived
Analyzed by: 3335, 585, 144		70	V	/eight: .2079g	70	Extracti	on date: 4 10:49:12	70	70	70	Extracter 3335	d by:	
Analysis Metho Analytical Batcl Instrument Use Analyzed Date	h:DA071107 ed:DA-LC-002	2						04/02/24 10:57:2 //01/24 07:52:43	7				
	924.R02; 0607	23.24; 032924.R06	14270										

Consumables : 947.109; 34623011; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Gush Moon WF 3.5g (1/8 oz) Gush Moon WF Matrix: Flower Type: Flower-Cured

Kaycha Labs



Sample:DA40330005-003 Harvest/Lot ID: HYB-GUM-030624-A155 Batch#: 8737 6129 9176 3069 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7747 2965 4633 1375 Batch Date: 03/06/24 Sample Size Received: 161 gram Total Amount: 12747 units Retail Product Size: 3.5 gram Retail Serving Size: 3.5 gram Servings: 1 Ordered: 03/30/24 Sampled: 03/30/24 Completed: 04/02/24 Sampling Method: SOP.T.20.010

Pages 1 of 5

PASSED

Signature 04/02/24



Gush Moon WF 3.5g (1/8 oz) Gush Moon WF Matrix : Flower Type: Flower-Cured



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40330005-003 Harvest/Lot ID: HYB-GUM-030624-A155 Batch# : 8737 6129 9176 Sample Si

3069 Sampled : 03/30/24 Ordered : 03/30/24 Sample Size Received : 161 gram Total Amount : 12747 units Completed : 04/02/24 Expires: 04/02/25 Sample Method : SOP.T.20.010

Page 2 of 5

Ô

Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
OTAL TERPENES	0.007	70.49	2.014		VALENCENE		0.007	ND	ND		
ETA-CARYOPHYLLENE	0.007	22.02	0.629		ALPHA-CEDRENE		0.007	ND	ND		
IMONENE	0.007	13.79	0.394		ALPHA-PHELLANDRENE		0.007	ND	ND		
LPHA-HUMULENE	0.007	6.34	0.181		ALPHA-TERPINENE		0.007	ND	ND		
ARNESENE	0.001	6.02	0.172		ALPHA-TERPINOLENE		0.007	ND	ND		
NALOOL	0.007	5.11	0.146		CIS-NEROLIDOL		0.007	ND	ND		
UAIOL	0.007	4.76	0.136		GAMMA-TERPINENE		0.007	ND	ND		
ETA-MYRCENE	0.007	3.50	0.100		TRANS-NEROLIDOL		0.007	ND	ND		
LPHA-BISABOLOL	0.007	2.42	0.069		Analyzed by:	Weight:		Extraction d	ate:		Extracted by:
ETA-PINENE	0.007	2.07	0.059		3605, 585, 1440	1.0318g		04/01/24 13			3605
ENCHYL ALCOHOL	0.007	1.75	0.050		Analysis Method : SOP.T.30.06						
LPHA-PINENE	0.007	1.40	0.040		Analytical Batch : DA071076T					4/02/24 10:57:41	
OTAL TERPINEOL	0.007	1.33	0.038		Instrument Used : DA-GCMS-0 Analyzed Date : 04/01/24 13:2			Batch	Date : 03/	30/24 11:37:14	
CARENE	0.007	ND	ND		Dilution : 10						
ORNEOL	0.013	ND	ND		Reagent : 022224.01						
AMPHENE	0.007	ND	ND		Consumables : 947.109; CE01	23					
AMPHOR	0.007	ND	ND		Pipette : DA-063						
ARYOPHYLLENE OXIDE	0.007	ND	ND		Terpenoid testing is performed uti	izing Gas Chromatography	Mass Spect	rometry. For all	Flower samp	oles, the Total Terpenes %	is dry-weight corrected.
EDROL	0.007	ND	ND								
JCALYPTOL	0.007	ND	ND								
NCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
EXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
EROL	0.007	ND	ND								
CIMENE	0.007	ND	ND								
ULEGONE	0.007	ND	ND								
ABINENE	0.007	ND	ND								
ABINENE HYDRATE	0.007	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/02/24



Gush Moon WF 3.5g (1/8 oz) Gush Moon WF Matrix : Flower Type: Flower-Cured



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Tavlor.lones@qetfluent.com Sample : DA40330005-003 Harvest/Lot ID: HYB-GUM-030624-A155

Batch# : 8737 6129 9176 3069 Sampled : 03/30/24 Ordered : 03/30/24 Sample Size Received :161 gram Total Amount : 12747 units Completed : 04/02/24 Expires: 04/02/25 Sample Method : SOP.T.20.010

Page 3 of 5

ਞ
0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE					
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN	0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND				0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010				
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010		0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND				0.5		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.8249g		tion date: 24 11:24:25		Extracted 4056	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gainesville), S			COD T 40 101 F		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	501.1.50.10	2.1 L (Davie), .	501.1.40.101.1	L (Gamesville)	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071091PES		Reviewed O	n:04/02/24 11	1:39:47	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date :	03/30/24 13:0)3:53	
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :04/01/24 14:32:08					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250	22224 002	000004 001	001004 000	0000000000	
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 032624.R12; 040423.08; 032724.R26; 0 Consumables : 326250IW	J32724.RU3	; 032824.R01;	U31824.KUZ;	032724.R01	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing I	Liauid Chron	natography Trij	ole-Ouadrupole	Mass Spectrom	netrv in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:		traction date:		Extracted by	y:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.8249g	N/A			4056	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gainesville), S					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA071092VOL Instrument Used : DA-GCMS-001)4/02/24 11:39 /30/24 13:04:3		
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date :04/01/24 14:10:51	Ba	atch Date : 03	/30/24 13:04:3	57	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 032624.R12; 040423.08; 031824.R05; 0)31824.R06				
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing	Gas Chroma	tography Triple	e-Quadrupole M	lass Spectromet	ry in
						accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sallion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/02/24



Gush Moon WF 3.5g (1/8 oz) Gush Moon WF Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40330005-003 Harvest/Lot ID: HYB-GUM-030624-A155

Batch# : 8737 6129 9176 3069 Sampled : 03/30/24 Ordered : 03/30/24 Sample Size Received : 161 gram Total Amount : 12747 units Completed : 04/02/24 Expires: 04/02/25 Sample Method : SOP.T.20.010

Page 4 of 5

							1							
Ċ,	Microbia	I			PAS	SED	သို့	Мус	otoxin	S			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
SALMONELLA	SPECIFIC GENE			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGEL	.LA			Not Present	PASS		Analyzed by:		Weight:	Extracti	on date:	E	xtracted I	ov:
TOTAL YEAST	AND MOLD	10	CFU/g	8000	PASS	100000	3379, 585, 14	40	0.8249g	N/A			056	
Analyzed by: 3390, 585, 1440	Weight: 0.9056g		action date: 31/24 10:12:3	33	Extracted 4451	by:			.101.FL (Gainesv OP.T.40.102.FL ([.40.101.FL	. (Gainesv	ille),	
Analysis Methoo Analytical Batch	02/24	Analytical Bat Instrument Us Analyzed Date	ch : DA07109 sed : N/A	ЗМҮС	Revie	wed On : 0 Date : 03/	.,							
lsotemp Heat B DA-021 Analyzed Date : Dilution : N/A	and Isotemp Heat Bloc lock DA-049,Fisher Sci 04/01/24 15:18:08 24.02; 031824.R18 /569004002						032724.R01 Consumables Pipette : DA-0 Mycotoxins tes	: 3262501W 93; DA-094; I ting utilizing Lid th F.S. Rule 64E	quid Chromatograpl R20-39.	ny with Triple		le Mass Spe	ectrometry	in
Analyzed by: 4351, 585, 1440	Weight: 0.9056g		action date: 31/24 10:12:3	33	Extracted 4451	by:	Hg	Неа	vy Met	als			PAS	SED
Analytical Batch	1 : SOP.T.40.208 (Gaine 1 : DA071102TYM d : Incubator (25-27*C)			.FL Reviewed O Batch Date			Metal			LOD	Units	Result	Pass / Fail	Action Level
(25-27*C) DA-09		DA-057	incubator	batch bate	. 03/31/24	00.33.23	TOTAL CON	TAMINANT L	OAD METALS	0.080	ppm	ND	PASS	1.1
Analyzed Date :	N/A						ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution : N/A							CADMIUM			0.020	ppm	ND	PASS	0.2
	24.17; 032624.03; 031	824.R19					MERCURY			0.020	ppm	ND	PASS	0.2
Consumables : N	N/A						LEAD			0.020	ppm	ND	PASS	0.5
	old testing is performed u	utilizing M	PN and traditio	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 14	40	Weight: 0.27g	Extractio N/A	n date:		tracted b	y:
accordance with F	F.S. Rule 64ER20-39.						Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch:DA07107 sed:DA-ICPM	5-004	Review	ed On : 04, ate : 03/3			
							Dilution : 50 Reagent : 032 032824.R06	824.R05; 031	124.R06; 032724	1.R42; 0403	L24.R02; 0)40124.R0	3; 03042	4.01;

Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/02/24



Gush Moon WF 3.5g (1/8 oz) Gush Moon WF Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40330005-003 Harvest/Lot ID: HYB-GUM-030624-A155

Batch#: 8737 6129 9176 3069 Sampled : 03/30/24 Ordered : 03/30/24

Sample Size Received : 161 gram Total Amount : 12747 units Completed : 04/02/24 Expires: 04/02/25 Sample Method : SOP.T.20.010



Filth/Foreign **Material**





			_

PASSED

PASSED

Page 5 of 5

Analyte Filth and Foreig	ın Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level	Analyte Moisture Content	LOD 1.00	Units %	Result 12.62	P/F PASS	Action Level
Analyzed by: 585, 1440	Weight: NA	Ex N/	traction d A	ate:	Extra N/A	cted by:	Analyzed by: Weig 4444, 585, 1440 0.499		xtraction 03/31/24 0			tracted by: 44
Analysis Method : Analytical Batch : Instrument Used Analyzed Date : N	DA071097FIL Filth/Foreign Mater	rial Micro	oscope			2/24 12:30:07 24 21:03:32	Analysis Method : SOP.T.40.021 Analytical Batch : DA071098MOI Instrument Used : DA-003 Moistu Analyzed Date : 03/31/24 09:13:3		r	Reviewed On Batch Date :		
Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A	4						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					
	terial inspection is pe ordance with F.S. Rule			pection utilizi	ng naked e	ye and microscope	Moisture Content analysis utilizing los	ss-on-drying	technology	in accordance	with F.S. Ru	le 64ER20-39.
(\bigcirc)	Water A	ctiv	ity		ΡΑ	SSED						

Analyte Water Activity	-	.0D).010	Units aw	R	esult 0.574	P/F PASS	Action Level 0.65
Analyzed by: 4444, 585, 1440	Weight: 1.852g		traction d /31/24 09	on date: 4 09:14:18			tracted by: 144
Analysis Method : SOP Analytical Batch : DA0 Instrument Used : DA2 Analyzed Date : 03/31	71099WAT 256 Rotronic Hyg	roPaln	n			04/01/24 03/31/24	4 15:19:36 08:00:10
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/02/24