



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40330005-002
Harvest/Lot ID: 5785 6712 3330 6861
Batch#: 5785 6712 3330 6861
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 6688 0157 5233 3340
Batch Date: 02/20/24
Sample Size Received: 15.3 gram
Total Amount: 3769 units
Retail Product Size: 0.3 gram
Retail Serving Size: 0.3 gram
Servings: 1
Ordered: 03/30/24
Sampled: 03/30/24
Completed: 04/02/24
Sampling Method: SOP.T.20.010

Apr 02, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
84.270%
Total THC/Container : 252.81 mg



Total CBD
0.363%
Total CBD/Container : 1.09 mg



Total Cannabinoids
90.502%
Total Cannabinoids/Container : 271.51 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.145	0.143	0.363	ND	0.241	1.597	ND	1.855	0.720	ND	1.438
mg/unit	252.44	0.43	1.09	ND	0.72	4.79	ND	5.57	2.16	ND	4.31
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1046g

Extraction date:
04/01/24 10:34:54

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA071110POT
Instrument Used : DA-LC-007
Analyzed Date : 04/01/24 11:17:33

Reviewed On : 04/02/24 10:57:22
Batch Date : 04/01/24 08:08:29

Dilution : 400
Reagent : 032924.R01; 060723.24; 032924.R04
Consumables : 947.109; 34623011; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
04/02/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40330005-002
Harvest/Lot ID: 5785 6712 3330 6861

Batch# : 5785 6712 3330 6861 Sample Size Received : 15.3 gram
Sampled : 03/30/24 Total Amount : 3769 units
Ordered : 03/30/24 Completed : 04/02/24 Expires: 04/02/25
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	6.79	2.262	SABINENE	0.007	ND	ND
ALPHA-TERPINOLENE	0.007	3.65	1.217	SABINENE HYDRATE	0.007	ND	ND
BETA-MYRCENE	0.007	0.79	0.263	TOTAL TERPINEOL	0.007	ND	ND
OCIMENE	0.007	0.67	0.222	VALENCENE	0.007	ND	ND
LIMONENE	0.007	0.42	0.141	ALPHA-BISABOLOL	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	0.37	0.123	ALPHA-CEDRENE	0.007	ND	ND
BETA-PINENE	0.007	0.19	0.064	CIS-NEROLIDOL	0.007	ND	ND
ALPHA-PINENE	0.007	0.15	0.049	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-PHELLANDRENE	0.007	0.13	0.043	Analyzed by: 3605, 585, 1440 Weight: 0.2127g Extraction date: 04/01/24 13:27:50 Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA071076TER Instrument Used : DA-GCMS-009 Reviewed On : 04/02/24 10:57:24 Analyzed Date : 04/01/24 13:28:14 Batch Date : 03/30/24 11:37:14 Dilution : 10 Reagent : 022224.01 Consumables : 947.109; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINENE	0.007	0.10	0.034				
ALPHA-HUMULENE	0.007	0.10	0.033				
GAMMA-TERPINENE	0.007	0.08	0.026				
LINALOOL	0.007	0.08	0.025				
3-CARENE	0.007	0.07	0.022				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FARNESENE	0.001	ND	ND				
FENCHONE	0.007	ND	ND				
FENCHYL ALCOHOL	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAJOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
Total (%)			2.262				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/02/24




Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40330005-002
Harvest/Lot ID: 5785 6712 3330 6861
Batch# : 5785 6712 3330
6861
Sampled : 03/30/24
Ordered : 03/30/24
Sample Size Received : 15.3 gram
Total Amount : 3769 units
Completed : 04/02/24 Expires: 04/02/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result		
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND		
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND		
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND		
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND		
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND		
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND		
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND		
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND		
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND		
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND		
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND		
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND		
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND		
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND		
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND		
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND		
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND		
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND		
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND		
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND		
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND		
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND		
DAMINOZIDE	0.010	ppm	0.1	PASS	ND								
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	3379, 585, 1440	Weight:	0.2911g	Extraction date:	03/31/24 11:24:24	Extracted by:	4056
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA071091PES						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-003 (PES)						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date :	04/01/24 14:32:08						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250						
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	032624.R12; 040423.08; 032724.R26; 032724.R03; 032824.R01; 031824.R02; 032724.R01						
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219						
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by:	450, 585, 1440	Weight:	N/A	Extraction date:	N/A	Extracted by:	4056
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA071092VOL						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-GCMS-001						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date :	04/01/24 14:10:51						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution :	25						
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent :	032624.R12; 040423.08; 031824.R05; 031824.R06						
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW; 14725401						
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218						
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
MEVINPHOS	0.010	ppm	0.1	PASS	ND								
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND								
NALED	0.010	ppm	0.25	PASS	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 04/02/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40330005-002

Harvest/Lot ID: 5785 6712 3330 6861

Batch# : 5785 6712 3330
6861

Sampled : 03/30/24

Ordered : 03/30/24


Sample Size Received : 15.3 gram

Total Amount : 3769 units

Completed : 04/02/24 Expires: 04/02/25

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0264g	Extraction date: 04/02/24 20:11:13	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/02/24 20:49:37
Analytical Batch : DA07111250L	Batch Date : 04/01/24 15:59:07
Instrument Used : DA-GCMS-003	
Analyzed Date : 04/02/24 20:11:18	

Dilution : 1
Reagent : 030420.09
Consumables : 429651; 304486
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40330005-002
Harvest/Lot ID: 5785 6712 3330 6861
Batch#: 5785 6712 3330 6861
Sample Size Received : 15.3 gram
Total Amount : 3769 units
Completed : 04/02/24 Expires: 04/02/25
Sampled : 03/30/24
Ordered : 03/30/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440 Weight: 0.849g Extraction date: 03/31/24 10:12:33 Extracted by: 4451

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA071101MIC Reviewed On : 04/02/24 18:26:35
Batch Date : 03/31/24 08:37:09

Instrument Used : Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 04/01/24 15:18:08

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.2911g Extraction date: N/A Extracted by: 4056

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA071093MYC Reviewed On : 04/02/24 09:44:18
Instrument Used : N/A Batch Date : 03/30/24 13:04:54
Analyzed Date : 04/01/24 14:32:31

Dilution : 250
Reagent : 032624.R12; 040423.08; 032724.R26; 032724.R03; 032824.R01; 031824.R02; 032724.R01
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Dilution : N/A
Reagent : 032624.02; 031824.R18
Consumables : 7569004002
Pipette : N/A


Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4351, 585, 1440 Weight: 0.849g Extraction date: 03/31/24 10:12:33 Extracted by: 4451

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA071102TYM Reviewed On : 04/02/24 17:45:07
Instrument Used : Incubator (25-27°C) DA-097, Incubator (25-27°C) DA-096 Batch Date : 03/31/24 08:39:29
Analyzed Date : N/A

Dilution : N/A
Reagent : 012424.17; 032624.03; 031824.R19
Consumables : N/A
Pipette : N/A

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2676g Extraction date: N/A Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA071078HEA Reviewed On : 04/02/24 10:24:14
Instrument Used : DA-ICPMS-004 Batch Date : 03/30/24 11:45:14
Analyzed Date : 04/01/24 15:41:36

Dilution : 50
Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 030424.01; 032824.R06
Consumables : 179436; 34623011; 210508058
Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40330005-002
Harvest/Lot ID: 5785 6712 3330 6861
Batch# : 5785 6712 3330 6861
Sample Size Received : 15.3 gram
Total Amount : 3769 units
Sampled : 03/30/24
Completed : 04/02/24 Expires: 04/02/25
Ordered : 03/30/24
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA071097FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : N/A
Reviewed On : 04/02/24 12:30:16
Batch Date : 03/30/24 21:03:32

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.415	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.72g	Extraction date: 03/31/24 09:47:52	Extracted by: 4444
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA071100WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 03/31/24 09:13:54
Reviewed On : 04/01/24 14:37:28
Batch Date : 03/31/24 08:00:24

Dilution : N/A
Reagent : 022024.29
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

