



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40403001-002
Harvest/Lot ID: 5696 3396 3983 6239
Batch#: 5696 3396 3983 6239
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 0530 9727 1727 2826
Batch Date: 02/19/24
Sample Size Received: 16 units
Total Amount: 1987 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 04/02/24
Sampled: 04/03/24
Completed: 04/05/24
Sampling Method: SOP.T.20.010

Apr 05, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
86.525%
Total THC/Container: 865.25 mg



Total CBD
0.209%
Total CBD/Container: 2.09 mg



Total Cannabinoids
91.324%
Total Cannabinoids/Container: 913.24 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.397	0.147	0.209	ND	0.576	2.084	ND	0.605	0.389	ND	0.917
mg/g	863.97	1.47	2.09	ND	5.76	20.84	ND	6.05	3.89	ND	9.17
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1166g

Extraction date:
04/03/24 11:10:21

Extracted by:
3335

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA071176POT
Instrument Used: DA-LC-003
Analyzed Date: 04/03/24 11:11:07

Reviewed On: 04/04/24 09:56:47
Batch Date: 04/03/24 08:50:50

Dilution: 400
Reagent: 032924.R03; 060723.24; 032924.R05
Consumables: 947.109; 34623011; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164



Signature
04/05/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40403001-002

Harvest/Lot ID: 5696 3396 3983 6239

Batch# : 5696 3396 3983 6239

Sampled : 04/03/24

Ordered : 04/03/24

Sample Size Received : 16 units

Total Amount : 1987 gram

Completed : 04/05/24 Expires: 04/05/25

Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED					
Terpenes	LOD (%)	mg/g	%	Result (%)	Terpenes	LOD (%)	mg/g	%	Result (%)
TOTAL TERPENES	0.007	24.21	2.421	<div style="width: 24.21%;"></div>	SABINENE	0.007	ND	ND	<div style="width: 0%;"></div>
ALPHA-TERPINOLENE	0.007	13.12	1.312	<div style="width: 13.12%;"></div>	SABINENE HYDRATE	0.007	ND	ND	<div style="width: 0%;"></div>
BETA-MYRCENE	0.007	2.82	0.282	<div style="width: 2.82%;"></div>	TOTAL TERPINEOL	0.007	ND	ND	<div style="width: 0%;"></div>
OCIMENE	0.007	2.42	0.242	<div style="width: 2.42%;"></div>	VALENCENE	0.007	ND	ND	<div style="width: 0%;"></div>
LIMONENE	0.007	1.50	0.150	<div style="width: 1.50%;"></div>	ALPHA-BISABOLOL	0.007	ND	ND	<div style="width: 0%;"></div>
BETA-CARYOPHYLLENE	0.007	1.24	0.124	<div style="width: 1.24%;"></div>	ALPHA-CEDRENE	0.007	ND	ND	<div style="width: 0%;"></div>
BETA-PINENE	0.007	0.66	0.066	<div style="width: 0.66%;"></div>	CIS-NEROLIDOL	0.007	ND	ND	<div style="width: 0%;"></div>
ALPHA-PINENE	0.007	0.52	0.052	<div style="width: 0.52%;"></div>	TRANS-NEROLIDOL	0.007	ND	ND	<div style="width: 0%;"></div>
ALPHA-PHELLANDRENE	0.007	0.45	0.045	<div style="width: 0.45%;"></div>	Analyzed by: 3605, 585, 1440 Weight: 0.2098g Extraction date: 04/03/24 11:21:41 Extracted by: 3605				
ALPHA-TERPINENE	0.007	0.37	0.037	<div style="width: 0.37%;"></div>	Analysis Method: SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch: DA071180TER Reviewed On: 04/04/24 09:56:50 Instrument Used: DA-GCMS-009 Batch Date: 04/03/24 09:08:18 Analyzed Date: 04/03/24 11:22:04				
ALPHA-HUMULENE	0.007	0.34	0.034	<div style="width: 0.34%;"></div>	Dilution: 10 Reagent: 022224.01 Consumables: 947.109; 230613-634-D; CE0123 Pipette: DA-063				
GAMMA-TERPINENE	0.007	0.28	0.028	<div style="width: 0.28%;"></div>	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.26	0.026	<div style="width: 0.26%;"></div>					
3-CARENE	0.007	0.23	0.023	<div style="width: 0.23%;"></div>					
BORNEOL	0.013	ND	ND	<div style="width: 0%;"></div>					
CAMPHENE	0.007	ND	ND	<div style="width: 0%;"></div>					
CAMPHOR	0.007	ND	ND	<div style="width: 0%;"></div>					
CARYOPHYLLENE OXIDE	0.007	ND	ND	<div style="width: 0%;"></div>					
CEDROL	0.007	ND	ND	<div style="width: 0%;"></div>					
EUCALYPTOL	0.007	ND	ND	<div style="width: 0%;"></div>					
FARNESENE	0.001	ND	ND	<div style="width: 0%;"></div>					
FENCHONE	0.007	ND	ND	<div style="width: 0%;"></div>					
FENCHYL ALCOHOL	0.007	ND	ND	<div style="width: 0%;"></div>					
GERANIOL	0.007	ND	ND	<div style="width: 0%;"></div>					
GERANYL ACETATE	0.007	ND	ND	<div style="width: 0%;"></div>					
GUAIOL	0.007	ND	ND	<div style="width: 0%;"></div>					
HEXAHYDROTHYMOL	0.007	ND	ND	<div style="width: 0%;"></div>					
ISOBORNEOL	0.007	ND	ND	<div style="width: 0%;"></div>					
ISOPULEGOL	0.007	ND	ND	<div style="width: 0%;"></div>					
NEROL	0.007	ND	ND	<div style="width: 0%;"></div>					
PULEGONE	0.007	ND	ND	<div style="width: 0%;"></div>					
Total (%)			2.421	<div style="width: 24.21%;"></div>					



Certificate of Analysis

PASSED


FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40403001-002
Harvest/Lot ID: 5696 3396 3983 6239

Batch# : 5696 3396 3983 Sample Size Received : 16 units
6239 Total Amount : 1987 gram
Sampled : 04/03/24 Completed : 04/05/24 Expires: 04/05/25
Ordered : 04/03/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2219g Extraction date: 04/03/24 15:32:57 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA071190PES Reviewed On : 04/04/24 09:49:40 Instrument Used : DA-LCMS-003 (PES) Batch Date : 04/03/24 10:03:19 Analyzed Date : 04/03/24 15:39:19 Dilution : 250 Reagent : 032724.R26; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.2219g Extraction date: 04/03/24 15:32:57 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) Analytical Batch : DA071192VOL Reviewed On : 04/04/24 09:48:35 Instrument Used : DA-GCMS-010 Batch Date : 04/03/24 10:05:39 Analyzed Date : 04/03/24 15:45:49 Dilution : 250 Reagent : 040224.R43; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/05/24



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Miami Vibes Disposable Pen 1g
 Miami Vibes
 Matrix : Derivative
 Type: Distillate



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40403001-002

Harvest/Lot ID: 5696 3396 3983 6239

Batch# : 5696 3396 3983
 6239

Sampled : 04/03/24

Ordered : 04/03/24

Sample Size Received : 16 units

Total Amount : 1987 gram

Completed : 04/05/24 Expires: 04/05/25

Sample Method : SOP.T.20.010

Page 4 of 6

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0245g	Extraction date: 04/04/24 13:03:55	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07120450L Instrument Used : DA-GCMS-003 Analyzed Date : 04/04/24 13:09:38	Reviewed On : 04/04/24 13:37:29 Batch Date : 04/03/24 10:45:50
---	---

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 304486
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
 04/05/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40403001-002
Harvest/Lot ID: 5696 3396 3983 6239
Batch# : 5696 3396 3983 6239
Sample Size Received : 16 units
Total Amount : 1987 gram
Sampled : 04/03/24
Completed : 04/05/24 Expires: 04/05/25
Ordered : 04/03/24
Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3390, 585, 1440 Weight: 0.814g Extraction date: 04/03/24 11:46:36 Extracted by: 3390

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA071184MIC Reviewed On : 04/05/24 18:13:54
Batch Date : 04/03/24

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 04/03/24 13:55:52

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440 Weight: 0.2219g Extraction date: 04/03/24 15:32:57 Extracted by: 3379

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA071191MYC Reviewed On : 04/04/24 09:51:51
Instrument Used : N/A Batch Date : 04/03/24 10:05:36
Analyzed Date : 04/03/24 15:39:40

Dilution : 250
Reagent : 032724.R26; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08
Consumables : 326250IW
Pipette : DA-093; DA-094; DA-219

Dilution : N/A
Reagent : 032624.27; 032624.28; 031824.R18; 091523.45
Consumables : 7569004004
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 4451, 585, 1440 Weight: 0.814g Extraction date: 04/03/24 11:46:36 Extracted by: 3390

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
Analytical Batch : DA071185TYM Reviewed On : 04/05/24 16:48:00
Instrument Used : Incubator (25-27°C) DA-096 Batch Date : 04/03/24 09:28:54
Analyzed Date : N/A

Dilution : N/A
Reagent : 032624.27; 032624.28; 031824.R19
Consumables : N/A
Pipette : N/A

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2432g Extraction date: 04/03/24 12:06:52 Extracted by: 4306

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA071197HEA Reviewed On : 04/04/24 11:24:39
Instrument Used : DA-ICPMS-004 Batch Date : 04/03/24 10:12:00
Analyzed Date : 04/04/24 10:12:24

Dilution : 50
Reagent : N/A
Consumables : N/A
Pipette : N/A

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40403001-002
Harvest/Lot ID: 5696 3396 3983 6239
Batch# : 5696 3396 3983 6239
Sample Size Received : 16 units
Total Amount : 1987 gram
Sampled : 04/03/24
Completed : 04/05/24 Expires: 04/05/25
Ordered : 04/03/24
Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA071211FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 04/03/24 17:12:03
Reviewed On : 04/03/24 17:25:40
Batch Date : 04/03/24 15:36:45

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.474	PASS	0.85

Analyzed by: 4444, 585, 1440	Weight: 0.367g	Extraction date: 04/03/24 15:28:00	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA071208WAT
Instrument Used : DA256 Rotronic HygroPalm
Analyzed Date : 04/03/24 14:32:39
Reviewed On : 04/04/24 09:24:25
Batch Date : 04/03/24 11:40:42

Dilution : N/A
Reagent : 022024.29
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

