



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40404006-003
 Harvest/Lot ID: HYB-LP-032924-C0139
 Batch#: 7512 5754 6231 4795
 Cultivation Facility: Zolfo Springs Cultivation
 Processing Facility: Zolfo Springs Processing
 Source Facility: Zolfo Springs Cultivation
 Seed to Sale# 3791 1017 7493 8767
 Batch Date: 03/01/24
 Sample Size Received: 35 gram
 Total Amount: 2437 units
 Retail Product Size: 3.5 gram
 Retail Serving Size: 3.5 gram
 Servings: 1
 Ordered: 04/03/24
 Sampled: 04/04/24
 Completed: 04/06/24
 Sampling Method: SOP.T.20.010

Apr 06, 2024 | FLUENT

5540 W. Executive Drive
 Tampa, FL, 33609, US



PASSED

Pages 1 of 5

SAFETY RESULTS


 Pesticides
PASSED


 Heavy Metals
PASSED


 Microbials
PASSED


 Mycotoxins
PASSED


 Residuals Solvents
NOT TESTED


 Filtration
PASSED


 Water Activity
PASSED


 Moisture
PASSED

MISC.

 Terpenes
TESTED

Cannabinoid **PASSED**


Total THC
26.165%
 Dry Weight


Total CBD
0.05%
 Dry Weight


Total Cannabinoids
32.716%
 Dry Weight

	Total THC 800.87 mg /Container										
	Total CBD 1.54 mg /Container										
	Total Cannabinoids 1001.385 mg /Container										
	As Received										
%	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
mg/unit	1.27	24.644	ND	0.051	0.025	0.161	2.408	ND	ND	ND	0.052
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 1665, 3335, 585, 1440	Weight: 0.2163g	Extraction date: 04/04/24 11:51:13	Extracted by: 1665
Analysis Method : SOP.T.40.031, SOP.T.30.031		Reviewed On : 04/05/24 09:58:27	
Analytical Batch : DA071221POT		Batch Date : 04/04/24 09:44:01	
Instrument Used : DA-LC-002			
Analyzed Date : 04/04/24 11:51:23			
Dilution : 400			
Reagent : 032924.R01; 092723.44; 030824.R01			
Consumables : 280670723; CE0123; R1KB14270			
Pipette : DA-079; DA-108; DA-078			

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJA-
 Testing 97164


 Signature
 04/06/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40404006-003
Harvest/Lot ID: HYB-LP-032924-C0139

Batch# : 7512 5754 6231 Sample Size Received : 35 gram
4795 Total Amount : 2437 units
Sampled : 04/04/24 Completed : 04/06/24 Expires: 04/06/25
Ordered : 04/04/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	71.16 2.033		NEROL	0.007	ND ND	
ALPHA-TERPINOLENE	0.007	26.18 0.748		PULEGONE	0.007	ND ND	
LIMONENE	0.007	6.48 0.185		SABINENE	0.007	ND ND	
BETA-MYRCENE	0.007	6.20 0.177		SABINENE HYDRATE	0.007	ND ND	
BETA-CARYOPHYLLENE	0.007	5.74 0.164		VALENENE	0.007	ND ND	
OCIMENE	0.007	4.66 0.133		ALPHA-CEDRENE	0.007	ND ND	
BETA-PINENE	0.007	4.20 0.120		CIS-NEROLIDOL	0.007	ND ND	
ALPHA-PINENE	0.007	3.29 0.094		TRANS-NEROLIDOL	0.007	ND ND	
LINALOOL	0.007	2.98 0.085		Analyzed by: 3605, 585, 1440 Weight: 1.033g Extraction date: 04/04/24 12:00:12 Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA071225TER Reviewed On : 04/05/24 09:59:29 Instrument Used : DA-GCMS-009 Batch Date : 04/04/24 09:49:58 Analyzed Date : 04/04/24 12:00:39 Dilution : 10 Reagent : 022224.01 Consumables : 947.109; 230613-634-D; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
TOTAL TERPINEOL	0.007	1.89 0.054					
FENCHYL ALCOHOL	0.007	1.75 0.050					
ALPHA-HUMULENE	0.007	1.75 0.050					
ALPHA-PHELLANDRENE	0.007	1.30 0.037					
3-CARENE	0.007	1.16 0.033					
ALPHA-TERPINENE	0.007	1.16 0.033					
ALPHA-BISABOLOL	0.007	0.91 0.026					
FARNESENE	0.001	0.77 0.022					
GAMMA-TERPINENE	0.007	0.77 0.022					
BORNEOL	0.013	ND ND					
CAMPHENE	0.007	ND ND					
CAMPHOR	0.007	ND ND					
CARYOPHYLLENE OXIDE	0.007	ND ND					
CEDROL	0.007	ND ND					
EUCALYPTOL	0.007	ND ND					
FENCHONE	0.007	ND ND					
GERANIOL	0.007	ND ND					
GERANYL ACETATE	0.007	ND ND					
GUAIOL	0.007	ND ND					
HEXAHYDROTHYMOL	0.007	ND ND					
ISOBORNEOL	0.007	ND ND					
ISOPULEGOL	0.007	ND ND					
Total (%)		2.033					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/06/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40404006-003
Harvest/Lot ID: HYB-LP-032924-C0139

Batch# : 7512 5754 6231 Sample Size Received : 35 gram
4795 Total Amount : 2437 units
Sampled : 04/04/24 Completed : 04/06/24 Expires: 04/06/25
Ordered : 04/04/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 4056, 585, 1440	Weight: 0.9199g	Extraction date: 04/04/24 15:40:59	Extracted by: 450,585		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071231PES			Reviewed On : 04/06/24 14:51:26		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 04/04/24 09:59:54		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 040324.R37; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9199g	Extraction date: 04/04/24 15:40:59	Extracted by: 450,585		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071233VOL			Reviewed On : 04/05/24 11:13:48		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 04/04/24 10:01:36		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 04/04/24 15:51:04					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 040224.R43; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/06/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40404006-003
Harvest/Lot ID: HYB-LP-032924-C0139
Batch# : 7512 5754 6231 Sample Size Received : 35 gram
4795 Total Amount : 2437 units
Sampled : 04/04/24 Completed : 04/06/24 Expires: 04/06/25
Ordered : 04/04/24 Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	20	PASS	100000
Analyzed by: 4451, 3390, 585, 1440 Weight: 1.0071g Extraction date: 04/04/24 12:12:03 Extracted by: 4451,3390					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA071237MIC Reviewed On : 04/05/24 18:35:51 Instrument Used : Applied Biosystems Thermocycler Batch Date : 04/04/24 10:15:38 DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 04/04/24 14:39:01					
Dilution : N/A Reagent : 091523.45; 032624.26; 032624.28; 031824.R18 Consumables : 7569004004 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 4056, 585, 1440 Weight: 0.9199g Extraction date: 04/04/24 15:40:59 Extracted by: 450,585					
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA071232MYC Reviewed On : 04/06/24 14:49:59 Instrument Used : N/A Batch Date : 04/04/24 10:01:33 Analyzed Date : N/A Dilution : 250 Reagent : 040324.R37; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.25679g Extraction date: 04/04/24 11:21:39 Extracted by: 1022,4306					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA071246TYM Reviewed On : 04/06/24 17:39:13 Instrument Used : Incubator (25-27°C) DA-097, Incubator (25-27°C) DA-096 Batch Date : 04/04/24 10:28:21 Analyzed Date : 04/04/24 15:22:39 Dilution : N/A Reagent : 032624.26; 032624.28; 031824.R19 Consumables : N/A Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.25679g Extraction date: 04/04/24 11:21:39 Extracted by: 1022,4306					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA071239HEA Reviewed On : 04/05/24 11:13:20 Instrument Used : DA-ICPMS-004 Batch Date : 04/04/24 10:16:56 Analyzed Date : 04/04/24 17:50:45 Dilution : 50 Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 032824.R06 Consumables : 179436; 34623011; 210508058 Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature
04/06/24



Certificate of Analysis

PASSED

FLUENT


5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40404006-003
Harvest/Lot ID: HYB-LP-032924-C0139
Batch# : 7512 5754 6231 Sample Size Received : 35 gram
4795 Total Amount : 2437 units
Sampled : 04/04/24 Completed : 04/06/24 Expires: 04/06/25
Ordered : 04/04/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
------------------------------	------------	----------------------	-------------------

Analysis Method : SOP.T.40.090
Analytical Batch : DA071257FIL
Instrument Used : Filth/Foreign Material Microscope
Analyzed Date : 04/04/24 19:53:53
Reviewed On : 04/04/24 20:22:23
Batch Date : 04/04/24 19:46:56

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	P/F	Action Level
Moisture Content	1.00	%	12.55	PASS	15

Analyzed by: 4056, 585, 1440	Weight: 0.518g	Extraction date: 04/04/24 13:14:54	Extracted by: 4056
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.021
Analytical Batch : DA071238MOI
Instrument Used : DA-003 Moisture Analyzer
Analyzed Date : 04/04/24 12:59:50
Reviewed On : 04/04/24 14:01:48
Batch Date : 04/04/24 10:16:50

Dilution : N/A
Reagent : 092520.50; 020124.02
Consumables : N/A
Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.628	PASS	0.65

Analyzed by: 4056, 585, 1440	Weight: 1.238g	Extraction date: 04/04/24 13:01:41	Extracted by: 4056
------------------------------	----------------	------------------------------------	--------------------

Analysis Method : SOP.T.40.019
Analytical Batch : DA071240WAT
Instrument Used : DA-028 Rotronic HygroPalm
Analyzed Date : 04/04/24 12:59:31
Reviewed On : 04/04/24 13:31:55
Batch Date : 04/04/24 10:16:58

Dilution : N/A
Reagent : 022024.29
Consumables : PS-14
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

