

MOODS

Apr 06, 2024 | FLUENT

5540 W. Executive Drive

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Kaycha Labs

Midnight Cruiser Disposable Pen 1g Midnight Cruiser Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

FOR RETAIL

Sample:DA40404005-003 Harvest/Lot ID: 3089 9854 7408 7744 Batch#: 3089 9854 7408 7744 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 2744 4709 0999 2155 Batch Date: 11/27/23 Sample Size Received: 16 units Total Amount: 1999 units Retail Product Size: 1 gram Retail Serving Size: 1 gram Servings: 1 Ordered: 04/03/24 Sampled: 04/04/24 Completed: 04/06/24

Sampling Method: SOP.T.20.010



MISC.

 \cap

Terpenes

TESTED

PASSED

Tampa, FL, 33609, US Pages 1 of 6 SAFETY RESULTS R₹ Hg 0 Pesticides Heavy Metals Microbials Mycotoxins Residuals Filth Water Activity Moisture PASSED PASSED PASSED PASSED **NOT TESTED** PASSED PASSED Solvents PASSED Cannabinoid Total Cannabinoids Total THC **Total CBD**

€ ∽	-	8.439 THC/Container		Ē		2369 CBD/Container	-	(c		1509	
% mg/unit LOD	^{D9-THC} 88.361 883.61 0.001	THCA 0.089 0.89 0.001	CBD 0.236 2.36 0.001	CBDA ND ND 0.001	^{D8-THC} 0.486 4.86 0.001	свд 1.452 14.52 0.001	CBGA ND ND 0.001	CBN 1.039 10.39 0.001	тнсv 0.656 6.56 0.001	CBDV ND ND 0.001	свс 0.831 8.31 0.001
200	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585,	1440			Weight: 0.1007g		xtraction date: 4/04/24 12:01:24			Extrac 1665,	ted by: 3335	
Analytical Batch Instrument Used	: SOP.T.40.031, SC : DA071226POT : DA-LC-003 04/04/24 12:09:02					Reviewed On : 04					

Consumables : 947.109; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/06/24



Midnight Cruiser Disposable Pen 1g Midnight Cruiser Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40404005-003 Harvest/Lot ID: 3089 9854 7408 7744 Batch#: 3089 9854 7408 7744

Sampled : 04/04/24 Ordered : 04/04/24

Sample Size Received : 16 units Total Amount : 1999 units Completed : 04/06/24 Expires: 04/06/25 Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes

Terpenes	LOD (%)	mg/unit	t %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.007	37.12	3.712		SABINENE		0.007	ND	ND		
IMONENE	0.007	14.08	1.408		SABINENE HYDRATE		0.007	ND	ND		
BETA-MYRCENE	0.007	7.50	0.750		ALPHA-CEDRENE		0.007	ND	ND		
BETA-CARYOPHYLLENE	0.007	3.72	0.372		ALPHA-PHELLANDRENE		0.007	ND	ND		
ALPHA-PINENE	0.007	2.73	0.273		ALPHA-TERPINENE		0.007	ND	ND		
ALENCENE	0.007	1.52	0.152		ALPHA-TERPINOLENE		0.007	ND	ND		
INALOOL	0.007	1.38	0.138		CIS-NEROLIDOL		0.007	ND	ND		
LPHA-HUMULENE	0.007	1.04	0.104		GAMMA-TERPINENE		0.007	ND	ND		
LPHA-BISABOLOL	0.007	0.81	0.081		Analyzed by:	Weight:		Extraction da	ite:		Extracted by:
DCIMENE	0.007	0.77	0.077		3605, 585, 1440	0.2166g		04/04/24 11:	57:50		3605
BETA-PINENE	0.007	0.71	0.071		Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL					
AMPHOR	0.007	0.60	0.060		Analytical Batch : DA071224TER Instrument Used : DA-GCMS-004					04/05/24 09:58:07 /04/24 09:49:16	
ARYOPHYLLENE OXIDE	0.007	0.59	0.059		Analyzed Date : 04/04/24 11:58:15			Batch	Date: 04,	/04/24 09:49:10	
ORNEOL	0.013	0.47	0.047		Dilution : 10						
RANS-NEROLIDOL	0.007	0.37	0.037		Reagent : 022224.01						
UAIOL	0.007	0.33	0.033		Consumables : 947.109; 230613-634-D;	CE0123					
ENCHYL ALCOHOL	0.007	0.27	0.027		Pipette : DA-063						
ARNESENE	0.001	0.23	0.023		Terpenoid testing is performed utilizing Gas C	hromatography Ma	iss Spectr	ometry. For all F	lower sam	ples, the Total Terpenes % I	is dry-weight corrected.
OTAL TERPINEOL	0.007	0.20	0.020								
-CARENE	0.007	ND	ND								
AMPHENE	0.007	ND	ND								
EDROL	0.007	ND	ND								
UCALYPTOL	0.007	ND	ND								
ENCHONE	0.007	ND	ND								
ERANIOL	0.007	ND	ND								
ERANYL ACETATE	0.007	ND	ND								
IEXAHYDROTHYMOL	0.007	ND	ND								
SOBORNEOL	0.007	ND	ND								
SOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
otal (%)			3.712								
(/											

3.712

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/06/24



Midnight Cruiser Disposable Pen 1g Midnight Cruiser Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40404005-003 Harvest/Lot ID: 3089 9854 7408 7744 Batch#: 3089 9854 7408

7744 Sampled : 04/04/24 Ordered : 04/04/24 Sample Size Received : 16 units Total Amount : 1999 units Completed : 04/06/24 Expires: 04/06/25 Sample Method : SOP.T.20.010

Page 3 of 6

R 0 Pe

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	0 Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.01	.0 ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.01	0 ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.01	.0 ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	.0 ppm	3	PASS	ND
TOTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		.0 ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		.0 ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010		0.1	PASS	ND					PASS	ND
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		.0 ppm	0.1		
ACEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		.0 ppm	0.2	PASS	ND
ACETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		.0 ppm	0.1	PASS	ND
ALDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.01	.0 ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.01	.0 ppm	0.1	PASS	ND
BIFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.01	.0 ppm	0.1	PASS	ND
BIFENTHRIN	0.010		0.1	PASS PASS	ND	THIACLOPRID	0.01	.0 ppm	0.1	PASS	ND
BOSCALID	0.010		0.1		ND	THIAMETHOXAM	0.01	.0 ppm	0.5	PASS	ND
CARBARYL	0.010		0.5 0.1	PASS PASS	ND ND	TRIFLOXYSTROBIN	0.01	.0 ppm	0.1	PASS	ND
CARBOFURAN	0.010 0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)	* 0.01	.0 PPM	0.15	PASS	ND
CHLORANTRANILIPROLE			1	PASS	ND	PARATHION-METHYL *		0 PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010 0.010		0.1	PASS	ND	CAPTAN *		O PPM	0.7	PASS	ND
CHLORPYRIFOS CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0 PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND			.0 PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CHLORFENAPYR *					
DIAZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *		0 PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.05	0 PPM	0.5	PASS	ND
DIMETHOATE	0.010	P.P.	0.1	PASS	ND	Analyzed by: Weig		action date:		Extracted	d by:
ETHOPROPHOS	0.010		0.1	PASS	ND	4056, 585, 1440 0.260		4/24 15:43:13		450	
ETOFENPROX	0.010	1.1.	0.1	PASS	ND	Analysis Method :SOP.T.30.101.FL (Gain SOP.T.40.102.FL (Davie)	esville), SOP.1.30.	102.FL (Davie), 1	SOP.1.40.101.1	FL (Gainesville)	,
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch :DA071227PES		Reviewed O	n:04/06/24 14	4.49.04	
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			04/04/24 09:5		
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution: 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent : 040324.R37; 040324.R03; 040 Consumables : 326250IW	224.R43; 032824.F	R01; 031824.R0	2; 040324.R01	L; 040423.08	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	utilizing Liquid Chr	omatography Tri	nle-Quadrunole	Mass Spectron	netry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	active and a contract of the	onnacography m	pie quudiuppie	indus opecarion	icci y ili
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weigh	t: Extra	ction date:		Extracted	l by:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2605		/24 15:43:13		450	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gain					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA071230VOL		Reviewed On : Batch Date : 04			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-010 Analyzed Date :04/04/24 15:48:51		Batch Date : 04	/04/24 09:58::	54	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 040224.R43; 040423.08; 0318	24.R05: 031824.R0	06			
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed accordance with F.S. Rule 64ER20-39.	utilizing Gas Chron	hatography Triple	e-Quadrupole M	lass Spectrome	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/06/24



Page 4 of 6

Midnight Cruiser Disposable Pen 1g Midnight Cruiser Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA40404005-003

 Harvest/Lot ID: 3089 9854 7408
 744

 Batch# : 3089 9854 7408
 Sample

 7744
 Total Ar

 Sampled: 04/04/24
 Complet

 Ordered: 04/04/24
 Sample

4 7408 7744 Sample Size Received : 16 units Total Amount : 1999 units Completed : 04/06/24 Expires: 04/06/25 Sample Method : SOP.T.20.010



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
SUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 585, 1440	Weight: 0.0224g	Extraction date: 04/05/24 14:55:16	5	E > 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA071256SOL Instrument Used : DA-GCMS-002 Analyzed Date : 04/05/24 15:03:33			d On : 04/05/24 18:34:48 te : 04/04/24 13:39:52		
Analyzed Date : 04/05/24 15:03:33					

Dilution : 1 Reagent : 030923.29 Consumables : 429651; 304486 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/06/24

PASSED

PASSED



Midnight Cruiser Disposable Pen 1g Midnight Cruiser Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40404005-003 Harvest/Lot ID: 3089 9854 7408 7744 Batch# : 3089 9854 7408 Sample

7744 Sampled : 04/04/24 Ordered : 04/04/24 Sample Size Received :16 units Total Amount : 1999 units Completed : 04/06/24 Expires: 04/06/25 Sample Method : SOP.T.20.010

	Page	5	of	6
--	------	---	----	---

Ċţ.	Microl	bial				PAS	SED	သို့	Му	cotox	ins				PAS	SED
Analyte		L	OD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS				Not Present	PASS	Lever	AFLATOXIN	32			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER				Not Present	t PASS t PASS		AFLATOXIN	81			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present			OCHRATOXII	A			0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS FLAVUS				Not Present			AFLATOXIN	51			0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GEN	E			Not Present	PASS		AFLATOXIN G2				0.002 ppm	ND	PASS	0.02	
ECOLI SHIGE					Not Present	PASS		Analyzed by:		Weight:		ction da			Extracted	l by:
TOTAL YEAS	T AND MOLD		LO	CFU/g	<10	PASS	100000			0.2605g		/24 15			450	
Analyzed by: Weight: Extraction date: Extracted by: 4451, 3390, 585, 1440 0.904g 04/04/24 12:12:01 4451,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On : 04/05/24 18:35:46 Instrument Used : Applied Biosystems Thermocycler Batch bate : 04/04/24 18:35:46 DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand 10:15:38 10:15:38							0 05/24	SOP.T.30.102. Analytical Bate Instrument Use Analyzed Date Dilution : 250	L (Davie), h : DA0712 d : N/A : N/A	30.101.FL (Gair SOP.T.40.102. 229MYC 40324.R03; 04	FL (Davie	e) Review Batch	ved On : 0 Date : 04/	4/06/24 1 04/24 09:	3:04:54 58:32	4.R01:
	Block DA-049,Fish					0		040423.08 Consumables :			0224.114	5, 0520	24.1101, 0	51024.110	2, 040524	+.I\UI,
	: 04/04/24 14:39:	:01						Pipette : DA-09								
Dilution : N/A Reagent : 091 Consumables : Pipette : N/A	523.45; 032624.2 : 7569004004	6; 032624.	28; ()31824.R18				Mycotoxins test accordance wit	ı F.S. Rule 6				e-Quadrupol			
Analyzed by: 3390, 4351, 44	151, 585, 1440	Weig 0.90		Extraction 04/04/24		Extracte 4451,33		Hg	Неа	avy Me	etal	S			PAS	SED
Analytical Bate	od : SOP.T.40.208 ch : DA071246TYM ed : Incubator (25	1			.FL Reviewed O Batch Date			Metal				LOD	Units	Result	Pass / Fail	Action Level
25-27*C) DA-		-27°C) DA-	097,	incubator	Batch Date	. 04/04/24	10.20.21	TOTAL CONT	AMINANT	LOAD METAL	S	0.080	ppm	ND	PASS	1.1
	: 04/04/24 15:22:	39						ARSENIC				0.020	ppm	ND	PASS	0.2
Dilution : N/A								CADMIUM				0.020	ppm	ND	PASS	0.2
Reagent : 032	624.26; 032624.2	8; 031824.	R19					MERCURY				0.020	ppm	ND	PASS	0.2
Consumables :	: N/A							LEAD				0.020	ppm	ND	PASS	0.5
	mold testing is perfo		ng MF	N and traditio	nal culture base	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2812g		t ion dat 24 12:4			xtracted b 022,4306	y:
accordance with	n F.S. Rule 64ER20-3	9.						Analysis Metho Analytical Bato Instrument Uso Analyzed Date	d:SOP.T.3 h:DA0712 ed:DA-ICP	30.082.FL, SOP 243HEA MS-004	.T.40.08	2.FL Reviewe	ed On : 04/	/05/24 11: 4/24 10:2:	00:58	
								Dilution : 50								

Dilution : 50

Reagent : 032824.R05; 031124.R06; 032724.R42; 040124.R02; 040124.R03; 032824.R06 Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Sen Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/06/24



..... Midnight Cruiser Disposable Pen 1g Midnight Cruiser Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

 \bigcirc

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40404005-003 Harvest/Lot ID: 3089 9854 7408 7744 Batch#: 3089 9854 7408 7744 Sampled : 04/04/24 Ordered : 04/04/24

Sample Size Received : 16 units Total Amount : 1999 units Completed : 04/06/24 Expires: 04/06/25 Sample Method : SOP.T.20.010

		Filth/ Mate	Foreig rial	n		ΡΑ	24 20:22:29 19:46:56
	nalyte ilth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	
	nalyzed by: 379, 585, 1440		Weight: NA	Extraction N/A	on date:	Extr N/A	acted by:
Aı In	nalysis Method nalytical Batch strument Used nalyzed Date :	: DA071257FIL : Filth/Foreign	Material Micro	oscope			4/24 20:22:29 24 19:46:56
Re Ce	ilution: N/A eagent: N/A onsumables: N pette: N/A	//A					
	Ith and foreign n chnologies in ac				spection utilizi	ing naked ey	e and microscope
	(\bigcirc)	Wato	r Activ	it.		ΡΑ	SSED

Analyte Water Activity		LOD 0.010	Units aw	Result 0.488	P/F PASS	Action Level
Analyzed by: 4056, 585, 1440	Weight: 0.375g		traction d /04/24 13			tracted by: 056
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 04/04/	71241WAT 028 Rotronic H	ygropal	m	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A						

Water Activity

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/06/24

PASSED

Page 6 of 6