



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40406010-003  
Harvest/Lot ID: 9819 2397 5724 6302  
Batch#: 9819 2397 5724 6302  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 8720 8965 7433 3895  
Batch Date: 03/06/24  
Sample Size Received: 26 gram  
Total Amount: 1311 units  
Retail Product Size: 1 gram  
Retail Serving Size: 1 gram  
Servings: 1  
Ordered: 04/06/24  
Sampled: 04/06/24  
Completed: 04/09/24  
Sampling Method: SOP.T.20.010

Apr 09, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**15.837%**  
Dry Weight



Total CBD  
**0.064%**  
Dry Weight



Total Cannabinoids  
**18.621%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.708	15.215	ND	0.066	0.031	0.029	0.413	ND	ND	ND	0.059
mg/unit	7.08	152.15	ND	0.66	0.31	0.29	4.13	ND	ND	ND	0.59
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC  
**14.051%**  
140.51 mg /Container

Total CBD  
**0.057%**  
0.57 mg /Container

Total Cannabinoids  
**16.521%**  
165.21 mg /Container

As Received

Analyzed by:  
1665, 585, 1440

Weight:  
0.1964g

Extraction date:  
04/08/24 09:59:31

Extracted by:  
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA071337POT  
Instrument Used : DA-LC-002  
Analyzed Date : 04/08/24 10:11:37

Reviewed On : 04/09/24 12:18:45  
Batch Date : 04/06/24 19:38:58

Dilution : 400  
Reagent : 032924.R01; 060823.05; 030824.R01  
Consumables : 947.100; LLS-00-0005; 280670723; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/09/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40406010-003

Harvest/Lot ID: 9819 2397 5724 6302

Batch# : 9819 2397 5724 6302

Sampled : 04/06/24

Ordered : 04/06/24

Sample Size Received : 26 gram

Total Amount : 1311 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	6.68	0.668	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	1.98	0.198	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	1.14	0.114	ALPHA-PINENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	0.84	0.084	ALPHA-TERPINENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	0.80	0.080	ALPHA-TERPINOLENE	0.007	ND	ND
LIMONENE	0.007	0.49	0.049	BETA-PINENE	0.007	ND	ND
TRANS-NEROLIDOL	0.007	0.40	0.040	CIS-NEROLIDOL	0.007	ND	ND
TOTAL TERPINEOL	0.007	0.31	0.031	GAMMA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	0.30	0.030				
FENCHYL ALCOHOL	0.007	0.27	0.027	Analyzed by:	Weight:	Extraction date:	Extracted by:
FARNESENE	0.001	0.15	0.015	1879, 3605, 585, 1440	0.9683g	04/07/24 11:28:29	1879,3605
3-CARENE	0.007	ND	ND	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
BORNEOL	0.013	ND	ND	Analytical Batch : DA071333TER			
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-004			
CAMPHOR	0.007	ND	ND	Analyzed Date : 04/08/24 15:24:21			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CECROL	0.007	ND	ND	Reagent : 022224.01			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; 230613-634-D; CE0123			
FENCHONE	0.007	ND	ND	Pipette : DA-063			
GERANIOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
<b>Total (%)</b>			<b>0.668</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40406010-003

Harvest/Lot ID: 9819 2397 5724 6302

Batch #: 9819 2397 5724

6302

Sampled : 04/06/24

Ordered : 04/06/24


Sample Size Received : 26 gram

Total Amount : 1311 units

Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOXYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 0.8638g	<b>Extraction date:</b> 04/08/24 15:15:10	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA071364PES		<b>Reviewed On :</b> 04/09/24 19:09:44			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)		<b>Batch Date :</b> 04/08/24 09:33:43			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 04/08/24 15:18:46					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 040324.R37; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 0.8638g	<b>Extraction date:</b> 04/08/24 15:15:10	<b>Extracted by:</b> 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> DA071366VOL		<b>Reviewed On :</b> 04/09/24 19:06:40			
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001		<b>Batch Date :</b> 04/08/24 09:36:15			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 04/08/24 16:53:16					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 040224.R43; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/09/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40406010-003  
Harvest/Lot ID: 9819 2397 5724 6302  
Batch#: 9819 2397 5724 6302  
Sample Size Received : 26 gram  
Total Amount : 1311 units  
Sampled : 04/06/24  
Completed : 04/09/24 Expires: 04/09/25  
Ordered : 04/06/24  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000
Analyzed by: 3390, 585, 1440		Weight: 0.868g	Extraction date: 04/07/24 10:36:19		Extracted by: 4451,3390
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA071349MIC					
Instrument Used : fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : 04/08/24 11:18:45					
Dilution : N/A					
Reagent : 032624.35; 031824.R18; 091523.45					
Consumables : 7569003078					
Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440		Weight: 0.8638g	Extraction date: 04/08/24 15:15:10		Extracted by: 3379
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA071365MYC					
Instrument Used : N/A					
Analyzed Date : 04/08/24 15:16:52					
Dilution : 250					
Reagent : 040324.R37; 040324.R03; 040224.R43; 032824.R01; 031824.R02; 040324.R01; 040423.08					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2131g	Extraction date: 04/07/24 10:34:58		Extracted by: 4056,1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA071328HEA					
Instrument Used : DA-ICPMS-004					
Analyzed Date : 04/08/24 15:08:15					
Dilution : 50					
Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06					
Consumables : 179436; 34623011; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000
Analyzed by: 3390, 585, 1440		Weight: 0.868g	Extraction date: 04/07/24 10:36:19		Extracted by: 4451,3390
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA071350TYM					
Instrument Used : Incubator (25-27°C) DA-097					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 032624.35; 031824.R19					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000
Analyzed by: 3390, 585, 1440		Weight: 0.868g	Extraction date: 04/07/24 10:36:19		Extracted by: 4451,3390
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA071350TYM					
Instrument Used : Incubator (25-27°C) DA-097					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 032624.35; 031824.R19					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	50	PASS	100000
Analyzed by: 3390, 585, 1440		Weight: 0.868g	Extraction date: 04/07/24 10:36:19		Extracted by: 4451,3390
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA071350TYM					
Instrument Used : Incubator (25-27°C) DA-097					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 032624.35; 031824.R19					
Consumables : N/A					
Pipette : N/A					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/09/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40406010-003

Harvest/Lot ID: 9819 2397 5724 6302

Batch#: 9819 2397 5724 6302

Sampled : 04/06/24

Ordered : 04/06/24

Sample Size Received : 26 gram

Total Amount : 1311 units


Completed : 04/09/24 Expires: 04/09/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	11.28	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4444, 585, 1440	Weight: 0.515g	Extraction date: 04/07/24 14:19:16	Extracted by: 4444		
Analysis Method : SOP.T.40.090 Analytical Batch : DA071353FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 04/07/24 20:29:29						Analysis Method : SOP.T.40.021 Analytical Batch : DA071324MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 04/07/24 14:22:50					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 092520.50; 020124.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.492	PASS	0.65
Analyzed by: 4444, 585, 1440	Weight: 1.527g	Extraction date: 04/07/24 14:28:46	Extracted by: 4444		
Analysis Method : SOP.T.40.019 Analytical Batch : DA071325WAT Instrument Used : DA256 Rotronic HygroPalm Analyzed Date : 04/07/24 14:23:46					
Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

