



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40410005-001  
 Harvest/Lot ID: 3412 6157 9285 1223  
 Batch#: 3412 6157 9285 1223  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility : Tampa Processing  
 Source Facility : Tampa Processing  
 Seed to Sale# 8361 5220 6216 8418  
 Batch Date: 02/19/24  
 Sample Size Received: 840 gram  
 Total Amount: 3574 units  
 Retail Product Size: 61.5753 gram  
 Retail Serving Size: 6 gram  
 Servings: 10  
 Ordered: 04/09/24  
 Sampled: 04/10/24  
 Completed: 04/12/24  
 Sampling Method: SOP.T.20.010

Apr 12, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
 NOT TESTED

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**0.149%**

Total THC/Container : 91.75 mg



Total CBD  
**ND**

Total CBD/Container : 0.00 mg



Total Cannabinoids  
**0.159%**

Total Cannabinoids/Container : 97.91 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.149	ND	ND	ND	ND	0.005	ND	ND	0.002	ND	0.003
mg/unit	91.75	ND	ND	ND	ND	3.08	ND	ND	1.23	ND	1.85
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 3335, 1665, 585, 1440

Weight:  
 3.2095g

Extraction date:  
 04/10/24 12:57:35

Extracted by:  
 3702,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071435POT

Instrument Used : DA-LC-007

Analyzed Date : 04/10/24 13:11:11

Reviewed On : 04/11/24 09:43:35

Batch Date : 04/10/24 09:50:17

Dilution : 400

Reagent : 032924.R01; 071222.01; 031524.R01

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 04/12/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-001

Harvest/Lot ID: 3412 6157 9285 1223

Batch# : 3412 6157 9285  
1223

Sampled : 04/10/24  
Ordered : 04/10/24

Sample Size Received : 840 gram

Total Amount : 3574 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.825g <b>Extraction date:</b> 04/10/24 15:48:03 <b>Extracted by:</b> 3379					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA071466PES <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Reviewed On :</b> 04/12/24 09:35:52					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 04/10/24 15:53:56 <b>Batch Date :</b> 04/10/24 11:03:09					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	<b>Reagent :</b> 040224.R43; 040423.08					
FENHEXAMID	0.010	ppm	3	PASS	ND	<b>Consumables :</b> 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.825g <b>Extraction date:</b> 04/10/24 15:48:03 <b>Extracted by:</b> 3379					
FLONICAMID	0.010	ppm	2	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	<b>Analytical Batch :</b> DA071467VOL <b>Instrument Used :</b> DA-GCMS-001 <b>Reviewed On :</b> 04/11/24 15:59:24					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	<b>Analyzed Date :</b> 04/10/24 16:00:39 <b>Batch Date :</b> 04/10/24 11:04:44					
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	<b>Reagent :</b> 040224.R43; 040423.08; 031824.R05; 031824.R06					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
MALATHION	0.010	ppm	2	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

**Kaycha Labs**

Original Jamberry Gels 10 Count  
 Original Jamberry Gels  
 Matrix : Edible  
 Type: Soft Chew



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40410005-001  
 Harvest/Lot ID: 3412 6157 9285 1223  
 Batch# : 3412 6157 9285      Sample Size Received : 840 gram  
 1223                                      Total Amount : 3574 units  
 Sampled : 04/10/24                      Completed : 04/12/24 Expires: 04/12/25  
 Ordered : 04/10/24                      Sample Method : SOP.T.20.010

Page 3 of 5

## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	<2500.000
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0266g	Extraction date: 04/12/24 15:15:17	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA07148650L Instrument Used : DA-GCMS-003 Analyzed Date : 04/10/24 16:29:46	Reviewed On : 04/12/24 17:37:21 Batch Date : 04/10/24 16:18:17
---	---

Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; 304486  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 04/12/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-001

Harvest/Lot ID: 3412 6157 9285 1223

Batch# : 3412 6157 9285  
1223

Sampled : 04/10/24

Ordered : 04/10/24

Sample Size Received : 840 gram

Total Amount : 3574 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 4044, 3390, 585, 1440 <b>Weight:</b> 1.0407g <b>Extraction date:</b> 04/10/24 12:49:25 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA071447MIC <b>Reviewed On :</b> 04/12/24 18:37:10 <b>Instrument Used :</b> PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020.fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Analyzed Date :</b> 04/10/24 13:00:48 <b>Batch Date :</b> 04/10/24 10:18:57 <b>Dilution :</b> N/A <b>Reagent :</b> 032624.32; 032624.36; 031824.R18; 091523.44 <b>Consumables :</b> 7569004033 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.825g <b>Extraction date:</b> 04/10/24 15:48:03 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA071468MYC <b>Reviewed On :</b> 04/12/24 09:36:43 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 04/10/24 11:06:13 <b>Analyzed Date :</b> 04/10/24 15:59:21 <b>Dilution :</b> 250 <b>Reagent :</b> 040224.R43; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2235g <b>Extraction date:</b> 04/10/24 15:14:18 <b>Extracted by:</b> 1022,4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA071482HEA <b>Reviewed On :</b> 04/11/24 11:28:58 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/10/24 12:34:17 <b>Analyzed Date :</b> 04/10/24 16:07:00 <b>Dilution :</b> 50 <b>Reagent :</b> 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2235g <b>Extraction date:</b> 04/10/24 15:14:18 <b>Extracted by:</b> 1022,4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA071482HEA <b>Reviewed On :</b> 04/11/24 11:28:58 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/10/24 12:34:17 <b>Analyzed Date :</b> 04/10/24 16:07:00 <b>Dilution :</b> 50 <b>Reagent :</b> 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>TOTAL CONTAMINANT LOAD METALS</b>	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-001  
Harvest/Lot ID: 3412 6157 9285 1223  
Batch# : 3412 6157 9285      Sample Size Received : 840 gram  
1223      Total Amount : 3574 units  
Sampled : 04/10/24      Completed : 04/12/24 Expires: 04/12/25  
Ordered : 04/10/24      Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** PASSED

**Homogeneity** PASSED

Amount of tests conducted : 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090  
Analytical Batch : DA071473FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 04/10/24 11:17:09  
Reviewed On : 04/10/24 11:24:47  
Batch Date : 04/10/24 11:14:03

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.653	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	0.721g	04/12/24 10:14:35	1879

Analysis Method : SOP.T.40.019  
Analytical Batch : DA071471WAT  
Instrument Used : DA256 Rotronic HygroPalm  
Analyzed Date : 04/12/24 09:55:52  
Reviewed On : 04/12/24 10:29:26  
Batch Date : 04/10/24 11:10:58

Dilution : N/A  
Reagent : 022024.29  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.283	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
3702, 585, 1440	6.032g	04/10/24 12:25:31	3702

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL  
Analytical Batch : DA071442HOM  
Instrument Used : DA-LC-005  
Analyzed Date : 04/10/24 12:25:47  
Reviewed On : 04/11/24 09:41:46  
Batch Date : 04/10/24 10:13:28

Dilution : 40  
Reagent : 031724.R03; 071222.35; 020124.02; 040824.R01  
Consumables : 947.109; LCJ0311R; 34623011; 266969; 1008835395; CE0123; R1KB14270  
Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

