



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



**Sample: DA40410005-006**  
**Harvest/Lot ID: SA-ELK-031324-A156**  
**Batch#: 7695 9526 7817 4506**  
**Cultivation Facility: Tampa Cultivation**  
**Processing Facility : Tampa Processing**  
**Source Facility : Tampa Processing**  
**Seed to Sale# 5412 3441 6212 0863**  
**Batch Date: 03/14/24**  
**Sample Size Received: 66.5 gram**  
**Total Amount: 4934 units**  
**Retail Product Size: 3.5 gram**  
**Retail Serving Size: 3.5 gram**  
**Servings: 1**  
**Ordered: 04/09/24**  
**Sampled: 04/10/24**  
**Completed: 04/12/24**  
**Sampling Method: SOP.T.20.010**

Apr 12, 2024 | FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**29.973%**  
Dry Weight



**Total CBD**  
**0.051%**  
Dry Weight



**Total Cannabinoids**  
**36.956%**  
Dry Weight

**Total THC**  
**26.041%**  
911.435 mg /Container

**Total CBD**  
**0.045%**  
1.575 mg /Container

**Total Cannabinoids**  
**32.108%**  
1123.78 mg /Container

**As Received**

%	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
	0.498	29.126	ND	0.052	0.024	0.102	2.234	ND	ND	ND	0.072
mg/unit	17.43	1019.41	ND	1.82	0.84	3.57	78.19	ND	ND	ND	2.52
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 3335, 585, 1440

Weight:  
0.189g

Extraction date:  
04/10/24 12:27:29

Extracted by:  
3335,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA071452POT

Instrument Used : DA-LC-002

Analyzed Date : 04/10/24 13:00:59

Reviewed On : 04/11/24 09:41:59

Batch Date : 04/10/24 10:31:29

Dilution : 400  
Reagent : 032924.R01; 060723.24; 031524.R01  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-006  
Harvest/Lot ID: SA-ELK-031324-A156  
Batch# : 7695 9526 7817    Sample Size Received : 66.5 gram  
4506    Total Amount : 4934 units  
Sampled : 04/10/24    Completed : 04/12/24 Expires: 04/12/25  
Ordered : 04/10/24    Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	33.18	0.948	VALENCENE	0.007	ND	ND
LIMONENE	0.007	9.66	0.276	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	6.23	0.178	ALPHA-PHELLANDRENE	0.007	ND	ND
BETA-PINENE	0.007	2.84	0.081	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	2.80	0.080	ALPHA-TERPINOLENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	2.03	0.058	CIS-NEROLIDOL	0.007	ND	ND
FENCHYL ALCOHOL	0.007	1.93	0.055	GAMMA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	1.93	0.055	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-TERPINEOL	0.007	1.82	0.052				
ALPHA-PINENE	0.007	1.65	0.047	Analysis Method : SOP.T.30.061A-FL, SOP.T.40.061A-FL	Weight:	Extraction date:	Extracted by:
FARNESENE	0.001	1.47	0.042	3605, 585, 1440	1.0572g	04/10/24 13:29:28	3605
ALPHA-BISABOLOL	0.007	0.84	0.024	Analysis Batch : DA071448TER			Reviewed On : 04/11/24 20:54:14
3-CARENE	0.007	ND	ND	Instrument Used : DA-GCMS-004			Batch Date : 04/10/24 10:20:49
BORNEOL	0.013	ND	ND	Analysis Date : 04/10/24 13:29:53			
CAMPHENE	0.007	ND	ND	Dilution : 10			
CAMPHOR	0.007	ND	ND	Reagent : 022224.01			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Consumables : 947.109; 230613-634-D; CE0123			
CEDROL	0.007	ND	ND	Pipette : DA-063			
EUCALYPTOL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
<b>Total (%)</b>			<b>0.948</b>				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-006

Harvest/Lot ID: SA-ELK-031324-A156

Batch# : 7695 9526 7817

4506

Sampled : 04/10/24

Ordered : 04/10/24


Sample Size Received : 66.5 gram

Total Amount : 4934 units

Completed : 04/12/24 Expires: 04/12/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 3379, 585, 1440	<b>Weight:</b> 1.0136g	<b>Extraction date:</b> 04/10/24 15:53:06	<b>Extracted by:</b> 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA071462PES		<b>Reviewed On :</b> 04/11/24 11:13:07	<b>Batch Date :</b> 04/10/24 10:58:02		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 04/10/24 15:53:59					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 040224.R43; 040423.08					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585, 1440	<b>Weight:</b> 1.0136g	<b>Extraction date:</b> 04/10/24 15:53:06	<b>Extracted by:</b> 3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA071463VOL		<b>Reviewed On :</b> 04/11/24 11:08:13	<b>Batch Date :</b> 04/10/24 11:00:28		
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analyzed Date :</b> 04/10/24 16:00:47					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Reagent :</b> 040224.R43; 040423.08; 031824.R05; 031824.R06					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/12/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-006  
Harvest/Lot ID: SA-ELK-031324-A156  
Batch# : 7695 9526 7817    Sample Size Received : 66.5 gram  
4506    Total Amount : 4934 units  
Sampled : 04/10/24    Completed : 04/12/24 Expires: 04/12/25  
Ordered : 04/10/24    Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 4044, 3390, 585, 1440 <b>Weight:</b> 0.981g <b>Extraction date:</b> 04/10/24 12:49:27 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA071447MIC <b>Reviewed On :</b> 04/12/24 18:37:16 <b>Instrument Used :</b> PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 04/10/24 10:18:57 <b>Analyzed Date :</b> 04/10/24 13:00:48 <b>Dilution :</b> N/A <b>Reagent :</b> 032624.32; 032624.36; 031824.R18; 091523.44 <b>Consumables :</b> 7569004033 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 1.0136g <b>Extraction date:</b> 04/10/24 15:53:06 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA071465MYC <b>Reviewed On :</b> 04/11/24 09:39:44 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 04/10/24 11:01:41 <b>Analyzed Date :</b> 04/10/24 15:59:23 <b>Dilution :</b> 250 <b>Reagent :</b> 040224.R43; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 4451, 585, 1440 <b>Weight:</b> 0.981g <b>Extraction date:</b> 04/10/24 12:49:27 <b>Extracted by:</b> 4044 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA071475TYM <b>Reviewed On :</b> 04/12/24 16:49:18 <b>Instrument Used :</b> Incubator (25-27°C) DA-097 <b>Batch Date :</b> 04/10/24 11:46:51 <b>Analyzed Date :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 032624.32; 032624.36; 031824.R19 <b>Consumables :</b> N/A <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2646g <b>Extraction date:</b> 04/10/24 12:50:49 <b>Extracted by:</b> 1022,4056 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA071464HEA <b>Reviewed On :</b> 04/11/24 11:23:17 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/10/24 11:01:36 <b>Analyzed Date :</b> 04/10/24 15:47:41 <b>Dilution :</b> 50 <b>Reagent :</b> 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216					

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40410005-006  
Harvest/Lot ID: SA-ELK-031324-A156  
Batch# : 7695 9526 7817    Sample Size Received : 66.5 gram  
4506    Total Amount : 4934 units  
Sampled : 04/10/24    Completed : 04/12/24 Expires: 04/12/25  
Ordered : 04/10/24    Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**



**Moisture** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
<b>Filth and Foreign Material</b>	0.100	%	ND	PASS	1	<b>Moisture Content</b>	1.00	%	13.12	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Reviewed On : 04/10/24 11:24:43			Analyzed by: 4056, 585, 1440	Weight: 0.501g	Extraction date: 04/11/24 18:11:39	Reviewed On : 04/11/24 18:32:07		
Analysis Method : SOP.T.40.090			Batch Date : 04/10/24 11:14:03			Analysis Method : SOP.T.40.021			Batch Date : 04/10/24 11:10:25		
Analytical Batch : DA071473FIL						Analytical Batch : DA071469MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 04/10/24 11:17:09						Analyzed Date : 04/11/24 17:59:05					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 092520.50; 020124.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
<b>Water Activity</b>	0.010	aw	0.504	PASS	0.65
Analyzed by: 1879, 585, 1440	Weight: 1.163g	Extraction date: 04/12/24 10:00:32	Reviewed On : 04/12/24 10:15:29		
Analysis Method : SOP.T.40.019			Batch Date : 04/10/24 11:10:40		
Analytical Batch : DA071470WAT					
Instrument Used : DA256 Rotronic HygroPalm					
Analyzed Date : 04/12/24 09:55:54					
Dilution : N/A					
Reagent : 022024.29					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

