

Kaycha Labs

Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Cartridge Concentrate 1g (90%)

Matrix: Derivative Type: Distillate

Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40411006-003

Harvest/Lot ID: 7529 8614 8042 9350

Batch#: 7529 8614 8042 9350

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation

Seed to Sale# 0364 6755 9435 9227

Batch Date: 11/22/23 Sample Size Received: 16 gram

Total Amount: 1948 units Retail Product Size: 1 gram

Retail Serving Size: 1 gram Servings: 1

Ordered: 04/10/24 Sampled: 04/11/24

Completed: 04/13/24

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

5540 W. Executive Drive Tampa, FL, 33609, US



SAFETY RESULTS

Pesticides PASSED



Heavy Metals **PASSED**



PASSED



Mycotoxins **PASSED**



Residuals Solvents **PASSED**



PASSED



Water Activity **PASSED**



Moisture **NOT TESTED**





Terpenes TESTED

PASSED



Cannabinoid

Apr 13, 2024 | FLUENT

Total THC



Weight: 0.0937g

Total CBD



Total Cannabinoids

Total Cannabinoids/Container: 909.64

	П										
%	_{D9-ТНС} 86.224	THCA 0.172	CBD 0.219	CBDA ND	D8-THC 0.336	св с 1.787	CBGA ND	сви 0.540	тнсv 0.419	CBDV ND	свс 1.267
mg/unit	862.24	1.72	2.19	ND	3.36	17.87	ND	5.40	4.19	ND	12.67
.OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Extraction date: 04/11/24 14:22:00

Reviewed On: 04/12/24 08:00:33 Batch Date: 04/11/24 10:55:19

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DAO71509POT Instrument Used: DA-LC-007 Analyzed Date: 04/11/24 15:24:53

Dilution: 400

Analyzed by: 3335, 1665, 585, 1440

Dilution: 400
Reagent: 032924.R01; 060723.24; 031524.R01
Consumables: 947.109; 280670723; CE0123; R1KB14270
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Cartridge Concentrate 1g (90%)

Matrix: Derivative

Type: Distillate

Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40411006-003 Harvest/Lot ID: 7529 8614 8042 9350

Batch#: 7529 8614 8042

Sampled: 04/11/24 Ordered: 04/11/24

Sample Size Received: 16 gram Total Amount: 1948 units Completed: 04/13/24 Expires: 04/13/25 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t %	Result (%)		Terpenes		LOD (%)	mg/unit	: %	Result (%)
TOTAL TERPENES	0.007	25.24	2.524			ALPHA-CEDRENE		0.007	ND	ND	
LIMONENE	0.007	10.50	1.050			ALPHA-PHELLANDRENE		0.007	ND	ND	
BETA-MYRCENE	0.007	6.41	0.641			ALPHA-TERPINENE		0.007	ND	ND	
BETA-CARYOPHYLLENE	0.007	2.47	0.247			ALPHA-TERPINEOL		0.004	ND	ND	
ALPHA-PINENE	0.007	1.93	0.193			ALPHA-TERPINOLENE		0.007	ND	ND	
VALENCENE	0.007	1.05	0.105			CIS-NEROLIDOL		0.007	ND	ND	
ALPHA-HUMULENE	0.007	0.75	0.075		The state of the s	GAMMA-TERPINENE		0.007	ND	ND	
LINALOOL	0.007	0.69	0.069			TRANS-NEROLIDOL		0.007	ND	ND	
BETA-PINENE	0.007	0.52	0.052			Analyzed by:	Weight:		Extraction of	late:	Extracted by:
OCIMENE	0.007	0.51	0.051			3605, 585, 1440	0.2001g		04/11/24 14		3605
ALPHA-BISABOLOL	0.007	0.41	0.041			Analysis Method : SOP.T.30.061A.FL,	SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND			Analytical Batch : DA071505TER					04/12/24 14:57:28
BORNEOL	0.013	ND	ND			Instrument Used: DA-GCMS-009 Analyzed Date: 04/11/24 14:16:56			Batc	h Date : U	4/11/24 10:46:42
CAMPHENE	0.007	ND	ND			Dilution: 10					
CAMPHOR	0.007	ND	ND			Reagent : 022224.01					
CARYOPHYLLENE OXIDE	0.007	ND	ND			Consumables: 947.109; 230613-634-	-D; CE0123				
CEDROL	0.007	ND	ND			Pipette : DA-063					
EUCALYPTOL	0.007	ND	ND			Terpenoid testing is performed utilizing Ga	as Chromatography N	lass Specti	rometry. For all	Flower san	nples, the Total Terpenes % is dry-weight corrected.
FARNESENE	0.001	ND	ND								
FENCHONE	0.007	ND	ND								
FENCHYL ALCOHOL	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
GUAIOL	0.007	ND	ND								
HEXAHYDROTHYMOL	0.007	ND	ND								
ISOBORNEOL	0.007	ND	ND								
ISOPULEGOL	0.007	ND	ND								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
SABINENE	0.007	ND	ND								
SABINENE HYDRATE	0.007	ND	ND								
Total (%)			2.524								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Cartridge Concentrate 1g (90%)

> Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40411006-003 Harvest/Lot ID: 7529 8614 8042 9350

Batch#: 7529 8614 8042

Sampled: 04/11/24 Ordered: 04/11/24

Sample Size Received: 16 gram Total Amount: 1948 units Completed: 04/13/24 Expires: 04/13/25 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
	5		ND	OXAMYL		0.010	ppm	0.5	PASS	ND
				PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
				PHOSMET		0.010	ppm	0.1	PASS	ND
				PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
				PRALI FTHRIN		0.010	ppm	0.1	PASS	ND
								0.1	PASS	ND
										ND
										ND
										ND
				SPIROTETRAMAT						ND
				SPIROXAMINE				0.1	PASS	ND
				TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
				THIACLOPRID		0.010	ppm	0.1	PASS	ND
				THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
				TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
					ENE (PCNB) *			0.15	PASS	ND
					()	0.010	PPM	0.1	PASS	ND
										ND
										ND
										ND
										ND
11.11				CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
				Analyzed by:	Weight:	Extracti	on date:		Extracted I	by:
				,						
					.101.FL (Gainesville), SOP.T.30.10	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville	:),
P. P.					nnec		Davioused	004/12/24	10.26.20	
				Analyzed Date : N/A	005 (1 25)		Daten Date	0.01/11/11		
				Dilution: 250						
					423.08					
		PASS								
	0.1	PASS			is performed (*****-1	a Liauid Ch	antagrank: 7	rinla Ouadr :	la Mass Canster	motor:
	0.1	PASS				ig Liquid Chron	natography i	ripie-Quadrupo	не маза эрестгог	neuy in
	0.1	PASS	ND			Extractio	n date:		Extracted h	ov:
	0.4	PASS	ND	450, 585, 1440	0.2844g				450,3379	.,.
	0.1	PASS	ND	Analysis Method : SOP.T.30	.151.FL (Gainesville), SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
	0.2	PASS	ND							
11.11	0.1	PASS	ND			Ba	atch Date :	04/11/24 11:05	:52	
	0.1	PASS	ND		:40:05					
	0.1	PASS	ND		423 NO: N31924 PA	5. 031924 P06				
	0.1	PASS	ND			J, UJ1024.KUD				
	0.1	PASS	ND							
	0.25	PASS	ND			ng Gas Chroma	tography Tris	ole-Quadrupole	Mass Spectrome	etry in
0.010 0.010	0.010 ppm	0.010 ppm 5 0.010 ppm 0.2 0.010 ppm 0.1 0.010 ppm 0.5 0.010 ppm 0.1	0.010 ppm 5 PASS 0.010 ppm 0.2 PASS 0.010 ppm 0.1 PASS 0.010 ppm 0.5 PASS 0.010 ppm 0.1 PASS	0.010 ppm 0.1	O.010 ppm	0.010 ppm	0.010 ppm 0.2	0.010 ppm 0.1	0.010 ppm	O.010 ppm 0.1

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Cartridge Concentrate 1g (90%)

Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40411006-003 Harvest/Lot ID: 7529 8614 8042 9350

Batch#: 7529 8614 8042

Sampled: 04/11/24 Ordered: 04/11/24 Sample Size Received: 16 gram Total Amount: 1948 units Completed: 04/13/24 Expires: 04/13/25 Sample Method: SOP.T.20.010

Reviewed On: 04/13/24 14:17:39

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		E	extracted by:	

850, 585, 1440 0.0234g 04/13/24 07:12:17

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA071539SOL Instrument Used: DA-GCMS-003 **Analyzed Date:** $04/13/24 \ 07:12:49$

Dilution: 1 Reagent: 030923.29 Consumables: 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Batch Date: 04/11/24 16:13:28

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Cartridge Concentrate 1g (90%)

> Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40411006-003 Harvest/Lot ID: 7529 8614 8042 9350

Batch#: 7529 8614 8042

Sampled: 04/11/24 Ordered: 04/11/24 Sample Size Received: 16 gram Total Amount: 1948 units Completed: 04/13/24 Expires: 04/13/25 Sample Method: SOP.T.20.010

Page 5 of 6

ppm

ppm

ppm

ppm

ppm

Reviewed On: 04/12/24 10:38:06

Batch Date: 04/11/24 11:07:18

LOD

0.002

0.002

0.002

0.002

0.002

Extraction date:



Microbial

PASSED



Mycotoxins

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Extracted by:

Result

ND

ND

ND

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2
ASPERGILLUS NIGER			Not Present	PASS		Analyzed by:
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 1440

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3621, 585, 1440 04/11/24 12:35:16 0.916g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA071499MIC **Reviewed On:** 04/13/24

18:08:14 Batch Date: 04/11/24 Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 04/12/24 18:36:47

Reagent: 032624.33; 032624.34; 031824.R18; 091523.44 Consumables: 7569004017

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 4451, 585, 1440	0.916a	04/11/24 12:35:16	3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA071519TYM **Reviewed On:** 04/13/24 16:08:02 Instrument Used : Incubator (25-27*C) DA-097 Analyzed Date : 04/11/24 17:32:49 Batch Date: 04/11/24 11:32:25

Dilution: N/A Reagent: 032624.33; 032624.34; 031824.R19

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Weight: 379, 585, 1440 0.2844g 04/11/24 17:10:32 Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville). SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA071512MYC Instrument Used : N/A

Analyzed Date : N/A Dilution: 250

Reagent: 032624.R12; 040423.08 Consumables: 326250IW

Pipette: N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Extraction date 04/11/24 14:24:47 0.2548g 1022.4056

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA071507HEA Instrument Used : DA-ICPMS-004 Reviewed On: 04/12/24 10:50:33 Batch Date: 04/11/24 10:50:15 Analyzed Date: 04/11/24 17:45:24

Dilution: 50

Reagent: 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01;

Consumables: 179436: 34623011: 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Cartridge Concentrate 1g (90%)

> Matrix: Derivative Type: Distillate



Certificate of Analysis

PASSED

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40411006-003 Harvest/Lot ID: 7529 8614 8042 9350

Batch#: 7529 8614 8042

Sampled: 04/11/24 Ordered: 04/11/24

Sample Size Received: 16 gram Total Amount: 1948 units Completed: 04/13/24 Expires: 04/13/25 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 585, 1440 Weight: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA071590FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 04/12/24 23:58:01 Batch Date: 04/12/24 23:30:27 Analyzed Date: 04/12/24 23:34:51

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 04/12/24 11:33:50

Batch Date: 04/11/24 13:28:54

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.459	PASS	0.85
Analyzed by: 1879, 585, 1440		traction (Ext	racted by:	

Analysis Method: SOP.T.40.019 Analytical Batch: DA071534WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 04/12/24 09:55:50

Dilution: N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164