



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40413004-002
Harvest/Lot ID: 3603 5365 6181 2723
Batch#: 3603 5365 6181 2723
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8605 7265 6500 9046
Batch Date: 12/14/23
Sample Size Received: 67.5 gram
Total Amount: 1442 units
Retail Product Size: 11.25 gram
Retail Serving Size: 11.25 gram
Servings: 1
Ordered: 04/12/24
Sampled: 04/13/24
Completed: 04/17/24
Sampling Method: SOP.T.20.010

Apr 17, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 6

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
4.035%

Total THC/Container : 453.94 mg



Total CBD
0.014%

Total CBD/Container : 1.58 mg



Total Cannabinoids
4.316%

Total Cannabinoids/Container : 485.55 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.032	0.004	0.014	ND	0.012	0.150	0.004	0.030	0.027	ND	0.043
mg/unit	453.60	0.45	1.58	ND	1.35	16.88	0.45	3.38	3.04	ND	4.84
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
2.9279g

Extraction date:
04/15/24 09:40:20

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA071632POT
Instrument Used : DA-LC-007
Analyzed Date : 04/15/24 09:41:07

Reviewed On : 04/15/24 15:18:38
Batch Date : 04/14/24 21:34:17

Dilution : 400
Reagent : 032924.R01; 030624.05; 031524.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/17/24



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40413004-002
Harvest/Lot ID: 3603 5365 6181 2723

Batch# : 3603 5365 6181 2723
Sample Size Received : 67.5 gram
Total Amount : 1442 units
Sampled : 04/13/24
Completed : 04/17/24 Expires: 04/17/25
Ordered : 04/13/24
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	97.99	0.871	ALPHA-CEDRENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	38.03	0.338	ALPHA-HUMULENE	0.007	ND	ND
LIMONENE	0.007	21.49	0.191	ALPHA-PHELLANDRENE	0.007	ND	ND
ALPHA-BISABOLOL	0.007	12.26	0.109	ALPHA-TERPINENE	0.007	ND	ND
LINALOOL	0.007	7.65	0.068	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-PINENE	0.007	5.40	0.048	CIS-NEROLIDOL	0.007	ND	ND
BETA-MYRCENE	0.007	4.39	0.039	GAMMA-TERPINENE	0.007	ND	ND
FENCHYL ALCOHOL	0.007	3.15	0.028	TRANS-NEROLIDOL	0.007	ND	ND
ALPHA-TERPINEOL	0.004	3.15	0.028				
ALPHA-PINENE	0.007	2.48	0.022	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	Extraction date:	Extracted by:
3-CARENE	0.007	ND	ND	3605, 585, 1440	0.2003g	04/14/24 12:25:31	1879.3605
BORNEOL	0.013	ND	ND	Analysis Batch : DA071613TER			Reviewed On : 04/16/24 10:01:55
CAMPHENE	0.007	ND	ND	Instrument Used : DA-GCMS-009			Batch Date : 04/13/24 12:20:44
CAMPHOR	0.007	ND	ND	Analyzed Date : 04/15/24 11:08:52			
CARYOPHYLLENE OXIDE	0.007	ND	ND	Dilution : 10			
CEDROL	0.007	ND	ND	Reagent : 022224.01			
EUCALYPTOL	0.007	ND	ND	Consumables : 947.109; 230613-634-D; CE0123			
FARNESENE	0.001	ND	ND	Pipette : DA-063			
FENCHONE	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
SABINENE HYDRATE	0.007	ND	ND				
VALENCENE	0.007	ND	ND				
Total (%)			0.871				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJA-
Testing 97164

Signature
04/17/24



Type: Products for oral administration (pills, capsules, tinctures, and similar


Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA40413004-002
Harvest/Lot ID : 3603 5365 6181 2723
Batch# : 3603 5365 6181
2723
Sampled : 04/13/24
Ordered : 04/13/24
Sample Size Received : 67.5 gram
Total Amount : 1442 units
Completed : 04/17/24 Expires: 04/17/25
Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2369g	04/15/24 13:20:24	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA071638PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed Date : N/A					
FENHEXAMID	0.010	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : N/A					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Consumables : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	450, 585, 1440	0.2369g	04/15/24 13:20:24	3379		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Analytical Batch : DA071640VOL					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Instrument Used : DA-GCMS-010					
MALATHION	0.010	ppm	2	PASS	ND	Analyzed Date : 04/15/24 16:30:52					
METALAXYL	0.010	ppm	3	PASS	ND	Dilution : 250					
METHIACARB	0.010	ppm	0.1	PASS	ND	Reagent : 032624.R12; 040423.08; 031824.R05; 031824.R06					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 3262501W					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 04/17/24



Type: Products for oral administration (pills, capsules, tinctures, and similar


Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40413004-002
 Harvest/Lot ID: 3603 5365 6181 2723
 Batch# : 3603 5365 6181 2723
 Sample Size Received : 67.5 gram
 Total Amount : 1442 units
 Completed : 04/17/24 Expires: 04/17/25
 Sampled : 04/13/24
 Ordered : 04/13/24
 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0258g	Extraction date: 04/16/24 12:26:51	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/16/24 16:02:14
Analytical Batch : DA071651SOL	Batch Date : 04/15/24 15:20:20
Instrument Used : DA-GCMS-003	
Analyzed Date : 04/15/24 16:05:01	

Dilution : 1
 Reagent : 030420.09
 Consumables : 429651; 304486
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40413004-002
 Harvest/Lot ID: 3603 5365 6181 2723
 Batch# : 3603 5365 6181 2723
 Sample Size Received : 67.5 gram
 Total Amount : 1442 units
 Completed : 04/17/24 Expires: 04/17/25
 Sampled : 04/13/24
 Ordered : 04/13/24
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
-----------------------------------------------------------------------------------	------------------	---------------	-----------------------------------------------------------------------------------	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						

 Analyzed by: 3390, 585, 1440
 Weight: 1.0563g
 Extraction date: 04/13/24 12:43:01
 Extracted by: 4044

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA071600MIC
 Reviewed On : 04/16/24 19:14:54
 Batch Date : 04/13/24 11:11:52

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 04/15/24 15:03:40
 Dilution : N/A
 Reagent : 032624.14; 032624.15; 041124.R11; 091523.44
 Consumables : 7569004006
 Pipette : N/A

 Analyzed by: 4044, 3390, 585, 1440
 Weight: 1.0563g
 Extraction date: 04/13/24 12:43:01
 Extracted by: 4044

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA071602TYM
 Instrument Used : Incubator (25-27°C) DA-097
 Analyzed Date : 04/13/24 13:42:39
 Reviewed On : 04/15/24 17:02:54
 Batch Date : 04/13/24 11:13:34

 Dilution : N/A
 Reagent : 032624.14; 032624.15; 031824.R19
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

 Analyzed by: 3379, 585, 1440
 Weight: 0.2369g
 Extraction date: 04/15/24 13:20:24
 Extracted by: 3379

 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA071639MYC
 Instrument Used : N/A
 Analyzed Date : N/A
 Reviewed On : 04/16/24 09:48:57
 Batch Date : 04/15/24 08:50:10

 Dilution : 250
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
-------------------------------------------------------------------------------------	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 1440
 Weight: 0.2049g
 Extraction date: 04/13/24 15:37:02
 Extracted by: 1022,4056

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA071606HEA
 Instrument Used : DA-ICPMS-004
 Analyzed Date : 04/15/24 14:44:06
 Reviewed On : 04/16/24 10:40:19
 Batch Date : 04/13/24 11:21:09

 Dilution : 50
 Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06
 Consumables : 179436; 35123025; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Type: Products for oral administration (pills, capsules, tinctures, and similar

Certificate of Analysis

PASSED
FLUENT

 5540 W. Executive Drive
 Tampa, FL, 33609, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA40413004-002
 Harvest/Lot ID: 3603 5365 6181 2723
 Batch# : 3603 5365 6181 Sample Size Received : 67.5 gram
 2723 Total Amount : 1442 units
 Sampled : 04/13/24 Completed : 04/17/24 Expires: 04/17/25
 Ordered : 04/13/24 Sample Method : SOP.T.20.010

Page 6 of 6

	Filth/Foreign Material	PASSED
-----------------------------------------------------------------------------------	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA071634FIL Reviewed On : 04/15/24 00:17:16
 Instrument Used : Filth/Foreign Material Microscope Batch Date : 04/14/24 23:30:41
 Analyzed Date : 04/14/24 23:44:14

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	Water Activity	PASSED
-------------------------------------------------------------------------------------	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.396	TESTED	

Analyzed by: 4444, 585, 1440	Weight: 0.717g	Extraction date: 04/14/24 12:42:52	Extracted by: 4444
---------------------------------	-------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA071608WAT Reviewed On : 04/15/24 10:22:32
 Instrument Used : DA256 Rotronic HygroPalm Batch Date : 04/13/24 12:13:18
 Analyzed Date : 04/14/24 11:58:03

 Dilution : N/A
 Reagent : 022024.29
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

