

Certificate of Analysis

COMPLIANCE FOR RETAIL

Apr 17, 2024 | FLUENT

ICK LINI

5540 W. Executive Drive Tampa, FL, 33609, US

ç

| SAFETY F | RESULTS | | | | | | | | | | MISC. |
|-----------------------------------|---|---------------------------------------|-------------------------|-------------------|--------|---|-----------------|-------|-----------------|----------------------------|---------------------------|
| 면 이 | €] | Hg | Ċ | ş Ç | | Ä | | | \mathbf{S} | | Ô |
| Pestic PASS | | eavy Metals PASSED | Microbials PASSED | Mycotoxi PASSE | D | Residuals Solvents PASSED | Filth PASSED | | Activity SED | Moisture NOT TESTED | Terpenes TESTED |
| Ä | Canna | binoid | | | | | | | | F | PASSED |
| | 38 | tal THC 6.976 al THC/Container | | |) 0. | al CBD 250% I CBD/Container : | | | 39: | Il Cannabinoids |) iner : 274.76 |
| | рэ-тнс | тнса | CBD | CBDA | D8-THC | CBG | CBGA | CBN | тнсу | CBDV | СВС |
| % | 86.976 | ND | 0.250 | | 0.266 | 2.011 | ND | 0.825 | 0.488 | ND | 0.772 |
| mg/unit | 260.93 | ND | 0.75 | | 0.80 | 6.03 | ND | 2.48 | 1.46 | ND | 2.32 |
| LOD | 0.001 | 0.001 | 0.001 | | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| Analyzed by: 1665, 585, 144 | % 0 | % | % Weight: 0.0886g | | | % ction date: 5/24 09:40:28 | % | % | % | % Extracted by: 1665 | % |
| Analytical Batc Instrument Use | d: SOP.T.40.031 h: DA071632PO ed: DA-LC-007 : 04/15/24 09:41 | Г | | | | Reviewed On : 04/11 Batch Date : 04/14/2 | | | | | |
| Consumables : | 924.R01; 030624 947.109; 28067(79; DA-108; DA-0 |)723; CE0123; R1KB14 | 1270 | | | | | | | | |
| 5 11 6 1 | | | | | | D 1 045000.00 | | | | | |

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 04/17/24

Kaycha Labs

Oil Tanker AIO 0.3g Oil Tanker AIO 0.3g Matrix: Derivative Type: Distillate







Kaycha Labs

Oil Tanker AlO 0.3g Oil Tanker AlO 0.3g Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Terpenes

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40413004-003 Harvest/Lot ID: 0124 4645 1433 8239 Batch# : 0124 4645 1433 Sample

8239 Sampled : 04/13/24 Ordered : 04/13/24 Sample Size Received : 15.3 gram Total Amount : 2904 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP.T.20.010

Page 2 of 6

TESTED

| Terpenes | LOD (%) | mg/uni | it % | Result (%) | Terpenes | | LOD (%) | mg/unit | % | Result (%) | |
|--------------------|------------|--------|-------|------------|--|---------------------|------------|---------------------|--------------|------------------------|----------------------------|
| OTAL TERPENES | 0.007 | 10.34 | 3.446 | | ALPHA-BISABOLOL | | 0.007 | ND | ND | | |
| IMONENE | 0.007 | 3.36 | 1.120 | | ALPHA-CEDRENE | | 0.007 | ND | ND | | |
| BETA-MYRCENE | 0.007 | 2.87 | 0.955 | | ALPHA-PHELLANDRENE | | 0.007 | ND | ND | | |
| ETA-CARYOPHYLLENE | 0.007 | 1.28 | 0.428 | | ALPHA-TERPINENE | | 0.007 | ND | ND | | |
| INALOOL | 0.007 | 0.92 | 0.308 | | ALPHA-TERPINOLENE | | 0.007 | ND | ND | | |
| ETA-PINENE | 0.007 | 0.64 | 0.213 | | CIS-NEROLIDOL | | 0.007 | ND | ND | | |
| LPHA-HUMULENE | 0.007 | 0.36 | 0.120 | | GAMMA-TERPINENE | | 0.007 | ND | ND | | |
| LPHA-PINENE | 0.007 | 0.33 | 0.109 | | TRANS-NEROLIDOL | | 0.007 | ND | ND | | |
| ENCHYL ALCOHOL | 0.007 | 0.28 | 0.093 | | Analyzed by: | Weight: | | Extraction date | | | Extracted by: |
| LPHA-TERPINEOL | 0.004 | 0.09 | 0.029 | | 3605, 585, 1440 | 0.204g | | 04/14/24 12:35 | | | 1879,3605 |
| AMPHENE | 0.007 | 0.08 | 0.028 | | Analysis Method : SOP.T.30.061A.FL, | SOP.T.40.061A.FL | | | | | |
| ARYOPHYLLENE OXIDE | 0.007 | 0.07 | 0.024 | | Analytical Batch : DA071613TER | | | | | /16/24 10:01:59 | |
| ARNESENE | 0.001 | 0.06 | 0.019 | | Instrument Used : DA-GCMS-009 Analyzed Date : 04/15/24 11:08:52 | | | Batch | Date : 04/3 | 3/24 12:20:44 | |
| CARENE | 0.007 | ND | ND | | Dilution : 10 | | | | | | |
| ORNEOL | 0.013 | ND | ND | | Reagent : 022224.01 | | | | | | |
| AMPHOR | 0.007 | ND | ND | | Consumables : 947.109; 230613-634 | -D; CE0123 | | | | | |
| EDROL | 0.007 | ND | ND | | Pipette : DA-063 | | | | | | |
| UCALYPTOL | 0.007 | ND | ND | | Terpenoid testing is performed utilizing G | as Chromatography M | ass Spect | trometry. For all I | Flower sampl | es, the Total Terpenes | % is dry-weight corrected. |
| ENCHONE | 0.007 | ND | ND | | | | | | | | |
| ERANIOL | 0.007 | ND | ND | | | | | | | | |
| ERANYL ACETATE | 0.007 | ND | ND | | | | | | | | |
| UAIOL | 0.007 | ND | ND | | | | | | | | |
| EXAHYDROTHYMOL | 0.007 | ND | ND | | | | | | | | |
| SOBORNEOL | 0.007 | ND | ND | | | | | | | | |
| SOPULEGOL | 0.007 | ND | ND | | | | | | | | |
| EROL | 0.007 | ND | ND | | | | | | | | |
| CIMENE | 0.007 | ND | ND | | | | | | | | |
| ULEGONE | 0.007 | ND | ND | | | | | | | | |
| ABINENE | 0.007 | ND | ND | | | | | | | | |
| ABINENE HYDRATE | 0.007 | ND | ND | | | | | | | | |
| ALENCENE | 0.007 | ND | ND | | | | | | | | |
| | | | | | | | | | | | |

Total (%)

3.446

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/17/24



Certificate of Analysis

FLUENT

R

0

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA40413004-003 Harvest/Lot ID: 0124 4645 1433 8239 Batch#:0124 4645 1433

8239 Sampled : 04/13/24 Ordered : 04/13/24

Sample Size Received : 15.3 gram Total Amount : 2904 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP.T.20.010

Pesticides

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|-----------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND |
| ACEOUINOCYL | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | maa | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | maa | 0.5 | PASS | ND |
| CARBOFURAN | 0.010 | | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND |
| CHLORMEOUAT CHLORIDE | 0.010 | maa | 1 | PASS | ND |
| CHLORPYRIEOS | 0.010 | | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | maa | 0.2 | PASS | ND |
| COUMAPHOS | 0.010 | maa | 0.1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND |
| DICHLORVOS | 0.010 | maa | 0.1 | PASS | ND |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND |
| NALED | 0.010 | ppm | 0.25 | PASS | ND |
| | | | | | |

| Pesticide | | LOD | Units | Action Level | Pass/Fail | Result | | |
|---|---------------------------|---------------------------------------|---|------------------------------|-----------------------|---------|--|--|
| OXAMYL | | 0.010 | ppm | 0.5 | PASS | ND | | |
| PACLOBUTRAZOL | | 0.010 | ppm | 0.1 | PASS | ND | | |
| PHOSMET | | 0.010 | ppm | 0.1 | PASS | ND | | |
| PIPERONYL BUTOXIDE | | 0.010 | ppm | 3 | PASS | ND | | |
| PRALLETHRIN | | 0.010 | ppm | 0.1 | PASS | ND | | |
| PROPICONAZOLE | | 0.010 | ppm | 0.1 | PASS | ND | | |
| PROPOXUR | | 0.010 | ppm | 0.1 | PASS | ND | | |
| PYRIDABEN | | 0.010 | ppm | 0.2 | PASS | ND | | |
| SPIROMESIFEN | | 0.010 | ppm | 0.1 | PASS | ND | | |
| SPIROTETRAMAT | | 0.010 | ppm | 0.1 | PASS | ND | | |
| SPIROXAMINE | | 0.010 | ppm | 0.1 | PASS | ND | | |
| TEBUCONAZOLE | | 0.010 | ppm | 0.1 | PASS | ND | | |
| THIACLOPRID | | 0.010 | ppm | 0.1 | PASS | ND | | |
| THIAMETHOXAM | | 0.010 | ppm | 0.5 | PASS | ND | | |
| TRIFLOXYSTROBIN | | 0.010 | ppm | 0.1 | PASS | ND | | |
| PENTACHLORONITROBENZENE (| PCNB) * | 0.010 | PPM | 0.15 | PASS | ND | | |
| PARATHION-METHYL * | | 0.010 | PPM | 0.1 | PASS | ND | | |
| CAPTAN * | | 0.070 | PPM | 0.7 | PASS | ND | | |
| CHLORDANE * | | 0.010 | PPM | 0.1 | PASS | ND | | |
| CHLORFENAPYR * | | 0.010 | PPM | 0.1 | PASS | ND | | |
| CYFLUTHRIN * | | 0.050 | PPM | 0.5 | PASS | ND | | |
| CYPERMETHRIN * | | 0.050 | PPM | 0.5 | PASS | ND | | |
| Analyzed by: 3379, 585, 1440 | Weight: 0.2771g | | ion date: 4 13:20:25 | | Extracted 3379 | by: | | |
| Analysis Method : SOP.T.30.101.F | L (Gainesville), SOF | P.T.30.10 | 2.FL (Davie), S | OP.T.40.101.F | L (Gainesville), | | | |
| SOP.T.40.102.FL (Davie) Analytical Batch :DA071638PES Instrument Used :DA-LCMS-003 (Analyzed Date :N/A | PES) | | | 04/17/24 10 04/15/24 08:4 | | | | |
| Dilution : 250 Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | | | |
| Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3 | | uid Chrom | natography Trip | le-Quadrupole | Mass Spectrom | etry in | | |
| | Weight: 0.2771g | Extraction date: 04/15/24 13:20:25 | | | Extracted by: 3379 | | | |
| Analysis Method :SOP.T.30.151.F Analytical Batch :DA071640VOL Instrument Used :DA-GCMS-010 Analyzed Date :04/15/24 16:30:5 | | Re | 1A.FL (Davie), eviewed On :0 htch Date :04/ | 4/17/24 10:24 | :12 | | | |
| Dilution : 250 Reagent : 032624.R12; 040423.0 Consumables : 14725401: 32625 | | .824.R06 | | | | | | |

Consumables : 14725401; 3262501W Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Kaycha Labs

..... Oil Tanker AlO 0.3g Oil Tanker AIO 0.3g Matrix : Derivative Type: Distillate



PASSED

PASSED

Page 3 of 6

Signature 04/17/24

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA40413004-003

 Harvest/Lot ID: 0124 4645 1433
 8239

 Batch# : 0124 4645 1433
 Sample

 8239
 Total And

Sampled : 04/13/24 Ordered : 04/13/24 33 8239 Sample Size Received : 15.3 gram Total Amount : 2904 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP.T.20.010



Residual Solvents

| Solvents | LOD | Units | Action Level | Pass/Fail | Result | | |
|---|---|------------------------------------|--------------|------------------|-------------|--|--|
| ,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND | | |
| ,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND | | |
| CETONE | 75.000 | ppm | 750 | PASS | ND | | |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND | | |
| ENZENE | 0.100 | ppm | 1 | PASS | ND | | |
| -PROPANOL | 50.000 | ppm | 500 | PASS | ND | | |
| HLOROFORM | 0.200 | ppm | 2 | PASS | ND | | |
| THANOL | 500.000 | ppm | 5000 | PASS | ND | | |
| THYL ACETATE | 40.000 | ppm | 400 | PASS | ND | | |
| UTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND | | |
| CETONITRILE | 6.000 | ppm | 60 | PASS | ND | | |
| THYL ETHER | 50.000 | ppm | 500 | PASS | ND | | |
| THYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND | | |
| EPTANE | 500.000 | ppm | 5000 | PASS | ND | | |
| IETHANOL | 25.000 | ppm | 250 | PASS | ND | | |
| HEXANE | 25.000 | ppm | 250 | PASS | ND | | |
| ENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND | | |
| OLUENE | 15.000 | ppm | 150 | PASS | ND | | |
| OTAL XYLENES | 15.000 | ppm | 150 | PASS | ND | | |
| ROPANE | 500.000 | ppm | 5000 | PASS | ND | | |
| RICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND | | |
| nalyzed by: 50, 585, 1440 | Weight: 0.0253g | Extraction date: 04/16/24 12:26:51 | | E x 85 | tracted by: | | |
| nalysis Method : SOP.T.40.041.FL nalytical Batch : DA071651SOL nstrument Used : DA-GCMS-003 nalyzed Date : 04/15/24 16:05:01 | Reviewed On : 04/16/24 16:02:15 Batch Date : 04/15/24 15:20:20 | | | | | | |
| ilution - 1 | | | | | | | |

Dilution : 1 Reagent : 030420.09 Consumables : 429651; 304486

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 Al

Kaycha Labs Oil Tanker AlO 0.3g Oil Tanker AlO 0.3g Matrix : Derivative Type: Distillate

PASSED

PASSED

Page 4 of 6

Signature 04/17/24



Kaycha Labs

Oil Tanker AlO 0.3g Oil Tanker AlO 0.3g Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA40413004-003 Harvest/Lot ID: 0124 4645 1433 8239

Batch#:0124 4645 1433 8239 Sampled:04/13/24 Ordered:04/13/24 Sample Size Received : 15.3 gram Total Amount : 2904 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP.T.20.010

|--|

| Ţ. | Microk | oial | | | PAS | SED | လို့ | Му | cotox | ins | | | PAS | SED |
|---|----------------------------------|---------------------|-----------------------------|--------------------------|------------------|-----------------|--|--------------------------|---------------------------------------|---------------------------------|------------|--------------------------|--------------------------------|-----------------|
| Analyte | | LOD | O Units | Result | Pass / | Action Level | Analyte | | | LOD | Units | Result | | Action |
| ASPERGILLU | C TEDDEIIC | | | Not Present | Fail PASS | Level | AFLATOXIN | 12 | | 0.002 | maa | ND | Fail PASS | Level 0.02 |
| ASPERGILLU | | | | Not Present | PASS | | AFLATOXIN | | | 0.002 | ppm | ND | PASS | 0.02 |
| | S FUMIGATUS | | | Not Present | PASS | | OCHRATOXI | | | 0.002 | ppm | ND | PASS | 0.02 |
| ASPERGILLU | | | | Not Present | PASS | | AFLATOXIN | | | 0.002 | ppm | ND | PASS | 0.02 |
| SALMONELL | A SPECIFIC GENE | | | Not Present | PASS | | AFLATOXIN | 52 | | 0.002 | ppm | ND | PASS | 0.02 |
| ECOLI SHIGE | | 10 | CFU/g | Not Present <10 | PASS PASS | 100000 | Analyzed by: 3379, 585, 144 | 0 | Weight: 0.2771g | Extraction da 04/15/24 13 | | | Extracted 3379 | l by: |
| Analyzed by: | Weig | | traction date: | | Extracted | l by: | Analysis Metho | d:SOP.T | 5 | nesville), SOP.T | | . (Gainesv | ille), | |
| 3390, 585, 144 | 0 1.08 | 52g 04 | /13/24 12:43: | :01 | 4044 | | | | , SOP.T.40.102. | | | 4/16/24 0 | 0.40.57 | |
| | d: SOP.T.40.0560 | C, SOP.T.40.0 |)58.FL, SOP.T. | | | | Analytical Bate | | .639MTC | | | 4/16/24 0 15/24 08: | | |
| Analytical Bate | h:DA071600MIC | | | Reviev 19:14 | ved On : 04 | 1/16/24 | Analyzed Date | | | | | | | |
| DA-020,fisherb Isotemp Heat B Analyzed Date Dilution : N/A | : 04/15/24 15:03:4 | at Block DA-0 40 | 949,Fisher Scie | entific | | | Reagent : N/A Consumables : Pipette : N/A Mycotoxins test accordance wit | ng utilizing | | ography with Triple | e-Quadrupo | le Mass Spe | ectrometry | in |
| Pipette : N/A | | | | | | | Hg | He | avy Mo | etals | | | PAS | SED |
| Analyzed by: 4044, 3390, 58 | 5, 1440 | Weight: 1.0852g | Extraction 0 04/13/24 12 | | Extracte 4044 | ed by: | P | | , , , , , , , , , , , , , , , , , , , | | | | | |
| | od:SOP.T.40.208 h:DA071602TYM | | | 9.FL /iewed On : 04/3 | 5/24 17:02 | 2.55 | Metal | | | LOD | Units | Result | Fail | Action Level |
| Instrument Use | ed : Incubator (25- | 27*C) DA-09 | | ch Date : 04/13 | | | | AMINAN | T LOAD METAI | | ppm | ND | PASS | 1.1 |
| Analyzed Date | : 04/13/24 13:42: | 39 | | | | | ARSENIC | | | 0.020 | ppm | ND | PASS | 0.2 |
| Dilution : N/A | | | | | | | CADMIUM | | | 0.020 | ppm | ND | PASS | 0.2 |
| Reagent : 0326 Consumables : | 524.14; 032624.15 | 5; 031824.R1 | 19 | | | | MERCURY | | | 0.020 | ppm | ND ND | PASS PASS | 0.2 0.5 |
| Consumables : Pipette : N/A | IV/A | | | | | | LEAD | | | 0.020 | ppm | | | |
| Total yeast and | mold testing is perfo | | MPN and traditi | ional culture base | d techniques | s in | Analyzed by: 1022, 585, 144 | 0 | Weight: 0.2194g | Extraction dat 04/13/24 16:0 | | | x tracted b 022,4056 | |
| accordance with | F.S. Rule 64ER20-39 | 9. | | | | | Analysis Metho Analytical Bato Instrument Uso | h : DA071 ed : DA-ICI | PMS-004 | Review | | /16/24 10: 3/24 11:23 | | |

Analyzed Date : 04/15/24 14:44:06

Dilution : 50 Reagent : 032824.R05; 032524.R03; 040524.R11; 040824.R16; 040824.R17; 020524.01; 032824.R06

Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 04/17/24



-

Certificate of Analysis

FLUENT

5540 W. Executive Drive Tampa, FL, 33609, US **Telephone:** (305) 900-6266 Email: Taylor.Jones@getfluent.com

Dilution : N/A Reagent : 022024.29 Consumables : PS-14 Pipette : N/A

Sample : DA40413004-003 Harvest/Lot ID: 0124 4645 1433 8239 Batch#:0124 4645 1433 8239 Sampled : 04/13/24

Ordered : 04/13/24

Sample Size Received : 15.3 gram Total Amount : 2904 units Completed : 04/17/24 Expires: 04/17/25 Sample Method : SOP.T.20.010

| | Filth/Fo Materia | | n | | ΡΑ | SSED |
|--|---------------------|---------------------|-------------------------|-----------------------------|-------------|------------------------------|
| Analyte Filth and Forei | gn Material | LOD 0.100 | Units % | Result ND | P/F PASS | Action Level |
| Analyzed by: 1879, 585, 1440 | Weig NA | jht: | Extract i N/A | on date: | Extr N/A | acted by: |
| | | erial Micro | oscope | | | 5/24 00:17:15 24 23:30:41 |
| Dilution : N/A Reagent : N/A Consumables : N/ Pipette : N/A | Ά | | | | | |
| echnologies in acc | Water A | | | | ΡΑ | SSED |
| Analyte Water Activity | | LOD 0.010 | Units aw | Result 0.384 | P/F PASS | Action Level 0.85 |
| Analyzed by: 4444, 585, 1440 | Weight: 1.056g | | raction 0 | | | tracted by: 44 |
| | | ygroPalm | 1 | Reviewed On Batch Date : | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

PASSED

Page 6 of 6

Kaycha Labs

..... Oil Tanker AIO 0.3g Oil Tanker AIO 0.3g

Matrix : Derivative

Type: Distillate

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

04/17/24