



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40417002-006  
 Harvest/Lot ID: 4126 1539 4733 2253  
 Batch#: 4126 1539 4733 2253  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility: Tampa Processing  
 Source Facility: Tampa Cultivation  
 Seed to Sale#: 2780 0087 3777 4727  
 Batch Date: 12/28/23  
 Sample Size Received: 840 gram  
 Total Amount: 3583 units  
 Retail Product Size: 62.8178 gram  
 Retail Serving Size: 6 gram  
 Servings: 10  
 Ordered: 04/16/24  
 Sampled: 04/17/24  
 Completed: 04/19/24  
 Sampling Method: SOP.T.20.010

Apr 19, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
 NOT TESTED

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**0.153%**

Total THC/Container : 96.11 mg



Total CBD  
**ND**

Total CBD/Container : 0.00 mg



Total Cannabinoids  
**0.164%**

Total Cannabinoids/Container : 103.02 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.153	ND	ND	ND	ND	0.005	ND	0.002	0.002	ND	0.002
mg/unit	96.11	ND	ND	ND	ND	3.14	ND	1.26	1.26	ND	1.26
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Analyzed by:  
 1665, 585, 1440

Weight:  
 3.0143g

Extraction date:  
 04/17/24 10:06:34

Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA071703POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 04/17/24 10:06:39

Reviewed On : 04/18/24 09:07:28  
 Batch Date : 04/17/24 07:59:31

Dilution : 40  
 Reagent : 032924.R01; 071222.01; 041624.R01  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 04/19/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40417002-006

Harvest/Lot ID: 4126 1539 4733 2253

Batch# : 4126 1539 4733

2253

Sampled : 04/17/24

Ordered : 04/17/24

Sample Size Received : 840 gram

Total Amount : 3583 units

Completed : 04/19/24 Expires: 04/19/25

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINO CYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND						
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

**Analyzed by:** 3379, 585, 1440      **Weight:** 1.0049g      **Extraction date:** 04/17/24 14:36:39      **Extracted by:** 3379  
**Analysis Method :** SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)  
**Analytical Batch :** DA071720PES      **Reviewed On :** 04/18/24 15:47:26  
**Instrument Used :** DA-LCMS-003 (PES)      **Batch Date :** 04/17/24 09:39:35  
**Analyzed Date :** 04/17/24 14:37:28  
**Dilution :** 250  
**Reagent :** 041524.R03; 041724.R03; 041624.R13; 041624.R06; 031824.R02; 041724.R01; 040423.08  
**Consumables :** 326250IW  
**Pipette :** DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 450, 585, 1440      **Weight:** 1.0049g      **Extraction date:** 04/17/24 14:36:39      **Extracted by:** 3379  
**Analysis Method :** SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL  
**Analytical Batch :** DA071722VOL      **Reviewed On :** 04/18/24 15:46:07  
**Instrument Used :** DA-GCMS-001      **Batch Date :** 04/17/24 09:42:01  
**Analyzed Date :** 04/17/24 16:22:18  
**Dilution :** 250  
**Reagent :** 041624.R13; 040423.08; 031824.R05; 031824.R06  
**Consumables :** 326250IW; 14725401  
**Pipette :** DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
04/19/24



# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA40417002-006

Harvest/Lot ID: 4126 1539 4733 2253

 Batch# : 4126 1539 4733  
 2253

Sampled : 04/17/24

Ordered : 04/17/24

Sample Size Received : 840 gram

Total Amount : 3583 units

Completed : 04/19/24 Expires: 04/19/25

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0245g	Extraction date: 04/18/24 14:22:35	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/18/24 14:58:54
Analytical Batch : DA07173050L	Batch Date : 04/17/24 15:00:29
Instrument Used : DA-GCMS-003	
Analyzed Date : 04/17/24 15:44:10	

Dilution : 1  
 Reagent : 030420.09  
 Consumables : 429651; 304486  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40417002-006  
Harvest/Lot ID: 4126 1539 4733 2253  
Batch# : 4126 1539 4733 2253  
Sample Size Received : 840 gram  
Total Amount : 3583 units  
Sampled : 04/17/24  
Completed : 04/19/24 Expires: 04/19/25  
Ordered : 04/17/24  
Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 3390, 3621, 585, 1440 <b>Weight:</b> NA <b>Extraction date:</b> N/A <b>Extracted by:</b> N/A <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA071712MIC <b>Reviewed On :</b> 04/18/24 11:16:24 <b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 04/17/24 08:57:54 <b>Analyzed Date :</b> 04/17/24 15:48:37 <b>Dilution :</b> N/A <b>Reagent :</b> 032624.17; 032624.18; 041124.R11; 091523.44 <b>Consumables :</b> 7569004008 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 1.0049g <b>Extraction date:</b> 04/17/24 14:36:39 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA071721MYC <b>Reviewed On :</b> 04/18/24 10:50:22 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 04/17/24 09:41:59 <b>Analyzed Date :</b> 04/17/24 14:37:39 <b>Dilution :</b> 250 <b>Reagent :</b> 041524.R03; 041724.R03; 041624.R13; 041624.R06; 031824.R02; 041724.R01; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> NA <b>Extraction date:</b> N/A <b>Extracted by:</b> N/A <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA071715TYM <b>Reviewed On :</b> 04/19/24 13:14:25 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 04/17/24 09:02:06 <b>Analyzed Date :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 032624.17; 032624.18; 041124.R12; 031824.R19 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Metal	LOD	Units	Result	Pass / Fail	Action Level
<b>Hg</b> <b>Heavy Metals</b> <b>PASSED</b>					
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2616g <b>Extraction date:</b> 04/17/24 11:43:35 <b>Extracted by:</b> 4056,1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA071727HEA <b>Reviewed On :</b> 04/18/24 10:49:52 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/17/24 10:29:21 <b>Analyzed Date :</b> 04/17/24 14:17:57 <b>Dilution :</b> 50 <b>Reagent :</b> 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/19/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40417002-006

Harvest/Lot ID: 4126 1539 4733 2253

Batch#: 4126 1539 4733  
2253

Sampled : 04/17/24

Ordered : 04/17/24

Sample Size Received : 840 gram

Total Amount : 3583 units

Completed : 04/19/24 Expires: 04/19/25

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign Material** **PASSED**

**Homogeneity** **PASSED**

Amount of tests conducted : 26

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585, 1440	NA	N/A	N/A

Analysis Method : SOP.T.40.090  
 Analytical Batch : DA071728FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 04/17/24 14:29:37  
 Reviewed On : 04/17/24 14:56:34  
 Batch Date : 04/17/24 14:19:49

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** **PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.515	PASS	0.85

Analyzed by:	Weight:	Extraction date:	Extracted by:
4444, 585, 1440	11.55g	04/17/24 13:51:11	4444

Analysis Method : SOP.T.40.019  
 Analytical Batch : DA071725WAT  
 Instrument Used : DA256 Rotronic HygroPalm  
 Analyzed Date : 04/17/24 13:07:18  
 Reviewed On : 04/18/24 07:46:42  
 Batch Date : 04/17/24 09:42:32

Dilution : N/A  
 Reagent : 022024.29  
 Consumables : PS-14  
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	7.038	25

Analyzed by	Average Weight	Extraction date :	Extracted By :
4451, 3702, 585, 1440	6.009g	04/17/24 11:15:11	4451

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL  
 Analytical Batch : DA071707HOM  
 Instrument Used : DA-LC-001 (Homo)  
 Analyzed Date : 04/17/24 11:15:39  
 Reviewed On : 04/18/24 09:05:31  
 Batch Date : 04/17/24 08:30:33

Dilution : 40  
 Reagent : 041024.R07; 030322.03; 020124.02; 041624.R02  
 Consumables : 947.109; 250346; 1008835395; CE0123; R1KB14270  
 Pipette : DA-063; DA-066; DA-273

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

