



# Certificate of Analysis

## COMPLIANCE FOR RETAIL



Sample: DA40418005-002  
 Harvest/Lot ID: 3041 6124 3049 2499  
 Batch#: 3041 6124 3049 2499  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility : Tampa Processing  
 Source Facility : Tampa Cultivation  
 Seed to Sale# 5383 5930 2984 0224  
 Batch Date: 02/19/24  
 Sample Size Received: 15.3 gram  
 Total Amount: 1884 units  
 Retail Product Size: 0.3 gram  
 Retail Serving Size: 0.3 gram  
 Servings: 1  
 Ordered: 04/17/24  
 Sampled: 04/18/24  
 Completed: 04/20/24  
 Sampling Method: SOP.T.20.010

**PASSED**

Apr 20, 2024 | FLUENT

5540 W. Executive Drive  
 Tampa, FL, 33609, US



Pages 1 of 6

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals  
 Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
 NOT TESTED



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**86.719%**

Total THC/Container : 260.16 mg



Total CBD  
**0.225%**

Total CBD/Container : 0.68 mg



Total Cannabinoids  
**91.779%**

Total Cannabinoids/Container : 275.34 mg

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.591	0.146	0.225	ND	ND	2.230	ND	0.706	0.502	ND	0.935
mg/unit	259.77	0.44	0.68	ND	ND	6.69	ND	2.12	1.51	ND	2.81
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:  
 1665, 585, 1440

Weight:  
 0.1162g

Extraction date:  
 04/18/24 11:59:33

Extracted by:  
 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA071747POT  
 Instrument Used : DA-LC-002  
 Analyzed Date : 04/18/24 12:00:10

Reviewed On : 04/19/24 19:26:24  
 Batch Date : 04/18/24 10:14:29

Dilution : 400  
 Reagent : 032924.R01; 060723.24; 041624.R01  
 Consumables : 927.100; 280670723; CE0123; 0000185478  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJA-  
 Testing 97164



Signature  
 04/20/24



# Certificate of Analysis

**PASSED**

FLUENT

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40418005-002  
Harvest/Lot ID: 3041 6124 3049 2499

Batch# : 3041 6124 3049  
Sample Size Received : 15.3 gram  
Total Amount : 1884 units  
Sampled : 04/18/24  
Completed : 04/20/24 Expires: 04/20/25  
Ordered : 04/18/24  
Sample Method : SOP.T.20.010

Page 2 of 6

Terpenes				TESTED						
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)			
TOTAL TERPENES	0.007	9.77	3.258	ALPHA-BISABOLOL	0.007	ND	ND			
LIMONENE	0.007	4.20	1.401	ALPHA-CEDRENE	0.007	ND	ND			
BETA-CARYOPHYLLENE	0.007	1.12	0.373	ALPHA-PHELLANDRENE	0.007	ND	ND			
ALPHA-PINENE	0.007	1.07	0.355	ALPHA-TERPINENE	0.007	ND	ND			
BETA-PINENE	0.007	0.90	0.301	ALPHA-TERPINOLENE	0.007	ND	ND			
LINALOOL	0.007	0.61	0.204	CIS-NEROLIDOL	0.007	ND	ND			
BETA-MYRCENE	0.007	0.61	0.204	GAMMA-TERPINENE	0.007	ND	ND			
OCIMENE	0.007	0.40	0.133	TRANS-NEROLIDOL	0.007	ND	ND			
FENCHYL ALCOHOL	0.007	0.32	0.108							
ALPHA-HUMULENE	0.007	0.29	0.096	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL	Weight:	0.2094g	Extraction date:	04/18/24 12:00:42	Extracted by:	3605
ALPHA-TERPINEOL	0.004	0.10	0.033	Analytical Batch : DA071740TER						
FARNESENE	0.001	0.09	0.030	Instrument Used : DA-GCMS-008						
CAMPHENE	0.007	0.06	0.020	Analyzed Date : 04/18/24 12:01:05						
3-CARENE	0.007	ND	ND	Dilution : 10						
BORNEOL	0.013	ND	ND	Reagent : 022224.01						
CAMPHOR	0.007	ND	ND	Consumables : 947.109; 230613-634-D; CE0123						
CARYOPHYLLENE OXIDE	0.007	ND	ND	Pipette : DA-063						
CEDROL	0.007	ND	ND	Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.						
EUCALYPTOL	0.007	ND	ND							
FENCHONE	0.007	ND	ND							
GERANIOL	0.007	ND	ND							
GERANYL ACETATE	0.007	ND	ND							
GUAIOL	0.007	ND	ND							
HEXAHYDROTHYMOL	0.007	ND	ND							
ISOBORNEOL	0.007	ND	ND							
ISOPULEGOL	0.007	ND	ND							
NEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
SABINENE	0.007	ND	ND							
SABINENE HYDRATE	0.007	ND	ND							
VALENCENE	0.007	ND	ND							
<b>Total (%)</b>			<b>3.258</b>							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJA-  
Testing 97164

Signature  
04/20/24




# Certificate of Analysis

**PASSED**
**FLUENT**

 5540 W. Executive Drive  
 Tampa, FL, 33609, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

**Sample : DA40418005-002**
**Harvest/Lot ID: 3041 6124 3049 2499**
**Batch# : 3041 6124 3049**
**2499**
**Sampled : 04/18/24**
**Ordered : 04/18/24**
**Sample Size Received : 15.3 gram**
**Total Amount : 1884 units**
**Completed : 04/20/24 Expires: 04/20/25**
**Sample Method : SOP.T.20.010**

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2955g	04/18/24 14:43:23	3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	<b>Analytical Batch :</b> DA071751PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-LCMS-003 (PES)					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	<b>Analyzed Date :</b> 04/18/24 14:50:03					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 041624.R13; 040423.08					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW					
FIPRONIL	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	450, 585, 1440	0.2955g	04/18/24 14:43:23	3379		
IMAZALIL	0.010	ppm	0.1	PASS	ND	<b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	<b>Analytical Batch :</b> DA071753VOL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	<b>Instrument Used :</b> DA-GCMS-001					
MALATHION	0.010	ppm	0.2	PASS	ND	<b>Analyzed Date :</b> 04/18/24 16:13:38					
METALAXYL	0.010	ppm	0.1	PASS	ND	<b>Dilution :</b> 250					
METHIACARB	0.010	ppm	0.1	PASS	ND	<b>Reagent :</b> 041624.R13; 040423.08; 031824.R05; 031824.R06					
METHOMYL	0.010	ppm	0.1	PASS	ND	<b>Consumables :</b> 326250IW; 14725401					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	<b>Pipette :</b> DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 04/20/24



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40418005-002

Harvest/Lot ID: 3041 6124 3049 2499

Batch# : 3041 6124 3049  
2499

Sampled : 04/18/24

Ordered : 04/18/24


Sample Size Received : 15.3 gram

Total Amount : 1884 units

Completed : 04/20/24 Expires: 04/20/25

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0228g	Extraction date: 04/19/24 13:46:57	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/19/24 16:49:45
Analytical Batch : DA071771SOL	Batch Date : 04/18/24 14:55:17
Instrument Used : DA-GCMS-002	
Analyzed Date : 04/19/24 13:51:47	

Dilution : 1  
Reagent : 030420.09  
Consumables : 429651; 304486  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40418005-002  
Harvest/Lot ID: 3041 6124 3049 2499  
Batch# : 3041 6124 3049    Sample Size Received : 15.3 gram  
2499    Total Amount : 1884 units  
Sampled : 04/18/24    Completed : 04/20/24 Expires: 04/20/25  
Ordered : 04/18/24    Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
<b>Analyzed by:</b> 4044, 3621, 585, 1440 <b>Weight:</b> 1.115g <b>Extraction date:</b> 04/18/24 11:23:56 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL <b>Analytical Batch :</b> DA071746MIC <b>Reviewed On :</b> 04/19/24 11:42:57 <b>Instrument Used :</b> PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 <b>Batch Date :</b> 04/18/24 09:35:34 <b>Analyzed Date :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 032624.18; 032624.24; 041124.R11; 100223.07 <b>Consumables :</b> 7569004007 <b>Pipette :</b> N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
<b>Analyzed by:</b> 3379, 585, 1440 <b>Weight:</b> 0.2955g <b>Extraction date:</b> 04/18/24 14:43:23 <b>Extracted by:</b> 3379 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA071754MYC <b>Reviewed On :</b> 04/19/24 11:40:26 <b>Instrument Used :</b> N/A <b>Batch Date :</b> 04/18/24 10:27:47 <b>Analyzed Date :</b> 04/18/24 14:50:18 <b>Dilution :</b> 250 <b>Reagent :</b> 041624.R13; 040423.08 <b>Consumables :</b> 326250IW <b>Pipette :</b> N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 1.115g <b>Extraction date:</b> 04/18/24 11:23:56 <b>Extracted by:</b> 3621 <b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL <b>Analytical Batch :</b> DA071749TYM <b>Reviewed On :</b> 04/20/24 11:51:55 <b>Instrument Used :</b> Incubator (25-27°C) DA-096 <b>Batch Date :</b> 04/18/24 10:20:05 <b>Analyzed Date :</b> N/A <b>Dilution :</b> N/A <b>Reagent :</b> 032624.18; 032624.24; 041124.R12 <b>Consumables :</b> N/A <b>Pipette :</b> N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
<b>Analyzed by:</b> 1022, 585, 1440 <b>Weight:</b> 0.2465g <b>Extraction date:</b> 04/18/24 11:43:50 <b>Extracted by:</b> 1022 <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL <b>Analytical Batch :</b> DA071756HEA <b>Reviewed On :</b> 04/19/24 10:39:50 <b>Instrument Used :</b> DA-ICPMS-004 <b>Batch Date :</b> 04/18/24 10:29:47 <b>Analyzed Date :</b> 04/18/24 16:04:33 <b>Dilution :</b> 50 <b>Reagent :</b> 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06 <b>Consumables :</b> 179436; 34623011; 210508058 <b>Pipette :</b> DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



# Certificate of Analysis

**PASSED**

**FLUENT**

5540 W. Executive Drive  
Tampa, FL, 33609, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA40418005-002  
Harvest/Lot ID: 3041 6124 3049 2499  
Batch# : 3041 6124 3049      Sample Size Received : 15.3 gram  
2499      Total Amount : 1884 units  
Sampled : 04/18/24      Completed : 04/20/24 Expires: 04/20/25  
Ordered : 04/18/24      Sample Method : SOP.T.20.010

Page 6 of 6

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA071775FIL      Reviewed On : 04/18/24 18:25:37  
Instrument Used : Filth/Foreign Material Microscope      Batch Date : 04/18/24 18:12:40  
Analyzed Date : 04/18/24 18:18:54

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

	<b>Water Activity</b>	<b>PASSED</b>
---	-----------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.412	PASS	0.85

Analyzed by: 1879, 585, 1440	Weight: 0.4292g	Extraction date: 04/18/24 18:42:51	Extracted by: 1879
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA071769WAT      Reviewed On : 04/18/24 19:02:49  
Instrument Used : DA-028 Rotronic Hygropalm      Batch Date : 04/18/24 12:13:21  
Analyzed Date : 04/18/24 18:49:45

Dilution : N/A  
Reagent : 022024.29  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

