



Certificate of Analysis

COMPLIANCE FOR RETAIL



Sample: DA40418006-001
Harvest/Lot ID: HYB-CB-041624-C0132
Batch#: 3345 9810 7373 7261
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 0891 7685 9635 8938
Batch Date: 04/08/24
Sample Size Received: 38.5 gram
Total Amount: 2564 units
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Ordered: 04/17/24
Sampled: 04/18/24
Completed: 04/20/24
Sampling Method: SOP.T.20.010

Apr 20, 2024 | FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US



PASSED

Pages 1 of 5

SAFETY RESULTS


Pesticides
PASSED


Heavy Metals
PASSED


Microbials
PASSED


Mycotoxins
PASSED


Residuals Solvents
NOT TESTED


Filtration
PASSED


Water Activity
PASSED


Moisture
PASSED

MISC.

Terpenes
TESTED

 **Cannabinoid** **PASSED**



Total THC
30.251%
Dry Weight



Total CBD
0.073%
Dry Weight



Total Cannabinoids
36.076%
Dry Weight

	D9-THC	THCA	CBD	CBDa	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	Total THC	Total CBD	Total Cannabinoids
%	0.262	30.14	ND	0.075	0.033	0.138	1.083	ND	ND	ND	0.103	26.694%	0.065%	31.834%
mg/unit	9.17	1054.9	ND	2.625	1.155	4.83	37.905	ND	ND	ND	3.605	934.29 mg /Container	2.275 mg /Container	1114.19 mg /Container
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			
%	%	%	%	%	%	%	%	%	%	%	%			As Received

Analyzed by: 1665, 585, 1440 Weight: 0.2032g Extraction date: 04/18/24 12:07:25 Extracted by: 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 04/19/24 08:27:23
Analytical Batch : DA071748POT Batch Date : 04/18/24 10:16:55
Instrument Used : DA-LC-002
Analyzed Date : 04/18/24 12:07:47

Dilution : 400
Reagent : 032924.R01; 060723.24; 041624.R01
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/20/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40418006-001
Harvest/Lot ID: HYB-CB-041624-C0132

Batch# : 3345 9810 7373 Sample Size Received : 38.5 gram
7261 Total Amount : 2564 units
Sampled : 04/18/24 Completed : 04/20/24 Expires: 04/20/25
Ordered : 04/18/24 Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes				TESTED			
Terpenes	LOD (%)	mg/unit %	Result (%)	Terpenes	LOD (%)	mg/unit %	Result (%)
TOTAL TERPENES	0.007	57.68	1.648	SABINENE HYDRATE	0.007	ND	ND
LIMONENE	0.007	22.23	0.635	VALENCENE	0.007	ND	ND
BETA-CARYOPHYLLENE	0.007	9.28	0.265	ALPHA-CEDRENE	0.007	ND	ND
ALPHA-HUMULENE	0.007	5.01	0.143	ALPHA-PHELLANDRENE	0.007	ND	ND
LINALOOL	0.007	4.87	0.139	ALPHA-TERPINENE	0.007	ND	ND
BETA-MYRCENE	0.007	4.13	0.118	ALPHA-TERPINOLENE	0.007	ND	ND
BETA-PINENE	0.007	3.54	0.101	CIS-NEROLIDOL	0.007	ND	ND
FENCHYL ALCOHOL	0.007	2.17	0.062	GAMMA-TERPINENE	0.007	ND	ND
ALPHA-PINENE	0.007	1.93	0.055	Analyzed by: 3605, 585, 1440 Weight: 1.0693g Extraction date: 04/18/24 12:00:42 Extracted by: 3605 Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA071740TER Reviewed On : 04/19/24 08:54:22 Instrument Used : DA-GCMS-008 Batch Date : 04/18/24 09:18:33 Analyzed Date : 04/18/24 12:01:05 Dilution : 10 Reagent : 022224.01 Consumables : 947.109; 230613-634-D; CE0123 Pipette : DA-063 Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.			
ALPHA-TERPINEOL	0.004	1.40	0.040				
ALPHA-BISABOLOL	0.007	1.33	0.038				
FARNESENE	0.001	1.02	0.029				
TRANS-NEROLIDOL	0.007	0.81	0.023				
3-CARENE	0.007	ND	ND				
BORNEOL	0.013	ND	ND				
CAMPHENE	0.007	ND	ND				
CAMPHOR	0.007	ND	ND				
CARYOPHYLLENE OXIDE	0.007	ND	ND				
CEDROL	0.007	ND	ND				
EUCALYPTOL	0.007	ND	ND				
FENCHONE	0.007	ND	ND				
GERANIOL	0.007	ND	ND				
GERANYL ACETATE	0.007	ND	ND				
GUAIOL	0.007	ND	ND				
HEXAHYDROTHYMOL	0.007	ND	ND				
ISOBORNEOL	0.007	ND	ND				
ISOPULEGOL	0.007	ND	ND				
NEROL	0.007	ND	ND				
OCIMENE	0.007	ND	ND				
PULEGONE	0.007	ND	ND				
SABINENE	0.007	ND	ND				
Total (%)			1.648				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/20/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40418006-001
Harvest/Lot ID: HYB-CB-041624-C0132

Batch# : 3345 9810 7373 Sample Size Received : 38.5 gram
7261 Total Amount : 2564 units
Sampled : 04/18/24 Completed : 04/20/24 Expires: 04/20/25
Ordered : 04/18/24 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINO CYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.9491g Extraction date: 04/18/24 14:45:13 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA071757PES Reviewed On : 04/19/24 11:51:13 Instrument Used : DA-LCMS-003 (PES) Batch Date : 04/18/24 10:30:59 Analyzed Date : 04/18/24 14:50:00 Dilution : 250 Reagent : 041624.R13; 040423.08 Consumables : 326250IW Pipette : N/A Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440 Weight: 0.9491g Extraction date: 04/18/24 14:45:13 Extracted by: 3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL Analytical Batch : DA071759VOL Reviewed On : 04/20/24 12:32:08 Instrument Used : DA-GCMS-001 Batch Date : 04/18/24 10:34:26 Analyzed Date : 04/18/24 16:13:47 Dilution : 250 Reagent : 041624.R13; 040423.08; 031824.R05; 031824.R06 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND						
FENHEXAMID	0.010	ppm	0.1	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND						
MALATHION	0.010	ppm	0.2	PASS	ND						
METALAXYL	0.010	ppm	0.1	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
04/20/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40418006-001
Harvest/Lot ID: HYB-CB-041624-C0132
Batch# : 3345 9810 7373 Sample Size Received : 38.5 gram
7261 Total Amount : 2564 units
Sampled : 04/18/24 Completed : 04/20/24 Expires: 04/20/25
Ordered : 04/18/24 Sample Method : SOP.T.20.010


Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	600	PASS	100000
Analyzed by: 3621, 585, 1440 Weight: 0.9414g Extraction date: 04/18/24 11:23:58 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA071746MIC Reviewed On : 04/19/24 11:43:05 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 04/18/24 09:35:34 Analyzed Date : N/A Dilution : N/A Reagent : 032624.18; 032624.24; 041124.R11; 100223.07 Consumables : 7569004007 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 0.9491g Extraction date: 04/18/24 14:45:13 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA071760MYC Reviewed On : 04/19/24 11:34:07 Instrument Used : N/A Batch Date : 04/18/24 10:36:16 Analyzed Date : 04/18/24 14:50:23 Dilution : 250 Reagent : 041624.R13; 040423.08 Consumables : 326250IW Pipette : N/A Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2553g Extraction date: 04/18/24 12:41:36 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA071755HEA Reviewed On : 04/19/24 10:48:14 Instrument Used : DA-ICPMS-004 Batch Date : 04/18/24 10:27:49 Analyzed Date : 04/18/24 16:01:44 Dilution : 50 Reagent : 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06 Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216					

	Heavy Metals	PASSED
---	---------------------	---------------

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2553g Extraction date: 04/18/24 12:41:36 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA071755HEA Reviewed On : 04/19/24 10:48:14 Instrument Used : DA-ICPMS-004 Batch Date : 04/18/24 10:27:49 Analyzed Date : 04/18/24 16:01:44 Dilution : 50 Reagent : 032824.R05; 041524.R04; 041524.R01; 041524.R02; 020524.01; 032824.R06 Consumables : 179436; 35123025; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/20/24



Certificate of Analysis

PASSED

FLUENT

5540 W. Executive Drive
Tampa, FL, 33609, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA40418006-001
Harvest/Lot ID: HYB-CB-041624-C0132
Batch# : 3345 9810 7373 Sample Size Received : 38.5 gram
7261 Total Amount : 2564 units
Sampled : 04/18/24 Completed : 04/20/24 Expires: 04/20/25
Ordered : 04/18/24 Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign Material PASSED



Moisture PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.76	PASS	15
Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 1879, 585, 1440	Weight: 0.48g	Extraction date: 04/18/24 18:49:21	Extracted by: 1879		
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA071775FIL						Analytical Batch : DA071767MOI					
Instrument Used : Filth/Foreign Material Microscope						Instrument Used : DA-003 Moisture Analyzer					
Analyzed Date : 04/18/24 18:18:54						Analyzed Date : 04/18/24 16:27:01					
Reviewed On : 04/18/24 18:25:32						Reviewed On : 04/18/24 19:13:43					
Batch Date : 04/18/24 18:12:40						Batch Date : 04/18/24 11:44:31					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 092520.50; 030124.12					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.625	PASS	0.65
Analyzed by: 1879, 585, 1440	Weight: 0.863g	Extraction date: 04/18/24 18:38:39	Extracted by: 1879		
Analysis Method : SOP.T.40.019					
Analytical Batch : DA071768WAT					
Instrument Used : DA-028 Rotronic HygroPalm					
Analyzed Date : 04/18/24 18:38:57					
Reviewed On : 04/18/24 19:01:56					
Batch Date : 04/18/24 12:00:09					
Dilution : N/A					
Reagent : 022024.29					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

