

T404051

## Fluent

Client Lic#: MMTC-2015-0003  
 5251 E. Diana St Tampa, FL 33610  
 (352) 318-3183  
 Tampa Compliance samples



Seed to Sale : 6187 7858 3329 2814  
 Retail Batch#: 3681 1513 0320 6313  
 Retail Batch Total Wt/Vol: 1976g  
 Retail Batch Total Units 1976  
 Retail Batch Date: 09/29/2023  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility: Tampa Processing  
 Cultivar: Everglade Haze  
 Sampling SOP 1260

Compliance for Retail: **PASS**

### Everglade Haze Disposable Pen 1g


Sample ID: T404051-01  
 Matrix: Derivative Inhalable

Total Sample Received: 16g  
 Total Units Received: 16  
 Unit Weight: 1g


Date Sampled: 04/02/2024  
 Date Received: 04/02/2024  
 Date Reported: 04/04/2024

### Safety Summary

Foreign Materials <b>PASS</b>	Heavy Metals <b>PASS</b>	Homogeneity <b>NOT TESTED</b>	Label Claim <b>NOT TESTED</b>	Microbials <b>PASS</b>	Moisture Content <b>NOT TESTED</b>
Mycotoxins <b>PASS</b>	Pesticides <b>PASS</b>	Residual Solvents <b>PASS</b>	TCL <b>PASS</b>	Terpenes <b>TESTED</b>	Water Activity <b>PASS</b>



### Potency Summary



### Terpenes Summary

Date Prepared: 04/03/2024 16:00    Prep ID: 4599    Specimen Wt: 0.11 g  
 Date Analyzed: 04/04/2024 01:45    Analyzed ID: 2447    Instrument: GCMS  
 Lab Batch: 2414077    Prep/Analysis Method: SOP1360

Analyte	Dilution	LOD	Results
		%	%
Terpinolene		0.0232	0.752
E-Caryophyllene		0.0232	0.280
D-Limonene		0.0232	0.216
beta-Myrcene		0.0232	0.178
Farnesene		0.0232	0.154
beta-Pinene		0.0232	0.127
beta-Ocimene		0.0232	0.101
alpha-Pinene		0.0232	0.0913
Valencene		0.0232	0.0670
alpha-Phellandrene		0.0232	0.0442
Linalool		0.0232	0.0437
alpha-Terpineol		0.0232	0.0369
alpha-Fenchyl alcohol, (+)-		0.0232	0.0341
3-Carene (+)-		0.0232	0.0331
<b>Total Terpenes</b>		<b>2.214</b>	<b>22.14 mg/Unit</b>

Terpene results are provided for informational purposes only.  
 LOD = Limit of Detection; ND = Not Detected.  
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Cannabinoids

Date Prepared: 04/03/2024 12:52    Prep ID: 4599    Specimen Wt: 0.108 g  
 Date Analyzed: 04/03/2024 15:54    Analyst ID: 754    Instrument: HPLC/VWD  
 Lab Batch: 2414076    Prep/Analysis Method: SOP 1357

Analyte	Dilution	LOD	Results	Result
			%	mg/g
Cannabichromene (CBC)	1	0.0464	1.11	11.1
Cannabidiol (CBD)	1	0.0464	0.159	1.59
Cannabidiolic acid (CBDA)	1	0.0464	ND	ND
Cannabidivarin (CBDV)	1	0.0464	ND	ND
Cannabigerol (CBG)	1	0.0464	2.03	20.3
Cannabigerolic acid (CBGA)	1	0.0464	ND	ND
Cannabinol (CBN)	1	0.0464	0.633	6.33
d8 - Tetrahydrocannabinoid (d8-THC)	1	0.0464	ND	ND
d9 - Tetrahydrocannabinoid (d9-THC)	10	0.464	89.3	893
d9 - Tetrahydrocannabinolic acid (THCA)	1	0.0464	0.246	2.46
Tetrahydrocannabivarin (THCV)	1	0.0464	0.646	6.46
<b>Total THC</b>			<b>89.5</b>	<b>895</b>
<b>Total CBD</b>			<b>0.159</b>	<b>1.59</b>
<b>Total Cannabinoids</b>			<b>94.1</b>	<b>941</b>

Total THC= THCa \* 0.877 + d9-THC. Total CBD= CBDA \* 0.877 + CBD.  
 mg/Unit = Unit Weight g \* Total THC/CBD mg/g  
 LOD = Limit of Detection; ND = Not Detected.  
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
 Flower results reported on a dry weight basis

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
 813-726-3103 / www.terplifelabs.com

Brian C. Spann  
 Laboratory Director



*The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from Terplife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)*



# Certificate of Analysis

Lab State Certification/License: CMTL-00010



T404051

## Fluent

Client Lic#: MMTC-2015-0003  
5251 E. Diana St Tampa, FL 33610  
(352) 318-3183  
Tampa Compliance samples



Seed to Sale : 6187 7858 3329 2814  
Retail Batch#: 3681 1513 0320 6313  
Retail Batch Total Wt/Vol: 1976g  
Retail Batch Total Units 1976  
Retail Batch Date: 09/29/2023  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Cultivar: Everglade Haze  
Sampling SOP 1260

Compliance for Retail: **PASS**

### Everglade Haze Disposal Pen 1g

Sample ID: T404051-01  
Matrix: Derivative Inhalable

Total Sample Received: 16g  
Total Units Received: 16  
Unit Weight: 1g

Date Sampled: 04/02/2024  
Date Received: 04/02/2024  
Date Reported: 04/04/2024

### Pesticides

**Pass**

Prep Method: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2414078	LCMSMS	4/3/2024 5:09:39PM	2670-0754	4/3/2024 9:36:00AM	4599	1.01	SOP1350
* Pesticides GCQQQ	2414079	GCMSMS	4/4/2024 3:12:26PM	0754-2670	4/3/2024 9:37:00AM	4599	1.01	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
		ppb	ppb					ppb	ppb		
Abamectin	1	100	10	ND	Pass	Imidacloprid	1	400	40	ND	Pass
Acephate	1	100	10	ND	Pass	Kresoxim-methyl	1	100	10	ND	Pass
Acequinocyl	1	100	10	ND	Pass	Malathion	1	200	20	ND	Pass
Acetamiprid	1	100	10	ND	Pass	Metalaxyl	1	100	10	ND	Pass
Aldicarb	1	100	10	ND	Pass	Methiocarb	1	100	10	ND	Pass
Azoxystrobin	1	100	10	ND	Pass	Methomyl	1	100	10	ND	Pass
Bifenazate	1	100	10	ND	Pass	Mevinphos	1	100	10	ND	Pass
Bifenthrin	1	100	10	ND	Pass	Myclobutanil	1	100	10	ND	Pass
Boscalid	1	100	10	ND	Pass	Naled	1	250	25	ND	Pass
Carbaryl	1	500	50	ND	Pass	Oxamyl	1	500	50	ND	Pass
Carbofuran	1	100	10	ND	Pass	Pacllobutrazol	1	100	10	ND	Pass
Chlorantraniliprole	1	1000	100	ND	Pass	Permethrin	1	100	10	ND	Pass
Chloromequat Chloride	1	1000	100	ND	Pass	Phosmet	1	100	10	ND	Pass
Chlorpyrifos	1	100	10	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Clofentezine	1	200	20	ND	Pass	Prallethrin	1	100	10	ND	Pass
Coumaphos	1	100	10	ND	Pass	Propiconazole	1	100	10	ND	Pass
Cyfluthrin	1	500	50	ND	Pass	Propoxur	1	100	10	ND	Pass
Cypermethrin	1	500	50	ND	Pass	Pyrethrins	1	500	50	ND	Pass
Daminozide	1	100	10	ND	Pass	Pyridaben	1	200	20	ND	Pass
Diazinon	1	100	10	ND	Pass	Spinetoram, total	1	200	20	ND	Pass
Dichlorvos	1	100	10	ND	Pass	Spinosad, total	1	100	10	ND	Pass
Dimethoate	1	100	10	ND	Pass	Spiromesifen	1	100	10	ND	Pass
Dimethomorph	1	200	20	ND	Pass	Spirotetramat	1	100	10	ND	Pass
Ethoprophos	1	100	10	ND	Pass	Spiroxamine	1	100	10	ND	Pass
Etofenprox	1	100	10	ND	Pass	Tebuconazole	1	100	10	ND	Pass
Etozazole	1	100	10	ND	Pass	Thiacloprid	1	100	10	ND	Pass
Fenhexamid	1	100	10	ND	Pass	Thiamethoxam	1	500	50	ND	Pass
Fenoxycarb	1	100	10	ND	Pass	Trifloxystrobin	1	100	10	ND	Pass
Fenpyroximate	1	100	10	ND	Pass	Captan*	1	700	70	ND	Pass
Fipronil	1	100	10	ND	Pass	Chlordane*	1	100	10	ND	Pass
Flonicamid	1	100	10	ND	Pass	Chlorfenapyr*	1	100	10	ND	Pass
Fludioxonil	1	100	10	ND	Pass	Methyl parathion*	1	100	10	ND	Pass
Hexythiazox	1	100	10	ND	Pass	Pentachloronitrobenzene*	1	150	15	ND	Pass
Imazalil	1	100	10	ND	Pass						

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
\* - GCMSMS Pesticides

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director



The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)



# Certificate of Analysis

Lab State Certification/License: CMTL-00010



T404051

## Fluent

Client Lic#: MMTC-2015-0003  
5251 E. Diana St Tampa, FL 33610  
(352) 318-3183  
Tampa Compliance samples



Seed to Sale : 6187 7858 3329 2814  
Retail Batch#: 3681 1513 0320 6313  
Retail Batch Total Wt/Vol: 1976g  
Retail Batch Total Units 1976  
Retail Batch Date: 09/29/2023  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Cultivar: Everglade Haze  
Sampling SOP 1260

Compliance for Retail: **PASS**

## Everglade Haze Disposable Pen 1g

Sample ID: T404051-01  
Matrix: Derivative Inhalable

Total Sample Received: 16g  
Total Units Received: 16  
Unit Weight: 1g

Date Sampled: 04/02/2024  
Date Received: 04/02/2024  
Date Reported: 04/04/2024

### Mycotoxins

Date Prepared: 04/03/2024 09:36    Prepped By: 4599    Specimen Wt: 1.01 g  
Date Analyzed: 04/03/2024 17:09    Analyzed By: 2670-0754    Instrument: LCMSMS  
Lab Batch: 2414078    Prep Method: SOP 1363    Analysis Method: SOP 1350

**Pass**

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Microbials

Date Prepared: 04/02/2024 17:14    Prep ID: 1093    Specimen Wt: 1.00 g  
Date Analyzed: 04/03/2024 14:10    Analyst ID: 1093    Instrument: qPCR  
Lab Batch: 2414065    Analysis Method: SOP1353/1364/1352

**Pass**

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Total Contaminant Load

	Action Limit	ppb	Results	Status
Total Contaminant Load	5,000.00		ND	Pass

Heavy Metals & Pesticides

### Foreign Materials

Date Prepared: 04/02/2024 16:55    Prep ID: 1150    Instrument: Visual Inspection  
Date Analyzed: 04/02/2024 18:28    Analyst ID: 3780  
Lab Batch: 2414050    Analysis Method: SOP1359

**Pass**

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass

ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Heavy Metals

Date Prepared: 04/03/2024 14:40    Prepped By: 1094    Specimen Wt: 0.29 g  
Date Analyzed: 04/03/2024 19:47    Analyzed By: 1094    Instrument: ICPMS  
Lab Batch: 2414068    Prep Method: SOP 1362    Analysis Method: SOP1358

**Pass**

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	200	20	ND	Pass
Cadmium	1	200	20	ND	Pass
Lead	1	500	50	ND	Pass
Mercury	1	200	20	ND	Pass

LOD = Limit of Detection; ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Water Activity

Date Prepared: 04/02/2024 18:28    Prep ID: 1150    Specimen Wt: 0.16 g  
Date Analyzed: 04/02/2024 18:28    Analyst ID: 3780    Instrument: Water Activity Meter  
Lab Batch: 2414050    Analysis Method: SOP1355

**Pass**

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.49	Pass

ND = Not Detected.  
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
813-726-3103 / www.terplifelabs.com

Brian C. Spann  
Laboratory Director



3 of 4

The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from TerpLife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

T404051

### Fluent

Client Lic#: MMTC-2015-0003  
 5251 E. Diana St Tampa, FL 33610  
 (352) 318-3183  
 Tampa Compliance samples



Seed to Sale : 6187 7858 3329 2814  
 Retail Batch#: 3681 1513 0320 6313  
 Retail Batch Total Wt/Vol: 1976g  
 Retail Batch Total Units 1976  
 Retail Batch Date: 09/29/2023  
 Cultivation Facility: Tampa Cultivation  
 Processing Facility: Tampa Processing  
 Cultivar: Everglade Haze  
 Sampling SOP 1260

Compliance for Retail: **PASS**

### Everglade Haze Disposable Pen 1g

Sample ID: T404051-01  
 Matrix: Derivative Inhalable

Total Sample Received: 16g  
 Total Units Received: 16  
 Unit Weight: 1g

Date Sampled: 04/02/2024  
 Date Received: 04/02/2024  
 Date Reported: 04/04/2024

### Residual Solvents

### Pass Terpenes Summary

Date Prepared: 04/02/2024 18:15    Prep ID: 2447    Specimen Wt: 0.05 g  
 Date Analyzed: 04/03/2024 17:34    Analyst ID: 2447    Instrument: GCMSMS Headspace  
 Lab Batch: 2414044    Analysis Method: SOP1361

Date Prepared: 04/03/2024 16:00    Prep ID: 4599    Specimen Wt: 0.11 g  
 Date Analyzed: 04/04/2024 01:45    Analyzed ID: 2447    Instrument: GCMS  
 Lab Batch: 2414077    Prep/Analysis Method: SOP1360

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.8	ND	Pass
1,2-Dichloroethane	1	2.00	0.2	ND	Pass
Acetone	1	750	75	ND	Pass
Acetonitrile	1	60.0	6	ND	Pass
Benzene	1	1.00	0.1	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	2.00	0.2	ND	Pass
Ethanol	1	5000	500	ND	Pass
Ethyl acetate	1	400	40	ND	Pass
Ethyl ether	1	500	50	ND	Pass
Ethylene oxide	1	5.00	0.5	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	250	25	ND	Pass
Isopropyl alcohol	1	500	50	ND	Pass
Methanol	1	250	25	ND	Pass
Methylene chloride	1	125	12.5	ND	Pass
Pentane	1	750	75	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	150	15	ND	Pass
Xylenes, total	1	150	15	ND	Pass
Trichloroethylene	1	25.0	2.5	ND	Pass

Analyte	Dilution	LOD	Results
		%	%
Terpinolene	1	0.0232	0.752
E-Caryophyllene	1	0.0232	0.280
D-Limonene	1	0.0232	0.216
beta-Myrcene	1	0.0232	0.178
Farnesene	1	0.0232	0.154
beta-Pinene	1	0.0232	0.127
beta-Ocimene	1	0.0232	0.101
alpha-Pinene	1	0.0232	0.0913
Valencene	1	0.0232	0.0670
alpha-Phellandrene	1	0.0232	0.0442
Linalool	1	0.0232	0.0437
alpha-Terpineol	1	0.0232	0.0369
alpha-Fenchyl alcohol, (+)-	1	0.0232	0.0341
3-Carene (+)-	1	0.0232	0.0331
alpha-Bisabolol, L	1	0.0232	0.0312
alpha-Terpinene	1	0.0232	0.0242
alpha-Cedrene	1	0.0232	ND
alpha-Humulene	1	0.0232	ND
Borneol	1	0.0232	ND
Camphene	1	0.0232	ND
Camphor	1	0.0232	ND
Caryophyllene Oxide	1	0.0232	ND
Cedrol	1	0.0232	ND
E-Nerolidol	1	0.0232	ND
Eucalyptol	1	0.0232	ND
Fenchone	1	0.0232	ND
gamma-Terpinene	1	0.0232	ND
Geraniol	1	0.0232	ND
Geranyl Acetate	1	0.0232	ND
Guaiol	1	0.0232	ND
Isoborneol	1	0.0232	ND
Isopulegol	1	0.0232	ND
Menthol	1	0.0232	ND
Nerol	1	0.0232	ND
p-Cymene	1	0.0232	ND
Pulegone	1	0.0232	ND
Sabinene	1	0.0232	ND
Sabinene hydrate	1	0.0232	ND
Z-Nerolidol	1	0.0232	ND
<b>Total Terpenes</b>			<b>2.214    22.14 mg/Unit</b>

LOD = Limit of Detection; ND = Not Detected.  
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpene results are provided for informational purposes only.  
 LOD = Limit of Detection; ND = Not Detected.  
 Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TerpLife Labs

10350 Fisher Ave, Tampa, Florida 33619  
 813-726-3103 / www.terplifelabs.com

Brian C. Spann  
 Laboratory Director



*The data contained therein are based on sound scientific analytical procedures and judgment. Terplife Labs strives to deliver high quality results. This report shall not be reproduced without written consent from Terplife Labs. The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)*